

Celeste Industries Corp.
8221 Teal Drive, Suite 405
Easton, Maryland 21601

CELESTE CONTACT: 410-822-5775
24 HOUR EMERGENCY -
CHEMTREC: 800-424-9300

Document control number: MSTR006 rev2

PART NUMBER: LB-14 Series

MATERIAL SAFETY DATA SHEET

PRODUCT IDENTIFICATION

Flight Luxe Hand Soap
Product Code : Celeste Lotion Soap
MSDS Date : January 6, 2011
Supersedes : November 5, 2010
Prepared By : JA Long

Hazard Rating

Health	0
Fire	0
Reactivity	0
Personal Protective Equipment.		n/a

Scale: 4- Extreme 1- Slight
3- High 0- Insignificant
2- Moderate

COMPONENT INFORMATION

Exposure Limit Information in ppm

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>AMT.</u> (%)	<u>OSHA</u>		<u>ACGIH</u>	
			<u>TWA</u>	<u>STEL</u>	<u>REL</u> <u>TWA</u>	15 min ceiling
Mixture of surfactants		5-15			N/E	

EMERGENCY RESPONSE INFORMATION

FIRST AID PROCEDURES

Inhalation: N/A

Eye Contact : Flush immediately with clean water for at least 15 minutes, insuring that under both upper and lower lids are rinsed. Product can cause eye irritation and redness. If irritation persists, get medical attention.

Skin Contact: Not known to cause irritation, but if skin irritation occurs, wash well with fresh water.

Ingestion: If ingested, call a physician immediately. Not known to be hazardous, it is highly advised that this not be ingested.

SPILL OR LEAK HANDLING INFORMATION

Personal Protection: Goggles and gloves in full scale production.
Procedures: Stop flow, absorb or scrape up material, wash away with water.

FIRE FIGHTING INFORMATION

Department of Transportation (DOT) Emergency Response Guide Number: N/A

Unusual Hazards:

Special Fire Fighting Procedures: N/A

Extinguishing Agents: Dry chemical, water spray or alcohol resistant foam.

Personal Protective Equipment: Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

PHYSICAL/CHEMICAL CHARACTERISTICS

FIRE AND EXPLOSIVE PROPERTIES

Flash Point.....	nonflammable
Auto-ignition temperature....	Not available
Lower Explosive Limit.....	Not applicable
Upper Explosive Limit.....	Not applicable

REACTIVITY INFORMATION

<u>Stability:</u>	Stable
<u>Conditions to Avoid:</u>	None - If freezing occurs, allow to thaw and mix until homogenous.
<u>Hazardous Decomposition of Byproducts:</u>	May evolve sulfur dioxide gas at combustion temperatures.
<u>Hazardous Polymerization:</u>	Will Not occur.
<u>Incompatibility:</u>	None.

PERSONAL PROTECTION MEASURES

General Protection: Splash proof goggles or face shield & rubber gloves during production.

<u>Special Protection:</u>	<u>Respiratory Protection:</u> Usually none
	<u>Eye Protection:</u> Usually none. Splash proof goggles or face shield during production.
	<u>Hand Protection:</u> Usually none. Gloves - chemically resistant or neoprene type.

FACILITY CONTROL MEASURES

<u>Ventilation:</u>	Local - ventilation meeting ACGIH criteria, during production
<u>Other Protective Equipment:</u>	Use plastic or rubber apron to protect clothing, if needed during production.

SUPPLEMENTAL INFORMATION

Typical Physical Properties

Appearance.....	Pearly appearance
Color.....	Generally white but can be other colors
State.....	Liquid
Odor Characteristic.....	Mild Pleasant Fragrance
pH.....	pH neutral
Viscosity.....	apx. 3000 - 10,000 cps
Specific Gravity (Water = 1).....	1.030
Vapor Density (Air = 1).....	undetermined
Freezing Point.....	32° F / 0° C
Melting Point.....	undetermined
Boiling Point.....	215° F
Solubility in water.....	Completely soluble
Percent Volatility.....	Not available
Evaporation rate (Butyl Acetate = 1).....	Not available

TOXICITY INFORMATION

Acute Data

Oral LD50..(Rat).....	Not Available
Dermal LD50....(Rabbit)	Not Available
Skin Irritation.....	Not Available
Eye Irritation.....	Not Available

WASTE DISPOSAL: Disposal in landfill approved for same, away from water supplies. Dispose of in accordance with applicable federal, state, and local regulations.

STORAGE AND HANDLING INFORMATION

<u>Storage Conditions:</u>	Do not allow to freeze. If freezing occurs, allow to thaw and mix well until homogenous.
<u>Handling Procedures:</u>	No special precautions beyond routine prudent safe handling of chemicals substances are necessary. All personnel using this product should wear eye protection to prevent the splashing of the product into the eyes.

REGULATORY INFORMATION

WORKPLACE CLASSIFICATIONS:

OSHA (USA): Not OSHA regulated. No ingredients identified by OSHA as hazardous are known to be present or the ingredients present are below the levels specified as hazardous by OSHA (Per 29 CFR 1910.1200)

WHMIS (Canada): Not WHMIS regulated.

TRANSPORTATION: Not regulated by DOT

DOT SHIPPING NAME n/a

DOT HAZARD CLASS n/a

Packing Group: n/a

EMERGENCY PLANNING & COMMUNITY RIGHT-TO-KNOW (SARA TITLE 3)

Section 311/312 Categorizations (40CFR 370): This material contains no health or environmental hazardous substance at a level which requires notification under the Act.

Section 313 Information (40CFR 372): This material contains no toxic chemical at a level which is reportable under SARA Toxic Chemical Release Reporting Regulations.

RCRA INFORMATION: This material is not included in the lists of hazardous substances (40 CFR 261.33), nor does it exhibit the characteristics of hazardous waste (40 CFR 261.20-24)

Toxic Substances Control Act (TSCA): All components in this material are in the TSCA Inventory

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. **Celeste Industries Corporation** assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

ABBREVIATIONS:

ACGIH = American Conference of Government Industrial Hygienists

DOT = Department of Transportation (US)

IATA = International Air Transport Association

ICAO = International Civil Aviation Organization

OSHA = Occupational Safety and Health Administration (US)

PEL = Permissible Exposure Levels / Limits

STEL = Short-Term Exposure Limit

TLV = Threshold Limit Value

TWA = Time Weighted Average

WHMIS= Workplace Hazardous Materials Information System (Canada)