

Celeste Industries Corp.
8221 Teal Drive, Suite 405
Easton, Maryland 21601

CELESTE CONTACT: 410-822-5775
24 HOUR EMERGENCY -
CHEMTREC: 800-424-9300

Document control number: MSTR065 rev1

PART NUMBER(S): LB-500
SP-500GC series

MATERIAL SAFETY DATA SHEET

PRODUCT IDENTIFICATION

Material Name : No Drip Transparent Surface Cleaner Hazard Rating
MSDS Date : January 1, 2011 Health 0
Supersedes : June 17, 2009 Fire 0
Prepared By : J A Long Reactivity 0
Personal Protective Equipment. N/A

Scale: 4- Extreme 1- Slight
3- High 0- Insignificant
2- Moderate

COMPONENT INFORMATION

Exposure Limit Information in ppm

OSHA

ACGIH

| COMPONENT | CAS NO. | AMT. (%) | TWA | STEL | REL TWA | 15 min ceiling |
|----------------------|-----------|-------------|-----|------|------------|-------------------|
| Water | 7732-18-5 | 90-97 | N/A | N/A | N/A | N/A |
| Alkyl Polyglycosides | Mixture | 0.1 – 3 | N/A | N/A | N/A | N/A |
| Wetting Agents | Mixture | 0.1 – 3 | N/A | N/A | N/A | N/A |

No ingredients as defined by OSHA as hazardous are known to be present or the ingredients present are below levels specified as hazardous as defined by OSHA.

EMERGENCY RESPONSE INFORMATION

HEALTH HAZARDS (Acute & Chronic): N/A

FIRST AID PROCEDURES

Inhalation: Unlikely route of entry. Move patient to fresh air. Seek medical attention immediately.
Eye Contact : Flush immediately with clean water for at least 15 minutes. Unlikely to cause eye damage. Obtain medical attention
Skin Contact: Very unlikely to cause skin irritation. If irritation occurs, wash thoroughly with soap & water. If irritation persists, contact a physician.
Ingestion: Give water to dilute. Call a physician immediately.

SPILL OR LEAK HANDLING INFORMATION

Personal Protection: For consumer use, none generally required. For production, use Rubber Gloves & Safety glasses.

Procedures: Sweep up spill; dispose of material; rinse area with water, if desired. Dispose of per applicable local, state and Federal regulations.

FIRE FIGHTING INFORMATION

Department of Transportation (DOT) Emergency Response Guide Number: N/A

Unusual Hazards: N/A

Special Fire Fighting Procedures: N/A

Extinguishing Agents: Water

Personal Protective Equipment: Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

PHYSICAL/CHEMICAL CHARACTERISTICS

FIRE AND EXPLOSIVE PROPERTIES

| | |
|-------------------------------|---------------|
| Flash Point..... | None |
| Auto-ignition temperature.... | Not available |
| Lower Explosive Limit..... | N/A |
| Upper Explosive Limit..... | N/A |

REACTIVITY INFORMATION

| | |
|---|--------------------------------|
| <u>Stability:</u> | Stable |
| <u>Conditions to Avoid:</u> | N/A. |
| <u>Hazardous Polymerization:</u> | Will Not occur. |
| <u>Incompatibility:</u> | Avoid strong oxidizing agents. |

PERSONAL PROTECTION MEASURES

Respiratory Protection: None required.

Eye Protection: Use safety glasses, if splash to eyes may occur.

Hand Protection: For prolonged contact wear chemically resistant gloves.

FACILITY CONTROL MEASURES

Ventilation: Local - ventilation meeting ACGIH criteria. Explosion proof.
Other Protective Equipment: Use plastic or rubber apron to protect clothing, if needed.

STORAGE AND HANDLING INFORMATION

Storage Conditions: Store in a cool, dry area; keep containers closed when not in use.
Other Precautions: N/A

SUPPLEMENTAL INFORMATION

Typical Physical Properties

| | |
|---|---------------------|
| Appearance..... | Colorless Liquid |
| Color..... | Colorless |
| State..... | Liquid |
| Odor Characteristic..... | None |
| pH..... | 8.0 – 10.0 |
| Viscosity..... | Not available |
| Specific Gravity (Water = 1)..... | 1.000 |
| Vapor Density (Air = 1)..... | Not available |
| Melting Point..... | Not available |
| Boiling Point..... | 212 Degrees F |
| Solubility in water..... | Completely Miscible |
| Percent Volatility..... | Not available |
| Evaporation rate (Butyl Acetate = 1)..... | Same as water |

WASTE DISPOSAL: Dispose of in accordance with applicable federal, state, and local regulations.

REGULATORY INFORMATION

WORKPLACE CLASSIFICATIONS:

OSHA (USA): Not OSHA regulated. No ingredients identified by OSHA as hazardous are known to be present or the ingredients present are below the levels specified as hazardous by OSHA (Per 29 CFR 1910.1200)

WHMIS (Canada): Not regulated.

TRANSPORTATION:

HAZMAT MARKING:

Domestic(US): N/A

International(ICAO/IATA): N/A

HAZMAT LABEL:

Domestic(US): N/A

International(ICAO/IATA): N/A

Hazard Class/ Division: N/A

Packing Group: N/A

EMERGENCY PLANNING & COMMUNITY RIGHT-TO-KNOW (SARA TITLE 3)

Section 311/312 Categorizations (40CFR 370): This material contains no health or environmental hazardous substance at a level which requires notification under the Act.

Section 313 Information (40CFR 372): This material contains no toxic chemical at a level which is reportable under SARA Toxic Chemical Release Reporting Regulations.

RCRA INFORMATION: This material is not included in the lists of hazardous substances (40 CFR 261.33), nor does it exhibit the characteristics of hazardous waste (40 CFR 261.20-24)

Toxic Substances Control Act (TSCA): All components in this material are in the TSCA Inventory

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. **Celeste Industries Corporation** assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

ABBREVIATIONS:

ACGIH = American Conference of Government Industrial Hygienists

IATA = International Air Transport Association

ICAO = International Civil Aviation Organization

OSHA = Occupational Safety and Health Administration

PEL = Permissible Exposure

STEL = Short-Term Exposure Limit

TLV = Threshold Limit Value

TWA = Time Weighted Average

WHMIS = Workplace Hazardous Materials Information System

N/A = Not Applicable