

Celeste Industries Corp.
8221 Teal Drive, Suite 405
Easton, Maryland 21601

CELESTE CONTACT: 410-822-5775
24 HOUR EMERGENCY -
CHEMTREC: 800-424-9300

Document control number: MSTR003 - Rev 3

PART NUMBER: SD-5600 SERIES

MATERIAL SAFETY DATA SHEET

PRODUCT IDENTIFICATION

Material Name	: JetScent Gel Disk	<u>Hazard Rating</u>	
MSDS Date	: 6 January 2011	Health	1
Supersedes	: 26 October 2007	Fire	1
Prepared By	: J.A.Long	Reactivity	0
		Personal Protective Equipment.	n/a

Scale: 4- Extreme 1- Slight
3- High 0- Insignificant
2- Moderate

COMPONENT INFORMATION

Exposure Limit Information in ppm

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>AMT.</u> (%)	<u>OSHA</u>		<u>ACGIH</u>	
			<u>TWA</u>	<u>STEL</u>	<u>REL</u> <u>TWA</u>	15 min ceiling
Fragrance, Gelled Essential Oils in a plastic holder	N/A	N/A	N/A	N/A	N/A	N/A

The specific chemical identities of the ingredients of this mixture are considered by Celeste Industries Corporation to be trade secrets and are withheld in accordance with the provisions of 1910.1200 of title 29 of the Code of Federal Regulation. No ingredients identified by OSHA as hazardous are known to be present or the ingredients present are below levels specified as hazardous by OSHA.

EMERGENCY RESPONSE INFORMATION

FIRST AID PROCEDURES

Inhalation: No known hazards in normal use. Breathing *very* high concentrations of vapor may cause anesthetic effects. If in the unlikelyhood of overexposure, seek fresh air.

Skin & Eye Contact : May be irritating to skin & eyes. Wash well with soapy water.

Ingestion: If ingested, consult a physician immediately. If patient is conscious, drink copious amounts of water.

SPILL OR LEAK HANDLING INFORMATION

Personal Protection: None needed in normal use.
Procedures: None necessary for normal use.

FIRE FIGHTING INFORMATION

Unusual Hazards: In normal use, none. Moderate fire hazard when exposed to high heat, flame or oxidizers.

Special Fire Fighting Procedures: Treat as chemical fire. Use water to keep fire exposed containers cool to disperse vapors, to flush spills away from exposures and to dilute spills to non-flammable mixtures.

Extinguishing Agents: Dry chemical, water spray or alcohol resistant foam.

Personal Protective Equipment: Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

PHYSICAL/CHEMICAL CHARACTERISTICS

FIRE AND EXPLOSIVE PROPERTIES

Flash Point.....	Not applicable
Auto-ignition temperature....	Not available
Lower Explosive Limit.....	Not available
Upper Explosive Limit.....	Not available

REACTIVITY INFORMATION

<u>Stability:</u>	Stable
<u>Conditions to Avoid:</u>	Heat and open flame. Do not store over 100° F.
<u>Hazardous Polymerization:</u>	Will Not occur.
<u>Incompatibility:</u>	Avoid strong oxidizing agents.

PERSONAL PROTECTION MEASURES

<u>Respiratory Protection:</u>	None generally required.
<u>Eye Protection:</u>	None generally required.
<u>Hand Protection:</u>	None generally required.

FACILITY CONTROL MEASURES

<u>Ventilation:</u>	None generally required.
<u>Other Protective Equipment:</u>	None generally required.

STORAGE AND HANDLING INFORMATION

<u>Storage Conditions:</u>	No special storage necessary. Store away from open flames. Do not store over 100° F.
<u>Handling Procedures:</u>	No special handling required.

SUPPLEMENTAL INFORMATION

Typical Physical Properties

Appearance.....	Disk.
Color.....	Varies
State.....	Solid gel disk
Odor Characteristic.....	Characteristic fragrance
pH.....	Not available
Viscosity.....	Not available
Specific Gravity (Water = 1).....	Not applicable
Vapor Density (Air = 1).....	Not available
Melting Point.....	Not available
Boiling Point.....	Not available
Solubility in water.....	Negligible
Percent Volatility.....	Not available
Evaporation rate (Butyl Acetate = 1).....	Not available

TOXICITY INFORMATION

Acute Data

Oral LD50..(Rat).....	Not Available
Dermal LD50....(Rabbit)	Not Available
Skin Irritation.....	Not Available
Eye Irritation.....	Not Available

WASTE DISPOSAL: Disposal in landfill approved for same, away from water supplies. Incineration is an alternate method. Dispose of in accordance with applicable federal, state, and local regulations.

REGULATORY INFORMATION

WORKPLACE CLASSIFICATIONS:

OSHA (USA): Not hazardous.

WHMIS (Canada): Not hazardous.

TRANSPORTATION: Not hazardous.

HAZMAT MARKING: None

HAZMAT LABEL: None

EMERGENCY PLANNING & COMMUNITY RIGHT-TO-KNOW (SARA TITLE 3)

Section 311/312 Categorizations (40CFR 370): This material contains no health or environmental hazardous substance at a level, which requires notification under the Act.

Section 313 Information (40CFR 372): This material contains no toxic chemical at a level, which is reportable under SARA Toxic Chemical Release Reporting Regulations.

RCRA INFORMATION: This material is not included in the lists of hazardous substances (40 CFR 261.33), nor does it exhibit the characteristics of hazardous waste (40 CFR 261.20-24)

Toxic Substances Control Act (TSCA): All components in this material are in the TSCA Inventory

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. **Celeste Industries Corporation** assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

ABBREVIATIONS:

ACGIH = American Conference of Government Industrial Hygienists

IATA = International Air Transport Association

ICAO = International Civil Aviation Organization

OSHA = Occupational Safety and Health Administration

PEL = Permissible Exposure

STEL = Short-Term Exposure Limit

TLV = Threshold Limit Value

TWA = Time Weighted Average

WHMIS= Workplace Hazardous Materials Information System