

Celeste Industries Corp.
7978 Industrial Park Road
Easton, Maryland 21601

CELESTE CONTACT: 410-822-5775
24 HOUR EMERGENCY -
CHEMTREC: 800-424-9300

Document control number: MS46F - Rev 3

PART NUMBER: SD-7500/5

MATERIAL SAFETY DATA SHEET

PRODUCT IDENTIFICATION

Material Name	: SD7500 Super D Fragrance	<u>Hazard Rating</u>	
MSDS Date	: 21 MARCH 2005	Health 1
Supersedes	: 12 MARCH 2003	Fire 2
Prepared By	: M L RISSOLO	Reactivity 0
		Personal Protective Equipment.	n/a

Scale: 4- Extreme 1- Slight
3- High 0- Insignificant
2- Moderate

COMPONENT INFORMATION

Exposure Limit Information in ppm

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>AMT.</u> <u>(%)</u>	<u>OSHA</u>		<u>ACGIH</u>	
			<u>TWA</u>	<u>STEL</u>	<u>REL</u> <u>TWA</u>	15 min ceiling
Fragrance, Essential Oils	N/A	N/A	N/A	N/A	N/A	N/A

The specific chemical identities of the ingredients of this mixture are considered by Celeste Industries Corporation to be trade secrets and are withheld in accordance with the provisions of 1910.1200 of title 29 of the Code of Federal Regulation. No ingredients identified by OSHA as hazardous are known to be present or the ingredients present are below levels specified as hazardous by OSHA.

EMERGENCY RESPONSE INFORMATION

FIRST AID PROCEDURES

Inhalation: Move patient to fresh air. Seek medical attention immediately, if unconscious. (Overexposure only likely with large quantities in a confined space.)

Skin & Eye Contact : May be irritating to skin & eyes. Flush immediately with clean water for at least 15 minutes. Wash well with soapy water.

Ingestion: Give water to dilute. If ingested, consult a physician immediately.

SPILL OR LEAK HANDLING INFORMATION

Personal Protection: For small spills use rubber gloves & safety glasses though none generally required.

Procedures: Avoid contact with skin. Small quantities may be absorbed on paper towels and evaporated in a hood or discarded in garbage.

FIRE FIGHTING INFORMATION**Department of Transportation (DOT) Emergency Response Guide Number:** 26

Unusual Hazards: Packets contain flammable liquid. Toxic gases (such as carbon monoxide and carbon dioxide) may be released in a fire. Vapors may travel long distances to ignition source and flash back. Dangerous fire hazard when exposed to heat, flame or oxidizers. Moderate explosion hazard when exposed to heat or flame.

Special Fire Fighting Procedures: Treat as chemical fire. Use water to keep fire exposed containers cool to disperse vapors, to flush spills away from exposures and to dilute spills to non-flammable mixtures.

Extinguishing Agents: Dry chemical, water spray or alcohol resistant foam.

Personal Protective Equipment: Self contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

PHYSICAL/CHEMICAL CHARACTERISTICS

FIRE AND EXPLOSIVE PROPERTIES

Flash Point.....	142°F Tag Closed Cup
Auto-ignition temperature....	Not available
Lower Explosive Limit.....	Not available
Upper Explosive Limit.....	Not available

REACTIVITY INFORMATION

<u>Stability:</u>	Stable
<u>Conditions to Avoid:</u>	Heat and open flame. Do not store over 100° F.
<u>Hazardous Polymerization:</u>	Will not occur.
<u>Incompatibility:</u>	Avoid strong oxidizing agents.

PERSONAL PROTECTION MEASURES

Respiratory Protection: None generally required. Mask with organic vapor canister, if desired.
Eye Protection: None generally required. Splash proof goggles or face shield, if desired.
Hand Protection: None generally required. Rubber gloves, if desired.

FACILITY CONTROL MEASURES

Ventilation: Local - ventilation meeting ACGIH criteria. Explosion proof.
Other Protective Equipment: Use plastic or rubber apron to protect clothing, if needed.

STORAGE AND HANDLING INFORMATION

Storage Conditions: Usual precautions for flammable liquids.
Handling Procedures: All handling equipment should be electrically grounded.

SUPPLEMENTAL INFORMATION

Typical Physical Properties

Appearance.....	Fragrant liquid.
Color.....	Amber
State.....	Liquid at 20°C.
Odor Characteristic.....	Super perfume
pH.....	Not available
Viscosity.....	Not available
Specific Gravity (Water = 1).....	Not applicable
Vapor Density (Air = 1).....	> 1.0
Melting Point.....	Not available
Boiling Point.....	Not available
Solubility in water.....	Negligible
Percent Volatility.....	Not available
Evaporation rate (Butyl Acetate = 1).....	Not available

TOXICOLOGICAL PROPERTIES

Effects of Acute Exposure to Product:

- Irritating to skin, eyes, and respiratory system.
- Repeated contact may cause allergic skin reaction.
- Prolonged skin contact may be harmful.
- May be fatal if swallowed.
- Capable of producing severe eye burns.
- Harmful if swallowed.
- Breathing vapor may cause anesthetic effects.
- Vapor may cause nausea, vomiting, dizziness and loss of muscle coordination.
- Prolonged inhalation may be harmful.

Effects of Chronic Exposure to Product:

- Swallowing of 0.25 to 1 oz has been reported to cause poisoning and death in humans.
- Repeated daily dosing of large amounts to laboratory animals resulted in reproductive, kidney, and liver effects. Similar effects have not been reported in humans.

WASTE DISPOSAL: Place material and absorbent into sealed containers and dispose of in accordance with applicable federal, state, and local regulations.

REGULATORY INFORMATION

WORKPLACE CLASSIFICATIONS:

OSHA (USA): Not OSHA regulated. No ingredients identified by OSHA as hazardous are known to be present or the ingredients present are below the levels specified as hazardous by OSHA (Per 29 CFR 1910.1200)

WHMIS (Canada): Non-hazardous

TRANSPORTATION:

HAZMAT MARKING:

Domestic(US): None

International(ICAO/IATA): None

HAZMAT LABEL:

Domestic(US): None

International(ICAO/IATA): No

Hazard Class/ Division: N/A

Packing Group: N/A III

EMERGENCY PLANNING & COMMUNITY RIGHT-TO-KNOW (SARA TITLE 3)

Section 311/312 Categorizations (40CFR 370):

Section 312 hazard categories:

Fire, Immediate (Acute), Delayed (Chronic)

Section 313 Information (40CFR 372):

This material contains no toxic chemical at a level which is reportable under SARA Toxic Chemical Release Reporting Regulations.

RCRA INFORMATION:

This material is not included in the lists of hazardous substances (40 CFR 261.33), nor does it exhibit the characteristics of hazardous waste (40 CFR 261.20-24)

Toxic Substances Control Act (TSCA):

All components in this material are in the TSCA Inventory

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. **Celeste Industries Corporation** assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by this material. Such vendors or users assume all risks associated with the use of this material.

ABBREVIATIONS:

ACGIH = American Conference of Government Industrial Hygienists

IATA = International Air Transport Association

ICAO = International Civil Aviation Organization

OSHA = Occupational Safety and Health Administration

PEL = Permissible Exposure

STEL = Short-Term Exposure Limit

TLV = Threshold Limit Value

TWA = Time Weighted Average

WHMIS= Workplace Hazardous Materials Information System