SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

of the mixture

Registration number -

Synonyms None.

Part Number SP-ECLN series, (Formula: LB-ECLN, LB-ECLNGL)

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses

Cleaner

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Wynn's Belgium BV

Address Industriepark-West 46

B-9100 Sint-Niklaas, Belgium

Telephone +1-410-822-5775

Manufacturer

Company name Celeste Industries Corporation

Address 8007 Industrial Park Rd

Easton, Maryland 21601 (USA)

Telephone +1-410-822-5775
Email info@celestecorp.com

1.4. Emergency telephone CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300

number

Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Environmental hazards

Hazardous to the aquatic environment, Category 3 H412 - Harmful to aquatic life with

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: N-(n-octyl)-2-pyrrolidone, N,N-dimethyloctanamide, Octan-1-ol, ethoxylated,

Poly(oxy-1,2-ethanediyl), alpha-(phenylmethyl)-alpha-hydroxy-

Hazard pictograms

T.

Signal word Danger

Material name: EcoClean Sealant Remover (regular & gelled)

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P264 Wash thoroughly after handling.

SP-ECLN series, (Formula: LB-ECLN, LB-ECLNGL) Version #: 01 Issue date: 24-January-2023

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Storage Not assigned.

Disposal Not assigned.

Supplemental label information 82,8 % of the mixture consists of component(s) of unknown acute dermal toxicity. 100 % of the

mixture consists of component(s) of unknown acute inhalation toxicity. 74,36 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 65,43 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

CAS No. / EC No. DEACH Posistration No.

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chamical name

Chemical name	%	CAS-No. / EC No.	. REACH Registration No.	index No.	Notes
1-butylpyrrolidin-2-one	10 - 30	3470-98-2 222-437-8	-	-	
Classifica	tion: Acute Tox.	4;H302;(ATE: 500 r	ng/kg), Skin Irrit. 2;H315, Ey	e Irrit. 2;H319	
N,N-dimethyldecan-1-amide	10 - 30	14433-76-2 238-405-1	-	-	
Classifica	tion: Skin Irrit. 2 Chronic 3;I		319, STOT SE 3;H335, Aqua	atic	
N,N-dimethyloctanamide	10 - 30	1118-92-9 214-272-5	-	-	
Classifica	t ion: Skin Irrit. 2	;H315, Eye Dam. 1;	H318, Aquatic Chronic 3;H4	12	
Poly(oxy-1,2-ethanediyl), alpha-(phenylmethyl)-alpha-hydro	10 - 30 oxy-	26403-74-7 -	-	-	
Classifica	tion: Eye Dam.	1;H318			
N-(n-octyl)-2-pyrrolidone	7 - 13	2687-94-7 403-700-8	-	613-098-00-0	
Classifica	tion: Skin Corr.	1B;H314, Eye Dam.	1;H318, Aquatic Chronic 2;H	H411	
Octan-1-ol, ethoxylated	5 - 10	27252-75-1 500-058-1	-	-	
Classifica	tion: Skin Corr.	1;H314, Eye Dam. 1	;H318		
Other components below reportal levels	ble 14.72				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and

and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

Combustible liquid.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is combustible, and heating may generate vapours which may form explosive vapour/air mixtures

ire vapour/air mixtures.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 10 (Combustible liquids that cannot be assigned to any of the above storage classes)

7.3. Specific end use(s) Cleaner

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles) and a face shield. Eve protection should meet Eye/face protection

standard EN 166.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374.

- Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Follow guidance on Respiratory protection

selection, use, care and maintenance in accordance with EN 529.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liquid. Colour Amber.

Odour Mild. Characteristic.

Melting point/freezing point 0 °C (32 °F)

Boiling point or initial boiling

point and boiling range

100 °C (212 °F) estimated

Flammability (solid, gas) Combustible liquid.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Non-flammable.

Explosive limit - upper

(%)

Non-flammable.

> 70,0 °C (> 158,0 °F) Flash point

Not applicable.

Auto-ignition temperature

Not applicable.

Decomposition temperature

Property has not been measured.

Kinematic viscosity

Property has not been measured.

Solubility(ies)

Soluble in water. Solubility (water) Partition coefficient Not applicable.

(n-octanol/water) Vapour pressure

Vapour density

Property has not been measured. Property has not been measured.

0.95 - 1.05Relative density Not available. Particle characteristics

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Not explosive. **Explosive properties** Not oxidising. Oxidising properties

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Carbon oxides.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain.

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Product Species Test Results

EcoClean Sealant Remover (regular & gelled)

Acute Oral

ATEmix 1200 mg/kg

Components Species Test Results

N-(n-octyl)-2-pyrrolidone (CAS 2687-94-7)

Acute Oral

LD50 Rat 2,1 g/kg

N,N-dimethyldecan-1-amide (CAS 14433-76-2)

<u>Acute</u> Dermal

LD50 Rat > 5000 mg/kg, 24 Hours

Skin corrosion/irritation Causes skin irritation.

Corrosivity

EcoClean Sealant Remover (regular & gelled) OECD TG435

Result: Not corrosive.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Material name: EcoClean Sealant Remover (regular & gelled)

SDS EU 5 / 8

Mixture versus substance information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available.Partition coefficient Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not established.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR)
Tunnel restriction code
14.4. Packing group
Not available.
Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not

Not available.

for user

RID

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

ADN

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IATA

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IMDG

14.1. UN numberNot available. **14.2. UN proper shipping**Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards

Marine pollutant

No.

EmS Not available.

14.6. Special precautions Not available.

for user

14.7. Maritime transport in bulk This product is not intended to be transported in bulk. **according to IMO instruments**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

EU Regulation 648/2004, Annex VII, Content Labeling for Detergents

Not listed

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

N-(n-octyl)-2-pyrrolidone (CAS 2687-94-7)

Other regulations Th

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

ECHA registered substances database

References

Information on evaluation method leading to the classification of mixture The classification for health and environmental hazards is derived by a combination of calculation methods and test data. if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

Training information

None.

Follow training instructions when handling this material.

Disclaimer The informat

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.