SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation G

of the mixture

Gly-Vak®

Registration number

Synonyms None.

Part Number SP-GVAK series, (Formula: LB-GLYVAK/4)

Issue date 15-December-2022

Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent. Industrial Use.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Celeste Industries

Address 400 Thames Valley Park Drive

Reading

Berkshire, RG6 1PT, England

Telephone +44 (0) 1189 637930

Manufacturer

Company name Celeste Industries Corporation

Address 8007 Industrial Park Rd

Easton, Maryland 21601 (USA)

Telephone +1-410-822-5775
Email info@celestecorp.com

In Case of Emergency CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300

Outside USA and Canada (collect call accepted) 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Corrosive to metals Category 1 H290 - May be corrosive to metals.

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: C8-10 Alkyl alcohol ethoxylate (4EO), -phosphate ester, L-(+)-lactic acid, Sodium hydroxide,

Sodium octane-1-sulphonate monohydrate

Hazard pictograms



Signal word Danger

Hazard statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Material name: Gly-Vak® SDS GREAT BRITAIN SP-GVAK series, (Formula: LB-GLYVAK/4) Version #: 01 Issue date: 15-December-2022 1 / 8

Precautionary statements

Prevention

P234 Keep only in original packaging. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P390 Absorb spillage to prevent material-damage.

Storage Not assigned.

Disposal Not assigned.

Supplemental label information 2.5 % of the mixture consists of component(s) of unknown acute oral toxicity. 2.5 % of the mixture

consists of component(s) of unknown acute dermal toxicity. 7.16 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 2.5 % of the mixture consists of component(s)

of unknown acute hazards to the aquatic environment. 2.5 % of the mixture consists of

component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Mixture

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
L-(+)-lactic acid	3 - 7	79-33-4 201-196-2	-	607-743-00-5	
Classification:	Skin Corr.	1C;H314, Eye Dam.	1;H318		
4-dodecan-3-ylbenzenesulfonic acid	0.5 - 1.5	68584-22-5 271-528-9	-	-	
Classification:	Eye Irrit. 2	;H319			
Sodium octane-1-sulphonate monohydrate	0.5 - 1.5	5324-84-5 226-195-4	-	-	
Classification:	Skin Corr.	1B;H314, Eye Dam.	1;H318		
C8-10 Alkyl alcohol ethoxylate (4EO), -phosphate ester	0.1 - 1	68130-47-2 -	-	-	
Classification:	Skin Corr.	1B;H314, Eye Dam.	1;H318		
Sodium hydroxide	0.1 - 1	1310-73-2 215-185-5	-	011-002-00-6	#
Classification:	Skin Corr.	1A;H314, Eye Dam.	1;H318, Aquatic Chronic 3;I	1 412	
	4 OC				

< 96

List of abbreviations and symbols that may be used above

#: This substance has workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Material name: Gly-Vak® SDS GREAT BRITAIN

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Avoid discharge into drains, water courses or onto the ground.

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep container tightly closed. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

storage, including any

incompatibilities

Cleaning agent. Industrial Use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components Value Type Sodium hydroxide (CAS STEL 2 mg/m3 1310-73-2)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Follow standard monitoring procedures.

Recommended monitoring

procedures

Derived no effect levels

(DNELs) Predicted no effect Not available

concentrations (PNECs)

Not available.

8.2. Exposure controls

Material name: Gly-Vak® SDS GREAT BRITAIN

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles) and a face shield. Eye protection should meet Eye/face protection

standard EN 166.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374.

- Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Follow guidance on Respiratory protection

selection, use, care and maintenance in accordance with EN 529.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Form Liquid.

Colour Amber, Light tan.

Odour None

Odour threshold Not available. 2.5 - 3.5 Melting point/freezing point 0 °C (32 °F)

Initial boiling point and boiling

range

Flash point **Evaporation rate** 100 °C (212 °F) estimated

Non-flammable. Not available. Non-flammable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Non-flammable. Explosive limit - upper Non-flammable.

(%)

Vapour pressure Property has not been measured. Vapour density Property has not been measured.

Relative density 0.95 - 1.05

Solubility(ies)

Solubility (water) Soluble in water. Partition coefficient Not applicable.

(n-octanol/water)

Auto-ignition temperature Not applicable. **Decomposition temperature** Not applicable. **Viscosity** Not available. Not explosive. **Explosive properties** Oxidising properties Not oxidising.

9.2. Other information

Property has not been measured. Kinematic viscosity

SECTION 10: Stability and reactivity

10.1. Reactivity May be corrosive to metals.

Material name: Gly-Vak® SDS GREAT BRITAIN 10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

10.5. Incompatible materials

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Contact with incompatible materials.

10.6. Hazardous

Strong oxidising agents. Metals.

decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Eve contact Causes serious eye damage.

Skin contact Causes skin irritation.

May cause discomfort if swallowed. Expected to be a low ingestion hazard. However, ingestion is Ingestion

not likely to be a primary route of occupational exposure.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms**

vision. Permanent eve damage including blindness could result. Skin irritation. May cause

redness and pain.

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Product Species Test Results

Gly-Vak®

Acute

Oral

ATEmix 33000 mg/kg **Test Results** Components **Species**

4-dodecan-3-ylbenzenesulfonic acid (CAS 68584-22-5)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Oral

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

SECTION 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results**

4-dodecan-3-ylbenzenesulfonic acid (CAS 68584-22-5)

Aquatic

Acute

EC50 Crustacea Water flea (Ceriodaphnia dubia) >= 4.66 - <= 6.83 mg/l, 48 hours

Material name: Gly-Vak® SDS GREAT BRITAIN 5/8 Components Species **Test Results**

L-(+)-lactic acid (CAS 79-33-4)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 180 - <= 320 mg/l, 48 hours

Sodium hydroxide (CAS 1310-73-2)

Aquatic Acute

Crustacea EC50 Water flea (Ceriodaphnia dubia) >= 34.59 - <= 47.13 mg/l, 48 hours

Fish LC50 Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Not available. Partition coefficient

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

None known. 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN1760

14.2. UN proper shipping CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)

name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) 80 Hazard No. (ADR) **Tunnel restriction code** Ε 14.4. Packing group Ш 14.5. Environmental hazards No.

14.6. Special precautions

Not available.

for user

RID

UN1760 14.1. UN number

CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid) 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

ADN

UN1760 14.1. UN number

Material name: Gly-Vak® SDS GREAT BRITAIN

CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid) 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

8 Class Subsidiary risk Label(s) 8 14.4. Packing group Ш 14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

ΙΔΤΔ

UN1760 14.1. UN number

14.2. UN proper shipping Corrosive liquid, n.o.s. (L-(+)-lactic acid)

name

14.3. Transport hazard class(es)

Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards No. **ERG Code**

14.6. Special precautions Not available.

for user

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN1760 14.1. UN number

14.2. UN proper shipping CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)

name

14.3. Transport hazard class(es)

Class Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant No.

F-A. S-B **EmS** Not available. 14.6. Special precautions

for user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

This product is not intended to be transported in bulk.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Material name: Gly-Vak® SDS GREAT BRITAIN 7/8 Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

ECHA registered substances database

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

References

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eve irritation.

H412 Harmful to aquatic life with long lasting effects.

Revision information Product and Company Identification: Product Codes

Composition / Information on Ingredients: Undisclosed Ingredient Statement

Physical & Chemical Properties: Multiple Properties

Transport Information: Product Shipping Name/Packing Group

Regulatory Information: Other

HazReg Data: International Inventories

GHS: Classification

Training information

Follow training instructions when handling this material.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: Gly-Vak® SDS GREAT BRITAIN