SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

JetScent® Air Freshener - Big Sur

Registration number

None.

Synonyms **Part Number**

LS-6800/DDBS series, (Formula: LB-6800/DDBS) 1.2. Relevant identified uses of the substance or mixture and uses advised against

Air Freshener & Deodorizer Identified uses

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Wynn's Belgium BV Company name Industriepark-West 46 Address

B-9100 Sint-Niklaas, Belgium

+1-410-822-5775 **Telephone**

Manufacturer

Company name Celeste Industries Corporation

8007 Industrial Park Rd **Address**

Easton, Maryland 21601 (USA)

+1-410-822-5775 **Telephone** info@celestecorp.com **Email**

1.4. Emergency telephone

number

CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300

Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Environmental hazards

Hazardous to the aquatic environment, H412 - Harmful to aquatic life with Category 3

long-term aquatic hazard

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Alcohols, C9-11, branched and linear, ethoxylated Contains:

Hazard pictograms



Signal word Danger

Hazard statements

Causes serious eye damage. H318

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

Prevention

Avoid release to the environment. P273 Wear eye protection/face protection. P280

Response

LS-6800/DDBS series, (Formula: LB-6800/DDBS) Version #: 01 Issue date: 12-January-2023

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

Immediately call a POISON CENTRE/doctor. P310

Not assigned. Storage Not assigned. Disposal

18.48 % of the mixture consists of component(s) of unknown acute dermal toxicity. 6.44 % of the Supplemental label information

mixture consists of component(s) of unknown acute inhalation toxicity. 6,44 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. EUH208 -

Contains Cineole.

[3R-(3α,3aβ,7β,8aα)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl) ethan-1-one, Tetramethyl Acetyloctahydronaphthalenes. May produce an allergic reaction.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Alcohols, C9-11, branched and linear, ethoxylated	1 - 5	68439-46-3 -	-	-	
	cute Tox. Chronic 3;		ng/kg), Eye Dam. 1;H318, Ad	quatic	
1-Propanaminium, 3,3',3"-[phosphinylidynetris(oxy)]tris[N -(3-aminopropyl)-2-hydroxy-N,N-dimet hyl-, N,N',N"-tri-C6-18 acyl derivs. trichlorides	0,1 - 1	83682-78-4 280-518-3	-	-	
Classification: E	ye Dam.	1;H318, Aquatic Acu	te 1;H400, Aquatic Chronic 2	2;H411	
Cineole	0,2	470-82-6 207-431-5	-	-	
Classification: F	lam. Liq.	3;H226, Skin Sens. 1	B;H317		
[3R-(3α,3aβ,7β,8aα)]-1-(2,3,4,7,8,8a- hexahydro-3,6,8,8-tetramethyl-1H-3a, 7-methanoazulen-5-yl)ethan-1-one	0,1	32388-55-9 251-020-3	-	-	
Classification: S	kin Sens	. 1B;H317, Aquatic A	cute 1;H400, Aquatic Chroni	c 1;H410	
Cedrene	0,1	11028-42-5 234-257-7	-	-	
Classification: A	sp. Tox.	1;H304, Aquatic Acut	e 1;H400, Aquatic Chronic 1	;H410	
Tetramethyl Acetyloctahydronaphthalenes	0,1	54464-57-2 259-174-3	-	-	
	Skin Irrit. 2 Chronic 1;		B;H317, Aquatic Acute 1;H40	00, Aquatic	
Other components below reportable	94.55				

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

levels

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Material name: JetScent® Air Freshener - Big Sur

SDS EU

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

Move containers from fire area if you can do so without risk. procedures

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 12 (Non-combustible liquids that cannot be assigned to any of the above storage classes)

Air Freshener & Deodorizer 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Components Value Type

Triethylene glycol (CAS TWA 15 mg/m3 112-27-6)

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components Value Type

Propane-1,2-diol (CAS MAC 10 mg/m3 57-55-6)

150 ppm

Components	Туре	Value	Form
Triethylene glycol (CAS 112-27-6)	TWA	1000 mg/m3	Vapor and aerosol, inhalable fraction.
Germany. TRGS 900, Limit Values Components	in the Ambient Air at the Workplace Type	Value	Form
Triethylene glycol (CAS 112-27-6)	AGW	1000 mg/m3	Inhalable fraction.
Ireland. Occupational Exposure L Components	imits Type	Value	Form
Propane-1,2-diol (CAS 57-55-6)	TWA	470 mg/m3	Total vapour and particulates.
		10 mg/m3	Particulate.
		150 ppm	Total vapour and particulates.
Latvia. OELs. Occupational expos Components	ure limit values of chemical substance: Type	s in work environme Value	nt
Propane-1,2-diol (CAS 57-55-6)	TWA	7 mg/m3	
,	Chemical Substances, General Require	ements Value	
Propane-1,2-diol (CAS 57-55-6)	TWA	7 mg/m3	
Norway. Administrative Norms for Components	Contaminants in the Workplace Type	Value	
Propane-1,2-diol (CAS 57-55-6)	TLV	79 mg/m3	
		25 ppm	
Poland. Ordinance of the Minister	of Labour and Social Policy on 6 June	2014 on the maximu	m permissible
	harmful health factors in the work envii Type		
Propane-1,2-diol (CAS 57-55-6)	TWA	100 mg/m3	Inhalable fraction and vapour.
		0 ppm	Inhalable fraction and
			vapour.
	rkers from exposure to chemical agents Type	s at the workplace Value	vapour.
Components	rkers from exposure to chemical agents Type STEL	Value	vapour.
Components Triethylene glycol (CAS	Туре	Value 1000 mg/m3	vapour.
Romania. OELs. Protection of wor Components Triethylene glycol (CAS 112-27-6)	Type STEL	Value 1000 mg/m3 163 ppm	vapour.
Components Triethylene glycol (CAS	Туре	Value 1000 mg/m3	vapour.
Components Triethylene glycol (CAS 112-27-6) Slovenia. OELs. Regulations cond	Type STEL TWA cerning protection of workers against ri	Value 1000 mg/m3 163 ppm 700 mg/m3 114 ppm	
Components Triethylene glycol (CAS 112-27-6) Slovenia. OELs. Regulations cond (Official Gazette of the Republic o	Type STEL TWA cerning protection of workers against ri	Value 1000 mg/m3 163 ppm 700 mg/m3 114 ppm	
Components Triethylene glycol (CAS 112-27-6)	Type STEL TWA cerning protection of workers against riff Slovenia)	Value 1000 mg/m3 163 ppm 700 mg/m3 114 ppm sks due to exposure	to chemicals while wor
Components Triethylene glycol (CAS 112-27-6) Slovenia. OELs. Regulations cond (Official Gazette of the Republic of Components Triethylene glycol (CAS	Type STEL TWA cerning protection of workers against rif Slovenia) Type TWA	Value 1000 mg/m3 163 ppm 700 mg/m3 114 ppm sks due to exposure Value	to chemicals while wor
Components Triethylene glycol (CAS 112-27-6) Slovenia. OELs. Regulations cond (Official Gazette of the Republic of Components Triethylene glycol (CAS 112-27-6) Switzerland. SUVA Grenzwerte and Components Triethylene glycol (CAS 112-27-6)	Type STEL TWA cerning protection of workers against rif Slovenia) Type TWA TWA	Value 1000 mg/m3 163 ppm 700 mg/m3 114 ppm sks due to exposure Value 1000 mg/m3	to chemicals while work Form Inhalable fraction. Form Vapor and aerosol,
Components Triethylene glycol (CAS 112-27-6) Slovenia. OELs. Regulations cond (Official Gazette of the Republic of Components Triethylene glycol (CAS 112-27-6) Switzerland. SUVA Grenzwerte and Components	Type STEL TWA cerning protection of workers against riff Slovenia) Type TWA Arbeitsplatz Type	Value 1000 mg/m3 163 ppm 700 mg/m3 114 ppm sks due to exposure Value 1000 mg/m3 Value	to chemicals while work Form Inhalable fraction. Form Vapor and aerosol, inhalable. Vapor and aerosol,
Components Triethylene glycol (CAS 112-27-6) Slovenia. OELs. Regulations cond (Official Gazette of the Republic of Components Triethylene glycol (CAS 112-27-6) Switzerland. SUVA Grenzwerte and Components Triethylene glycol (CAS 112-27-6) WK. EH40 Workplace Exposure Lie	Type STEL TWA cerning protection of workers against riff Slovenia) Type TWA Arbeitsplatz Type STEL TWA TWA mits (WELs)	Value 1000 mg/m3 163 ppm 700 mg/m3 114 ppm sks due to exposure Value 1000 mg/m3 Value 2000 mg/m3 1000 mg/m3	to chemicals while work Form Inhalable fraction. Form Vapor and aerosol, inhalable. Vapor and aerosol, inhalable.
Components Triethylene glycol (CAS 112-27-6) Slovenia. OELs. Regulations cond (Official Gazette of the Republic of Components Triethylene glycol (CAS 112-27-6) Switzerland. SUVA Grenzwerte and Components Triethylene glycol (CAS 112-27-6)	Type STEL TWA Perning protection of workers against riff Slovenia) Type TWA TARBEITSPIATZ Type STEL TWA	Value 1000 mg/m3 163 ppm 700 mg/m3 114 ppm sks due to exposure Value 1000 mg/m3 Value 2000 mg/m3	to chemicals while work Form Inhalable fraction. Form Vapor and aerosol, inhalable. Vapor and aerosol,

UK. EH40 Workplace Exposure Limits (WELs) Components

Value

Form

10 mg/m3 150 ppm

Total vapour and particulates.

Particulate.

Biological limit values

Recommended monitoring

procedures

No biological exposure limits noted for the ingredient(s).

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles) and a face shield. Eye protection should meet Eye/face protection

standard EN 166.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374.

Wear suitable protective clothing. - Other

In case of insufficient ventilation, wear suitable respiratory equipment. Follow guidance on Respiratory protection

selection, use, care and maintenance in accordance with EN 529.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. **Form** Liauid. Colourless. Colour Odour Characteristic. 0 °C (32 °F) Melting point/freezing point

Boiling point or initial boiling

point and boiling range

100 °C (212 °F) estimated

Flammability (solid, gas) Non-flammable. Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper

Non-flammable.

Non-flammable.

(%) Flash point

pН

Non-flammable. Not applicable. Not applicable.

Auto-ignition temperature **Decomposition temperature**

Property has not been measured.

Kinematic viscosity

Property has not been measured.

Solubility(ies)

Soluble in water. Solubility (water) Partition coefficient Not applicable.

(n-octanol/water)

Vapour pressure Property has not been measured. Vapour density Property has not been measured.

Relative density 0.95 - 1.05Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Explosive properties Not explosive. Not oxidising Oxidising properties

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

Strong oxidising agents. 10.5. Incompatible materials

10.6. Hazardous decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation Inhalation

may be harmful.

Carbon oxides.

Skin contact The product contains a small amount of sensitizing substance which may provoke an allergic

reaction among sensitive individuals in contact with skin.

Eve contact Causes serious eye damage.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Product Species **Test Results**

JetScent® Air Freshener - Big Sur

Acute Dermal

21000 mg/kg **ATEmix**

Oral

ATEmix 12000 mg/kg Components **Test Results Species**

Alcohols, C9-11, branched and linear, ethoxylated (CAS 68439-46-3)

Acute Inhalation Vapour

LC50 Rat > 100 mg/m3, 6 Hours

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation Based on available data, the classification criteria are not met. However: The product contains a

small amount of sensitising substance which may provoke an allergic reaction among sensitive

individuals in contact with skin.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Material name: JetScent® Air Freshener - Big Sur

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Mixture versus substance information

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Not available. Other information

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects.

Components Species **Test Results**

Alcohols, C9-11, branched and linear, ethoxylated (CAS 68439-46-3)

Aquatic Acute

Crustacea EC50 Water flea (Daphnia magna) >= 2.9 - <= 8.5 mg/l. 48 hours Fish LC50 Fathead minnow (Pimephales promelas) >= 6 - <= 12 mg/l, 96 hours

Cineole (CAS 470-82-6)

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) >= 95.4 - <= 109 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

2,74

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not established.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

Material name: JetScent® Air Freshener - Big Sur

LS-6800/DDBS series, (Formula: LB-6800/DDBS) Version #: 01 Issue date: 12-January-2023

SECTION 14: Transport information

ADR

14.1. UN numberNot available.14.2. UN proper shippingNot available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR)
Tunnel restriction code
14.4. Packing group
Not available.
Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

RID

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk -

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

ADN

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IATA

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IMDG

14.1. UN number Not available. **14.2. UN proper shipping** Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards

Marine pollutant No.

Not available.

14.6. Special precautions Not available.

for user

14.7. Maritime transport in bulk This product is not intended to be transported in bulk. **according to IMO instruments**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

EU Regulation 648/2004, Annex VII, Content Labeling for Detergents

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References ECHA registered substances database

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information Training information

Follow training instructions when handling this material.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Disclaimer