# SAFETY DATA SHEET



### 1. Identification

Product identifier	JetScent® Air Freshener - Big Sur	
Other means of identification		
Part Number	LS-6800/DDBS series, (Formula: LB-6800/DDBS)	
Recommended use	Air Freshener & Deodorizer	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Supplier		
Company Name	Celeste Industries Corporation	
Address	8007 Industrial Park Rd	
	Easton, Maryland 21601 (USA)	
Telephone	+1-410-822-5775	
Email	info@celestecorp.com	
In Case of Emergency	CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300	
	Outside USA and Canada (collect call accepted): 1-703-527-3883	

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger		
Hazard statement	Causes serious eye damage.		
Precautionary statement			
Prevention	Wear eye protection/face protection.		
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	14.28% of the mixture consists of component(s) of unknown acute dermal toxicity. 6.44% of the mixture consists of component(s) of unknown acute inhalation toxicity. 6.44% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.		

# 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
propane-1,2-diol		57-55-6	3 - 7
Alcohols, C9-11, Ethoxylated		68439-46-3	1 - 5
1-Propanaminium, 3,3',3"-[phosphinylidynetris(oxy)]tris[ N-(3-aminopropyl)-2-hydroxy-N,N-di methyl-, N,N',N"-tri-C6-18 acyl derivs. trichlorides		83682-78-4	0.1 - 1

0.1 0.1 0.1 8.31		
0.1		
0.1		
8.31		
0.31		
S.		
lenses, if		
Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
utions to		
Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.		
During fire, gases hazardous to health may be formed.		
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Move containers from fire area if you can do so without risk.		
Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.		
. Wear ed containers ventilation. personal		
Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
oughly to		
3 of the SDS.		
onnel of all scharge into		
Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment.		
Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		

### 8. Exposure controls/personal protection

### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	ental Exposure Level (WEEL) Guides Type	Value	Form	
propane-1,2-diol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	
Biological limit values	No biological exposure limits noted for t	he ingredient(s).		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.			
ndividual protection measure	s, such as personal protective equipmen	t		
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.			
Skin protection Hand protection	Wear appropriate chemical resistant gloves.			
Other	Wear suitable protective clothing.			
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the materia and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Colorless.
Odor	Characteristic.
Odor threshold	Not available.
рН	Property has not been measured.
Melting point/freezing point	32 °F (0 °C)
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	Non-flammable.
Evaporation rate	Not available.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Non-flammable.
Explosive limit - upper (%)	Non-flammable.
Vapor pressure	Property has not been measured.
Vapor density	Property has not been measured.
Relative density	0.95 - 1.05
Solubility(ies)	
Solubility (water)	Soluble in water.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Kinematic viscosity	Property has not been measured.

#### **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	The product contains a small amount of sensitizing substance which may provoke an allergic reaction among sensitive individuals in contact with skin.	
Eye contact	Causes serious eye damage.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	

#### Information on toxicological effects

Acute toxicity	Not expected to be acutely toxic.		
Product	Species	Test Results	
JetScent® Air Freshener - Big Sur			
<u>Acute</u>			
Dermal			
ATEmix		9e+006 mg/kg	
Oral			
ATEmix		12000 mg/kg	
Components	Species	Test Results	
Alcohols, C9-11, Ethoxylated (CAS	68439-46-3)		
Acute			
Dermal			
LD50	Rabbit	2000 mg/kg, 24 Hours	
Inhalation			
Vapor			
LC50	Rat	> 100 mg/m3, 6 Hours	
propane-1,2-diol (CAS 57-55-6)			
Acute			
Oral	Det		
LD50	Rat	22000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	on.	
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitization			
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	Based on available data, the classification criteria are not met. However: The product contains a small amount of sensitizing substance which may provoke an allergic reaction among sensitive individuals in contact with skin.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		

IARC Monographs. Overall E Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed.	d Substances (	29 CFR 1910.1001-1053)	
Reproductive toxicity	This product is	s not expected to cause reproductive or de	evelopmental effects.
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information			
Ecotoxicity	Harmful to aqu	uatic life with long lasting effects.	
Components	Species Test Results		Test Results
Alcohols, C9-11, Ethoxylated (	CAS 68439-46-	-3)	
Aquatic Acute			
Crustacea	EC50	Water flea (Daphnia magna)	>= 2.9 - <= 8.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	>= 6 - <= 12 mg/l, 96 hours
propane-1,2-diol (CAS 57-55-	6)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)		
propane-1,2-diol		
Mobility in soil	Not established.	

# Other adverse effects None known.

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

-0.92

### 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

Transport in bulk according to This product is not intended to be transported in bulk. Annex II of MARPOL 73/78 and

# the IBC Code

### 15. Regulatory information

15. Regulatory information	ו		
US federal regulations	This product is a "Ha Standard, 29 CFR 1	azardous Chemical" as defined by the OSHA Haza 910.1200.	rd Communication
Toxic Substances Control A	ct (TSCA)	All components of the mixture on the TSCA 8(b "active".	) inventory are designated
TSCA Section 12(b) Exp Not regulated.	oort Notification (40 0	CFR 707, Subpt. D)	
CERCLA Hazardous Substa	nce List (40 CFR 302	2.4)	
Not listed.	-		
SARA 304 Emergency releas	se notification		
Not regulated. OSHA Specifically Regulate Not listed.	d Substances (29 CF	FR 1910.1001-1053)	
Superfund Amendments and Re	authorization Act of	1986 (SARA)	
SARA 302 Extremely hazard			
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Serious eye damage	e or eye irritation	
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	112 Hazardous Air F	Pollutants (HAPs) List	
Not regulated.			
Clean Air Act (CAA) Section	112(r) Accidental Re	elease Prevention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Contains componen	nt(s) regulated under the Safe Drinking Water Act.	
US state regulations			
US. New Jersey Worker and		o-Know Act	
propane-1,2-diol (CAS 57	'-55-6)		
California Proposition 65			
Ca Ca		you to chemicals including Ethylene oxide, which i er and birth defects or other reproductive harm. For a.gov.	
California Proposition 6	5 - CRT: Listed date	/Carcinogenic substance	
1,4-Dioxane (CAS 12		Listed: January 1, 1988	
		123-35-3) Listed: March 27, 2015	
Acetaldehyde (CAS Ethylene oxide (CAS	,	Listed: April 1, 1988 Listed: July 1, 1987	
California Proposition 6			
Ethylene glycol (CAS		Listed: June 19, 2015	
Ethylene oxide (CAS		Listed: August 7, 2009 /Female reproductive toxin	
Ethylene oxide (CAS		Listed: February 27, 1987	
•		/Male reproductive toxin	
Ethylene oxide (CAS	75-21-8)	Listed: August 7, 2009	
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory	of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substance		Yes
Canada	Non-Domestic Subs		No
China		Chemical Substances in China (IECSC)	Yes
Europe	European Inventory Substances (EINEC	of Existing Commercial Chemical S)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	01-12-2023
Version #	01
References	ECHA registered substances database
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.