

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	JetScent® Air Freshener - Clean and Pure
Registration number	-
Synonyms	None.
Part Number	LS-6800/C/1 series, (Formula: LB-6800/C/1)
Identified uses	he substance or mixture and uses advised against Air Freshener & Deodorizer
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Supplier	
Company name	Wynn's Belgium BV
Address	Industriepark-West 46
	B-9100 Sint-Niklaas, Belgium
Telephone	+1-410-822-5775
Manufacturer	
Company name	Celeste Industries Corporation
Address	8007 Industrial Park Rd
	Easton, Maryland 21601 (USA)
Telephone	+1-410-822-5775
Email	info@celestecorp.com
1.4. Emergency telephone number	CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300
	Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Serious eye damage/eye irritation	Category 1	H318 - Causes serious eye
		damage.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Alcohols, C9-11, branched and linear, ethoxylated
Hazard pictograms	
Signal word	Danger
Hazard statements	
H318	Causes serious eye damage.
Precautionary statements	
Prevention	
P280	Wear eye protection/face protection.
Response	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTRE/doctor.
Storage	Not assigned.
Disposal	Not assigned.

Supplemental label information	17,84 % of the mixture consists of component(s) of unknown acute dermal toxicity. 6,44 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 6,44 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 6,44 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

procedures

Specific methods

General information							
Chemical name		%	CAS-No.	/ EC No.	REACH Registration No.	Index No.	Notes
Alcohols, C9-11, branched an ethoxylated	nd linear,	1 - 5	68439 -	9-46-3	-	-	
Classif		Acute Tox Chronic 3;		TE: 500 m	ıg/kg), Eye Dam. 1;H318, A	quatic	
1-Propanaminium, 3,3',3"-[phosphinylidynetris(ox -(3-aminopropyl)-2-hydroxy-N hyl-, N,N',N"-tri-C6-18 acyl de trichlorides	,N-dimet	0,1 - 1	83682 280-5	-	-	-	
Classif	fication: E	Eye Dam.	1;H318, Aq	uatic Acu	te 1;H400, Aquatic Chronic	2;H411	
Other components below reported levels	ortable	95.84					
List of abbreviations and symbol ATE: Acute toxicity estimate. All concentrations are in perce		-		is a gas.	Gas concentrations are in p	percent by volume	9.
Composition comments	The full	text for al	I H-stateme	ents is disp	layed in section 16.		
SECTION 4: First aid meas	sures						
General information		that medi themselve		el are awa	are of the material(s) involve	ed, and take prec	autions to
4.1. Description of first aid meas	sures						
Inhalation	Move to	fresh air.	Call a phys	sician if sy	mptoms develop or persist.		
Skin contact	Wash of	ff with soa	ap and wate	er. Get me	dical attention if irritation de	velops and persis	sts.
Eye contact					vater for at least 15 minutes ng. Get medical attention in		t lenses, if
Ingestion	Rinse m	outh. Ge	t medical at	tention if s	symptoms occur.		
4.2. Most important symptoms and effects, both acute and delayed					nclude stinging, tearing, red ng blindness could result.	ness, swelling, a	nd blurred
4.3. Indication of any immediate medical attention and special treatment needed			supportive n e delayed.	neasures	and treat symptomatically. k	Keep victim under	observation.
SECTION 5: Firefighting m	neasure	s					
General fire hazards	No unus	sual fire o	r explosion	hazards n	oted.		
5.1. Extinguishing media Suitable extinguishing media	Water fo	og. Foam.	Dry chemi	cal powde	r. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not u	use water	jet as an ex	xtinguishe	r, as this will spread the fire		
5.2. Special hazards arising from the substance or mixture	During f	ïre, gases	s hazardous	to health	may be formed.		
5.3. Advice for firefighters Special protective equipment for firefighters	Self-cor	ntained br	eathing app	paratus an	d full protective clothing mu	st be worn in cas	e of fire.

Special fire fighting Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

 6.3. Methods and material for containment and cleaning up 6.3. Methods and material for containment and cleaning up 6.3. Methods and material for containment and cleaning up 6.4. Reference to other containment and cleaning up 	6.1. Personal precautions, protect	tive equipment and emergency procedures
 advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS. 6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. 6.3. Methods and material for containment and cleaning up This product is miscible in water. Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual containnation. Never return spills to original containers for re-use. For personal protection, see section 8 of the SDS. For waste disposal, see section 13. 	0,00	
 6.3. Methods and material for containment and cleaning up 6.4. Reference to other sections 6.4. Reference to other sections containment and cleaning up 		advised if significant spillages cannot be contained. Use personal protection recommended in
containment and cleaning upLarge Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.6.4. Reference to other sectionsFor personal protection, see section 8 of the SDS. For waste disposal, see section 13.		environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into
Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.6.4. Reference to other sections		This product is miscible in water. Prevent product from entering drains.
6.4. Reference to other For personal protection, see section 8 of the SDS. For waste disposal, see section 13. sections		possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product
6.4. Reference to other For personal protection, see section 8 of the SDS. For waste disposal, see section 13. sections		
sections	I	Never return spills to original containers for re-use.
SECTION 7: Handling and storage	6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

7.1. Precautions for safe handling	Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
incompatibilities	Storage class (TRGS 510): 12 (Non-combustible liquids that cannot be assigned to any of the above storage classes)
7.3. Specific end use(s)	Air Freshener & Deodorizer

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Bulgaria. OELs. Regulation No 13 on Components	Туре	Value	-
Triethylene glycol (CAS 112-27-6)	TWA	15 mg/m3	
Croatia. Dangerous Substance Expo Components	sure Limit Values in the Wo Type	orkplace (ELVs), Annexes 1 ar Value	nd 2, Narodne Novine, 13/0
Propane-1,2-diol (CAS 57-55-6)	MAC	10 mg/m3	
		150 ppm	
Germany. DFG MAK List (advisory Ol in the Work Area (DFG) Components	Туре	Value	Form
Triethylene glycol (CAS 112-27-6)	TWA	1000 mg/m3	Vapor and aerosol, inhalable fraction.
Germany. TRGS 900, Limit Values in	the Ambient Air at the Wor	kplace	
Components	Туре	Value	Form
Triethylene glycol (CAS 112-27-6)	AGW	1000 mg/m3	Inhalable fraction.
Ireland. Occupational Exposure Limit	ts		
Components	Туре	Value	Form
Propane-1,2-diol (CAS 57-55-6)	TWA	470 mg/m3	Total vapour and particulates.
		10 mg/m3	Particulate.
		150 ppm	Total vapour and particulates.

Propane-1,2-diol (CAS	TWA	7 mg/m3	
57-55-6)		· · · · · · · · · · · · · · · · · · ·	
Lithuania. OELs. Limit Va Components	lues for Chemical Substances, Genera Type	al Requirements Value	
Propane-1,2-diol (CAS 57-55-6)	TWA	7 mg/m3	
Norway. Administrative No Components	orms for Contaminants in the Workpla Type	ce Value	
Propane-1,2-diol (CAS 57-55-6)	TLV	79 mg/m3	
		25 ppm	
	Minister of Labour and Social Policy o sities of harmful health factors in the v		
Components	Туре	Value	Form
Propane-1,2-diol (CAS 57-55-6)	TWA	100 mg/m3	Inhalable fraction and vapour.
		0 ppm	Inhalable fraction and vapour.
Romania. OELs. Protectio Components	n of workers from exposure to chemic Type	cal agents at the workplace Value	
Triethylene glycol (CAS	STEL	1000 mg/m3	
112-27-6)		163 ppm	
	TWA	700 mg/m3	
		114 ppm	
Slovenia OELe Degulatia	no concerning protection of workers		to chemicale while way
(Official Gazette of the Re	ons concerning protection of workers a public of Slovenia)	against risks due to exposure	to chemicals while wor
Components	Туре	Value	Form
Triethylene glycol (CAS 112-27-6)	TWA	1000 mg/m3	Inhalable fraction.
	verte am Arbeitsplatz		_
	-	Value	
Components	Туре	Value	Form
Components Triethylene glycol (CAS	-	Value 2000 mg/m3	Form Vapor and aerosol, inhalable.
Components Triethylene glycol (CAS	Туре		Vapor and aerosol,
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo	Type STEL TWA osure Limits (WELs)	2000 mg/m3 1000 mg/m3	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable.
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components	Type STEL TWA osure Limits (WELs) Type	2000 mg/m3 1000 mg/m3 Value	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components Propane-1,2-diol (CAS	Type STEL TWA osure Limits (WELs)	2000 mg/m3 1000 mg/m3 Value 474 mg/m3	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form Total vapour and particulates.
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components Propane-1,2-diol (CAS	Type STEL TWA osure Limits (WELs) Type	2000 mg/m3 1000 mg/m3 Value 474 mg/m3 10 mg/m3	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form Total vapour and particulates. Particulate.
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components Propane-1,2-diol (CAS	Type STEL TWA osure Limits (WELs) Type	2000 mg/m3 1000 mg/m3 Value 474 mg/m3	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form Total vapour and particulates.
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components Propane-1,2-diol (CAS 57-55-6) ogical limit values	Type STEL TWA osure Limits (WELs) Type TWA No biological exposure limits noted fe	2000 mg/m3 1000 mg/m3 Value 474 mg/m3 10 mg/m3 150 ppm or the ingredient(s).	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form Total vapour and particulates. Particulate. Total vapour and
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components Propane-1,2-diol (CAS 57-55-6) ogical limit values ommended monitoring	Type STEL TWA osure Limits (WELs) Type TWA	2000 mg/m3 1000 mg/m3 Value 474 mg/m3 10 mg/m3 150 ppm or the ingredient(s).	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form Total vapour and particulates. Particulate. Total vapour and
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components Propane-1,2-diol (CAS 57-55-6) ogical limit values ommended monitoring cedures ved no effect levels	Type STEL TWA osure Limits (WELs) Type TWA No biological exposure limits noted fe	2000 mg/m3 1000 mg/m3 Value 474 mg/m3 10 mg/m3 150 ppm or the ingredient(s).	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form Total vapour and particulates. Particulate. Total vapour and
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components Propane-1,2-diol (CAS 57-55-6) ogical limit values ommended monitoring redures ved no effect levels ELs) licted no effect	Type STEL TWA osure Limits (WELs) Type TWA No biological exposure limits noted fo Follow standard monitoring procedur	2000 mg/m3 1000 mg/m3 Value 474 mg/m3 10 mg/m3 150 ppm or the ingredient(s).	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form Total vapour and particulates. Particulate. Total vapour and
Components Triethylene glycol (CAS 112-27-6) UK. EH40 Workplace Expo Components Propane-1,2-diol (CAS 57-55-6) ogical limit values ommended monitoring cedures	Type STEL TWA bosure Limits (WELs) Type TWA No biological exposure limits noted for Follow standard monitoring procedur Not available.	2000 mg/m3 1000 mg/m3 Value 474 mg/m3 10 mg/m3 150 ppm or the ingredient(s).	Vapor and aerosol, inhalable. Vapor and aerosol, inhalable. Form Total vapour and particulates. Particulate. Total vapour and

Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Eye protection should meet standard EN 166.
Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374.
- Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Follow guidance on selection, use, care and maintenance in accordance with EN 529.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physic	cal and chemical properties
Physical state	Liquid.
Form	Liquid.
Colour	Colourless.
Odour	Characteristic.
Melting point/freezing point	0 °C (32 °F)
Boiling point or initial boiling point and boiling range	100 °C (212 °F) estimated
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Non-flammable.
Explosive limit – upper (%)	Non-flammable.
Flash point	Non-flammable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
рН	Property has not been measured.
Kinematic viscosity	Property has not been measured.
Solubility(ies)	
Solubility (water)	Soluble in water.
Partition coefficient (n-octanol/water)	Not applicable.
Vapour pressure	Property has not been measured.
Vapour density	Property has not been measured.
Relative density	0,95 - 1,05
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristic	CS
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
SECTION 10: Stability and	-
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.

10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous	Carbon oxides.
decomposition products	

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of e	exposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye damage.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

11.1. Information on toxicological effects

Acute	toxicity	
-------	----------	--

Not expected to be acutely toxic.

Product	Species	Test Results
JetScent® Air Freshener - Clean	and Pure	
<u>Acute</u>		
Dermal		
ATEmix		25000 mg/kg
Oral		
ATEmix		14000 mg/kg
Components	Species	Test Results
Alcohols, C9-11, branched and lir	near, ethoxylated (CAS 68439-46-3)	
<u>Acute</u>		
Inhalation		
Vapour		
LC50	Rat	> 100 mg/m3, 6 Hours
Skin corrosion/irritation	Prolonged skin contact may cause	e temporary irritation.
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory sensitisation	Not a respiratory sensitiser.	
Skin sensitisation	This product is not expected to cause skin sensitisation.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
Hungary. 26/2000 EüM Ordi (as amended)	nance on protection against and p	preventing risk relating to exposure to carcinogens at work
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Mixture versus substance information	No information available.	
11.2. Information on other haza	rds	
Endocrine disrupting properties	The product does not contain con	nponents considered to have endocrine disrupting properties or regulation (EU) 2017/2100 or Commission Regulation (EU) ner.
Other information	Not available.	
SECTION 12: Ecological i	nformation	
12.1. Toxicity	Based on available data, the class	sification criteria are not met for hazardous to the aquatic

environment.

Components		Species	Test Results
Alcohols, C9-11, branched and lir	near, ethoxyla	ated (CAS 68439-46-3)	
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	>= 2,9 - <= 8,5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas	s) >= 6 - <= 12 mg/l, 96 hours
12.2. Persistence and degradability	No data is	No data is available on the degradability of any ingredients in the mixture.	
12.3. Bioaccumulative potentia	I		
Bioconcentration factor (BCF)	Not availa	ble.	
12.4. Mobility in soil	Not establ	ished.	
12.5. Results of PBT and vPvB assessment		re does not contain substances assessed to 907/2006, Annex XIII.	be vPvB / PBT according to Regulation
12.6. Endocrine disrupting properties	according	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
12.7. Other adverse effects	None know	None known.	
SECTION 13: Disposal co	onsideratio	ns	
13.1. Waste treatment methods	i		
Residual waste	product re	f in accordance with local regulations. Empty sidues. This material and its container must l nstructions).	
Contaminated packaging		tied containers may retain product residue, f Empty containers should be taken to an appro	
EU waste code	The Waste disposal c	e code should be assigned in discussion betw ompany.	veen the user, the producer and the waste
Disposal methods/information	this mater with chem	d reclaim or dispose in sealed containers at l al to drain into sewers/water supplies. Do no ical or used container. Dispose of contents/co nal/national/international regulations.	t contaminate ponds, waterways or ditches
Special precautions	Dispose in	accordance with all applicable regulations.	
SECTION 14: Transport in			

SECTION 14: Transport information

ADR

ADI	`	
	14.1. UN number	Not available.
	14.2. UN proper shipping	Not available.
	name	
	14.3. Transport hazard class	(es)
	Class	Not available.
	Subsidiary risk	-
	Hazard No. (ADR)	Not available.
	Tunnel restriction code	Not available.
	14.4. Packing group	Not available.
	14.5. Environmental hazards	No.
	14.6. Special precautions	Not available.
	for user	
RID		
	14.1. UN number	Not available.
	14.2. UN proper shipping	Not available.
	name	
	14.3. Transport hazard class	(es)
	Class	Not available.
	Subsidiary risk	-
	14.4. Packing group	Not available.
	14.5. Environmental hazards	No.
	14.6. Special precautions	Not available.
	for user	
ADN	N	
	14.1. UN number	Not available.
	14.2. UN proper shipping	Not available.
	name	
	14.3. Transport hazard class	(es)
	Class	Not available.

Subsidiary risk	-
14.4. Packing group	Not available.
14.5. Environmental hazards	No.
14.6. Special precautions	Not available.
for user	
ΙΑΤΑ	
14.1. UN number	Not available.
14.2. UN proper shipping	Not available.
name	
14.3. Transport hazard class	(es)
Class	Not available.
Subsidiary risk	-
14.4. Packing group	Not available.
14.5. Environmental hazards	No.
14.6. Special precautions	Not available.
for user	
IMDG	
14.1. UN number	Not available.
14.2. UN proper shipping	Not available.
name	
14.3. Transport hazard class	(es)
Class	Not available.
Subsidiary risk	-
14.4. Packing group	Not available.
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not available.
14.6. Special precautions	Not available.
for user	
14.7. Maritime transport in bulk	This product is not intended to be transported in bulk.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

EU Regulation 648/2004, Annex VII, Content Labeling for Detergents

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed. Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Not listed.	
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

SECTION 16: Other information

List of abbreviations	
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
	 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.
	vPvB: Very persistent and very bioaccumulative.
References	ECHA registered substances database
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H302 Harmful if swallowed. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for head in a storage and of the analyses of the analyses.

for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or

expense due to improper use.