

SAFETY DATA SHEET

1. Identification

Product identifier	JetScent® Air Freshener - Fresh Breeze
Other means of identification	
Part Number	LS-6900/FB series, (Formula: LB-6900/FB)
Recommended use of the chem	ical and restrictions on use
Recommended use	Air Freshener & Deodorizer
Restrictions on use	None known.
Details of manufacturer or impo	rter
Supplier	
Company name	Boeing Distribution Australia Pty Ltd
Address	20-22 Lindaway Place
	Tullamarine, Vic 3043
	Australia
Telephone	61-3-9339-3000
Fax	61-3-9338-9773
Email	prc@boeing.com
Manufacturer	
Company	Celeste Industries Corporation
Address	8007 Industrial Park Rd
	Easton, Maryland 21601 (USA)
Telephone	+1-410-822-5775
Email	info@celestecorp.com
In Case of Emergency	CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300
	Outside USA and Canada (collect call accepted) 1-703-527-3883

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3

Label elements, including precautionary statements

Hazard symbol(s)



	Corrosion
Signal word	Danger
Hazard statement(s)	Causes serious eye damage. Harmful to aquatic life.
Precautionary statement(s)	
Prevention	Avoid release to the environment. Wear eye protection/face protection.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental information	14.28 % of the mixture consists of component(s) of unknown acute dermal toxicity. 6.44 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 6.44 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 6.44 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients		CAS number and other unique identifiers	Concentration of ingredients
Triethylene glycol	112-27-6 5 - 10		
Propane-1,2-diol		57-55-6 3 - 7	
Alcohols, C9-11, ethoxylated		68439-46-3	1 - 5
1-Propanaminium, 3,3',3"-[phosphinylidynetris(oxy N,N',N"-tri-C6-18 acyl derivs. tr)]tris[N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-, ichlorides	83682-78-4	0.1 - 1
Other components below repor	table levels		82.47
4. First-aid measures			
Description of necessary first aid	d measures		
Inhalation	Move to fresh air. Call a physician if symptoms de	velop or persist.	
Skin contact	Wash off with soap and water. Get medical attenti	on if irritation develops and	persists.
Eye contact	Immediately flush eyes with plenty of water for at I present and easy to do. Continue rinsing. Get med		ontact lenses, if
Ingestion	Rinse mouth. Get medical attention if symptoms of	ccur.	
Personal protection for first-aid responders	Ensure that medical personnel are aware of the m protect themselves.	aterial(s) involved, and take	e precautions to
Symptoms caused by exposure	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		ing, and blurred
Medical attention and special treatment	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
5. Fire-fighting measures			
Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon d	ioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this wi	l spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for fire fighters	Self-contained breathing apparatus and full protec	tive clothing must be worn	n case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so wi	thout risk.	
Hazchem code	1 <mark>Z</mark>		
General fire hazards	No unusual fire or explosion hazards noted.		
Specific methods	Use standard firefighting procedures and consider	the hazards of other involv	ed materials.
6. Accidental release meas	sures		
Personal precautions, protective	equipment and emergency procedures		
For non-emergency personnel	Wear appropriate protective equipment and clothin containers or spilled material unless wearing appr		ouch damaged
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.		
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel or environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge drains, water courses or onto the ground.		

Methods and materials for containment and cleaning up	This product is miscible in water. Prevent			
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.			
	Small Spills: Wipe up with absorbent mate remove residual contamination.	erial (e.g. cloth, fleece). Cl	ean surface thoroughly to	
	Never return spills to original containers for	or re-use. For waste dispo	sal, see section 13.	
7. Handling and storage				
Precautions for safe handling	Do not get this material in contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.			
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).			
8. Exposure controls and	personal protection			
Control parameters	Follow standard monitoring procedures.			
Occupational exposure limits				
	ce OELs (Workplace Exposure Standards	s for Airborne Contamina	ants Annendix A)	
Australia. National Workplac Components	Туре	Value	Form	
Components Propane-1,2-diol (CAS	Туре	Value	Form Total vapour and	
Components Propane-1,2-diol (CAS	Туре	Value 474 mg/m3	Form Total vapour and particulates.	
Components Propane-1,2-diol (CAS	TWA	Value 474 mg/m3 10 mg/m3	Form Total vapour and particulates. Particulate. Total vapour and	

Components	Туре	Value	Form	
Propane-1,2-diol (CAS 57-55-6)	TWA	474 mg/m3	Total vapour and particulates.	
		10 mg/m3	Particulate.	
		150 ppm	Total vapour and particulates.	

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type Value		Form	
Triethylene glycol (CAS 112-27-6)	TWA	1000 mg/m3	Vapor and aerosol, inhalable fraction.	
Biological limit values	No biological exposure limits noted for	the ingredient(s).		
Appropriate engineering controls	Good general ventilation should be use applicable, use process enclosures, loc maintain airborne levels below recomm established, maintain airborne levels to	al exhaust ventilation, or othe ended exposure limits. If exp	er engineering controls to osure limits have not been	
Individual protection measure	s, for example personal protective equip	ment (PPE)		
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.			
Skin protection Hand protection	Wear appropriate chemical resistant glo	oves.		
Other	Wear suitable protective clothing.			
Respiratory protection	In case of insufficient ventilation, wear	suitable respiratory equipmer	ıt.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the and before eating, drinking, and/or smoking. Routinely wash work clothing and protect equipment to remove contaminants.		•	

9. Physical and chemical properties

Appearance

Physical state	Liquid.
----------------	---------

Form	Liquid.		
Colour	Colourless.		
Odour	Characteristic.		
Odour threshold	Not available.		
рН	Property has not been measured.		
Melting point/freezing point	0 °C (32 °F)		
Initial boiling point and boiling range	100 °C (212 °F) estimated		
Flash point	Non-flammable.		
Evaporation rate	Not available.		
Flammability (solid, gas)	Non-flammable.		
Upper/lower flammability or exp	losive limits		
Explosive limit - lower (%)	Non-flammable.		
Explosive limit – upper (%)	Non-flammable.		
Vapour pressure	Property has not been measured.		
Vapour density	Property has not been measured.		
Relative density	0.95 - 1.05		
Solubility(ies)			
Solubility (water)	Soluble in water.		
Partition coefficient (n-octanol/water)	Not applicable.		
Auto-ignition temperature	Not applicable.		
Decomposition temperature	Not applicable.		
Viscosity	Not available.		
Other physical and chemical pa	ameters		
Explosive properties	Not explosive.		
Kinematic viscosity	Property has not been measured.		
Oxidising properties	Not oxidising.		
10 Stability and reactivity			

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on possible routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to exposure	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Acute toxicity	Not expected to be acutely toxic.

Product	Species		Test Results	
JetScent® Air Freshener - Fresh	Breeze			
Acute				
Oral			17000	
	0		17000 mg/kg	
Components	Species		Test Results	
Alcohols, C9-11, ethoxylated (CA Acute	15 68439-46-3			
Dermal				
LD50	Rabbit		2000 mg/kg, 24 Hours	
Inhalation				
Vapour				
LC50	Rat		> 100 mg/m3, 6 Hours	
Propane-1,2-diol (CAS 57-55-6)				
Acute				
Oral	Det		22000 mg///g	
LD50	Rat		22000 mg/kg	
Triethylene glycol (CAS 112-27-6))			
<u>Acute</u> Inhalation				
LC50	_		> 3.9 mg/l, 4 Hours	
Oral				
LD50	Rat		> 2000 mg/kg	
Skin corrosion/irritation	Prolonaed s	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/irritation	-	ious eye damage.		
Respiratory or skin sensitisatio				
Respiratory sensitisation		ratory sensitiser.		
Skin sensitisation	This produc	This product is not expected to cause skin sensitisation.		
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifia	Not classifiable as to carcinogenicity to humans.		
Reproductive toxicity	This produc	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classifie	Not classified.		
Specific target organ toxicity - repeated exposure	Not classifie	ed.		
Aspiration hazard	Not an aspi	ration hazard.		
12. Ecological informatio	n			
Ecotoxicity	Harmful to a	aquatic life.		
Components		Species	Test Results	
Alcohols, C9-11, ethoxylated (CA Aquatic	AS 68439-46-3)			
Acute				
Crustacea	EC50	Water flea (Daphnia magna)	>= 2.9 - <= 8.5 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales prom	•	
Propane-1,2-diol (CAS 57-55-6)			, O , ,	
Aquatic				
- 				

EC50Water flea (Daphnia magna)> 10000 mg/l, 48 hoursLC50Fathead minnow (Pimephales promelas)710 mg/l, 96 hours

Acute

Fish

Crustacea

Components		Species	Test Results		
Triethylene glycol (CAS 112-27-6)				
Aquatic					
Acute					
Crustacea	EC50	Water flea (Daphnia magna)	>= 48.9 - <= 56 mg/l, 48 hours		
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.				
Bioaccumulative potential					
Partition coefficient n-octanol / water (log Kow)					
Propane-1,2-diol		-0.92			
Triethylene glycol		-1.98			
Mobility in soil	This produ	This product is miscible in water.			
Other adverse effects	None known.				
13. Disposal consideratio	ns				
Disposal methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.				
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).				
Contaminated packaging			e, follow label warnings even after container is oproved waste handling site for recycling or		

14. Transport information

ADG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to This product is not intended to be transported in bulk.

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Safety, health and environmental regulations

National regulationsThis Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the
preparation of Safety Data Sheets for Hazardous Chemicals.

Australia Medicines & Poisons Appendix A Poisons schedule number not allocated. Australia Medicines & Poisons Appendix B Propane-1,2-diol (CAS 57-55-6) Triethylene glycol (CAS 112-27-6) Australia Medicines & Poisons Appendix D Poisons schedule number not allocated. Australia Medicines & Poisons Appendix E

Poisons schedule number not allocated. Australia Medicines & Poisons Appendix F

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix G Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated.

Australia Medicines & Pois	ons Appendix I		
Poisons schedule numb Australia Medicines & Pois			
Poisons schedule numb Australia Medicines & Pois			
Poisons schedule numb Australia Medicines & Pois			
Poisons schedule numb Australia Medicines & Pois			
Poisons schedule numb Australia Medicines & Pois			
Poisons schedule numb Australia Medicines & Pois			
Poisons schedule numb Australia Medicines & Pois			
Poisons schedule numb Australia Medicines & Pois			
Poisons schedule numb Australia Medicines & Pois	er not allocated.		
Poisons schedule numb	er not allocated.		
Australia Medicines & Pois Poisons schedule numb	er not allocated.		
Australia Medicines & Pois Poisons schedule numb	er not allocated.		
High Volume Industrial Che Propane-1,2-diol (CAS 5		10000 - 99999 TONNES See the I	regulation for additional
Importation of Ozone Delet	ting Substances (Customs)	information. Prohibited imports) Regulations 1956	Schodulo 10)
Not listed.	ing outstances (oustonis)	rombiled imports) Regulations 1550	, ochedule ivj
National Pollutant Inventor	າງ (NPI) substance reporting	g list	
Not listed.			
Prohibited Carcinogenic So	ubstances		
Not regulated. Prohibited Substances (Na NOHSC:1005 (1994) as amo	•	r the control of Workplace Hazardous	Substances, Schedule 2
Not listed. Resricted Importation of O	rganochlorine Chemicals ((Customs(Prohibited Imports) Regulat	ions 1956, Schedule 9)
Not listed.			
Restricted Carcinogenic So Not regulated.	ubstances		
International regulations			
Stockholm Convention			
Not applicable. Rotterdam Convention			
Not applicable. Kyoto Protocol			
Not applicable. Montreal Protocol			
Not applicable. Basel Convention			
Not applicable.			
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Ind	· · ·	Yes
Canada	Domestic Substances List	. ,	Yes
Canada	Non-Domestic Substances	· · ·	No
China	Inventory of Existing Chen	nical Substances in China (IECSC)	Yes

Country(s) or region	Inventory name On inver	ntory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	12-January-2023
Key abbreviations or acronyms used	AICIS: Australian Inventory of Industrial Chemicals.
References	ECHA registered substances database
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.