# SAFETY DATA SHEET



1. Identification	
Product identifier	Liquid Scrub™ Drain Cleaner
Other means of identification	
Part Number	LS-5000 series, (Formula: LB-5000/C)
Recommended use	Cleaning agent.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
Supplier	
Company name	ITW Permatex Canada
Address	2360 Bristol Circle, Ste 101
	Oakville, ON Canada L6H 6M5
Telephone	1-800-241-8334
Manufacturer	Colorte Industrian Comparation
Company name Address	Celeste Industries Corporation 8007 Industrial Park Rd
Address	Easton, Maryland 21601 (USA)
Telephone	+1-410-822-5775
Email	info@celestecorp.com
In Case of Emergency	CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300
	Outside USA and Canada (collect call accepted) 1-703-527-3883
Supplier	Not available.
2. Hazard identification	
Physical hazards	Not classified.
Health hazards	Serious eye damage/eye irritation Category 1
Environmental hazards	Not classified.
Label elements	
Signal word	Danger
Hazard statement	Causes serious eye damage.
Precautionary statement	
Prevention	Wear eye protection/face protection.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Supplemental information	5% of the mixture consists of component(s) of unknown acute dermal toxicity. 2.5% of the mixture consists of component(s) of unknown acute inhalation toxicity.
Other hazards	None known.
3. Composition/information	on on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfona sodium salts	ated,	119345-04-9	1 - 5

Chemical name	Common name and synonyms	CAS number	%	
Hydrogen peroxide solution 50%		7722-84-1	1 - 5	
Other components below report	able levels		95	
All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.				
4. First-aid measures				
Inhalation	Move to fresh air. Call a physician if symptoms	develop or persist.		
Skin contact	Wash off with soap and water. Get medical atte	ention if irritation develops and p	ersists.	
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get		ntact lenses, if	
Ingestion	Rinse mouth. Get medical attention if symptom	ns occur.		
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.			
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trea Symptoms may be delayed.	t symptomatically. Keep victim u	nder observation.	
General information	Ensure that medical personnel are aware of th protect themselves.	e material(s) involved, and take	precautions to	
5. Fire-fighting measures				
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	n dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this	s will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pro	otective clothing must be worn in	case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so	o without risk.		
Specific methods	Use standard firefighting procedures and cons	ider the hazards of other involve	d materials.	
General fire hazards	No unusual fire or explosion hazards noted.			
6. Accidental release meas	sures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep peo appropriate protective equipment and clothing or spilled material unless wearing appropriate Local authorities should be advised if significan protection, see section 8 of the SDS.	during clean-up. Do not touch da protective clothing. Ensure adeq	amaged containers uate ventilation.	
Methods and materials for	This product is miscible in water. Prevent prod	uct from entering drains.		
containment and cleaning up	Large Spills: Stop the flow of material, if this is possible. Absorb in vermiculite, dry sand or ea recovery, flush area with water.			
	Small Spills: Wipe up with absorbent material ( remove residual contamination.	(e.g. cloth, fleece). Clean surface	e thoroughly to	
	Never return spills to original containers for re-	use. For waste disposal, see see	ction 13 of the SDS.	
Environmental precautions	Avoid release to the environment. Inform appro environmental releases. Prevent further leakage drains, water courses or onto the ground.	opriate managerial or supervisor	y personnel of all	
7. Handling and storage				
Precautions for safe handling	Do not get this material in contact with eyes. A ventilation. Wear appropriate personal protecti			
Conditions for safe storage, including any incompatibilities	practices. Store in tightly closed container. Store away fro SDS).	om incompatible materials (see S	Section 10 of the	

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. ACGIH Threshold Limi Components	Туре	Value
Hydrogen peroxide solution 50% (CAS 7722-84-1)	TWA	1 ppm
Canada. Alberta OELs (Oco	cupational Health & Safety Code, Sche	edule 1, Table 2)
Components	Туре	Value
Hydrogen peroxide solution 50% (CAS 7722-84-1)	TWA	1.4 mg/m3
		1 ppm
Canada. British Columbia ( Safety Regulation 296/97, a		for Chemical Substances, Occupational Health and
Components	Туре	Value
Hydrogen peroxide solution 50% (CAS 7722-84-1)	TWA	1 ppm
Canada. Manitoba OELs (R	eg. 217/2006, The Workplace Safety A	nd Health Act)
Components	Туре	Value
Hydrogen peroxide solution 50% (CAS 7722-84-1)	TWA	1 ppm
	entrol of Exposure to Biological or Che	amical Agents)
Canada, Untario UELS, (Co		
Components	Type	Value
Components Hydrogen peroxide solution		÷ ·
Components Hydrogen peroxide solution 50% (CAS 7722-84-1)	Type TWA	Value 1 ppm
Components Hydrogen peroxide solution 50% (CAS 7722-84-1)	Туре	Value 1 ppm
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE	Type TWA ELs (Occupational Health and Safety R	Value 1 ppm egulations, 1996, Table 21)
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution	Type TWA Ls (Occupational Health and Safety R Type	Value 1 ppm legulations, 1996, Table 21) Value
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution 50% (CAS 7722-84-1)	Type TWA SLS (Occupational Health and Safety R Type 15 minute 8 hour	Value 1 ppm egulations, 1996, Table 21) Value 2 ppm 1 ppm
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution	Type TWA ELS (Occupational Health and Safety R Type 15 minute 8 hour No biological exposure limits noted fo Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom	Value 1 ppm egulations, 1996, Table 21) Value 2 ppm 1 ppm
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution 50% (CAS 7722-84-1) logical limit values propriate engineering ttrols	Type TWA ELS (Occupational Health and Safety R Type 15 minute 8 hour No biological exposure limits noted fo Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom	Value         1 ppm         regulations, 1996, Table 21)         Value         2 ppm         1 ppm         r the ingredient(s).         sed. Ventilation rates should be matched to conditions. If pocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Provide eyewash station.         ent
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution 50% (CAS 7722-84-1) logical limit values propriate engineering trols	Type TWA TWA TWA Type 15 minute 8 hour No biological exposure limits noted fo Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom established, maintain airborne levels 5, such as personal protective equipment	Value         1 ppm         regulations, 1996, Table 21)         Value         2 ppm         1 ppm         r the ingredient(s).         sed. Ventilation rates should be matched to conditions. If pocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Provide eyewash station.         ent
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution 50% (CAS 7722-84-1) logical limit values propriate engineering trols	Type TWA TWA TWA Type 15 minute 8 hour No biological exposure limits noted fo Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom established, maintain airborne levels 5, such as personal protective equipment	Value         1 ppm         regulations, 1996, Table 21)         Value         2 ppm         1 ppm         r the ingredient(s).         sed. Ventilation rates should be matched to conditions. If pocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Provide eyewash station.         ent         (or goggles) and a face shield.
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution 50% (CAS 7722-84-1) logical limit values propriate engineering strols ividual protection measures Eye/face protection Skin protection	Type         TWA         State (Occupational Health and Safety R Type         15 minute         8 hour         No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom established, maintain airborne levels         s, such as personal protective equipment Wear safety glasses with side shields	Value         1 ppm         regulations, 1996, Table 21)         Value         2 ppm         1 ppm         r the ingredient(s).         sed. Ventilation rates should be matched to conditions. If pocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Provide eyewash station.         ent         (or goggles) and a face shield.         gloves.
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution 50% (CAS 7722-84-1) logical limit values propriate engineering strols ividual protection measures Eye/face protection Skin protection Hand protection	Type         TWA         ELs (Occupational Health and Safety R Type         15 minute         8 hour         No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recom established, maintain airborne levels         s, such as personal protective equipmed Wear safety glasses with side shields         Wear appropriate chemical resistant of	Value         1 ppm         regulations, 1996, Table 21)         Value         2 ppm         1 ppm         r the ingredient(s).         sed. Ventilation rates should be matched to conditions. If pocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Provide eyewash station.         ent         (or goggles) and a face shield.         gloves.         clothing.
Components Hydrogen peroxide solution 50% (CAS 7722-84-1) Canada. Saskatchewan OE Components Hydrogen peroxide solution 50% (CAS 7722-84-1) logical limit values propriate engineering strols ividual protection measures Eye/face protection Skin protection Hand protection Other	Type         TWA <b>Ls (Occupational Health and Safety R</b> Type         15 minute         8 hour         No biological exposure limits noted for         Good general ventilation should be us applicable, use process enclosures, le maintain airborne levels below recom established, maintain airborne levels below recom established are appropriate chemical resistant established are approprished are approprishestare are approprishestablishestablishestare	Value         1 ppm         regulations, 1996, Table 21)         Value         2 ppm         1 ppm         r the ingredient(s).         sed. Ventilation rates should be matched to conditions. If ocal exhaust ventilation, or other engineering controls to mended exposure limits. If exposure limits have not been to an acceptable level. Provide eyewash station.         ent         . (or goggles) and a face shield.         gloves.         clothing.         r suitable respiratory equipment.

#### 9. Physical and chemical properties

Clear.
Liquid.
Liquid.
Colorless.
Characteristic.
Not available.
8 - 8.5
32 °F (0 °C) estimated

Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	Non-flammable.
Evaporation rate	Not available.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Non-flammable.
Explosive limit - upper (%)	Non-flammable.
Vapor pressure	Property has not been measured.
Vapor density	Property has not been measured.
Relative density	1.027
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not available.
Other information	
Density	1.03 g/ml
Explosive properties	Not explosive.
Kinematic viscosity	Property has not been measured.
Oxidizing properties	Not oxidizing.
10 Stability and reactivity	·

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

#### Information on toxicological effects

Acute toxicity	Not expected to be acutely toxic.	Not expected to be acutely toxic.       Test Results	
Product	Species		
Liquid Scrub™ Drain Clean	er		
<u>Acute</u>			
Dermal			
ATEmix		220000 mg/kg	
Inhalation			
Vapor			
ATEmix		440 mg/l	

Product	Species	Test Results
Oral		40000
ATEmix		16000 mg/kg
Components	Species	Test Results
Benzene, 1,1'-oxybis-, tetrapropyle	ene derivs., sulfonated, sodium	salts (CAS 119345-04-9)
<u>Acute</u> Oral		
LD50	Rat	> 5000 mg/kg
Hydrogen peroxide solution 50% (	CAS 7722-84-1)	5 5 5
Acute	,	
Oral		
LD50	Rat	690 mg/kg
Skin corrosion/irritation	Prolonged skin contact may c	ause temporary irritation.
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization	n	
Canada - Alberta OELs: Irrit		
	ion 50% (CAS 7722-84-1)	Irritant
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected t	
Germ cell mutagenicity	mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinoc	jenicity to humans.
ACGIH Carcinogens		
	on 50% (CAS 7722-84-1)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Canada - Manitoba OELs: c		
Canada - Quebec OELs: Ca	• • •	Confirmed animal carcinogen with unknown relevance to humans.
IARC Monographs. Overall	ion 50% (CAS 7722-84-1) Evaluation of Carcinogenicity	Detected carcinogenic effect in animals.
	ion 50% (CAS 7722-84-1)	3 Not classifiable as to carcinogenicity to humans.
Reproductive toxicity		o cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be	harmful.
12. Ecological information	ı	
Ecotoxicity	Harmful to aquatic life with lor	ng lasting effects.
Persistence and degradability Bioaccumulative potential	No data is available on the de	gradability of any ingredients in the mixture.
Mobility in soil	Not established.	
Other adverse effects	None known.	
13. Disposal consideration	ns	
Disposal instructions		e in sealed containers at licensed waste disposal site. Dispose of nce with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with a	
Hazardous waste code	The waste code should be as disposal company.	signed in discussion between the user, the producer and the waste
Waste from residues / unused products		n local regulations. Empty containers or liners may retain some al and its container must be disposed of in a safe manner (see:

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### TDG

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to This product is not intended to be transported in bulk. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

#### Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

#### International regulations

**Stockholm Convention** 

- Not applicable.
- **Rotterdam Convention** 
  - Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

**Basel Convention** 

Not applicable.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

Issue date

02-16-2023

Version #

References

Disclaimer

ECHA registered substances database

01

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.