

SAFETY DATA SHEET

1. Identification

Product identifier Sani-Cide EX3 Concentrate

Other means of identification

Part Number CC-SCIDEX3/5, (Formula: LB-SCIDEX3/C1)

Recommended use of the chemical and restrictions on use

Recommended use Cleaner, Disinfectant.

Restrictions on use None known.

Details of manufacturer or importer

Supplier

Company name Boeing Distribution Australia Pty Ltd

Address 20-22 Lindaway Place

Tullamarine, Vic 3043

Australia

 Telephone
 61-3-9339-3000

 Fax
 61-3-9338-9773

 Email
 prc@boeing.com

Manufacturer

Company Celeste Industries Corporation

Address 8007 Industrial Park Rd

Easton, Maryland 21601 (USA)

Telephone +1-410-822-5775
Email info@celestecorp.com

In Case of Emergency CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300

Outside USA and Canada (collect call accepted) 1-703-527-3883

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazardsCorrosive to metalsCategory 1Health hazardsSerious eye damage/eye irritationCategory 1Sensitization, skinCategory 1

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Label elements, including precautionary statements

Hazard symbol(s)



Corrosion

Exclamation mark

Signal word Danger

Hazard statement(s) May be corrosive to metals. May cause an allergic skin reaction. Causes serious eye damage.

Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

Prevention Keep only in original container. Avoid breathing mist/vapours. Contaminated work clothing should

not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face

protection. Wear protective gloves.

Response IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Absorb spillage to prevent material

damage

Store in corrosive resistant container with a resistant inner liner. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Supplemental information 16.2 % of the mixture consists of component(s) of unknown acute dermal toxicity. 20.08 % of the

mixture consists of component(s) of unknown acute hazards to the aquatic environment. 24.08 %

of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

Other hazards which do not result in classification

None known.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Alcohols, C9-11, ethoxylated	68439-46-3	5 - 10
Sodium octane-1-sulphonate monohydrate	5324-84-5	5 - 10
1 -phenoxy-2-propanol	770-35-4	1 - 5
1-octylpyrrolidin-2-one	2687-94-7	1 - 5
4-dodecan-3-ylbenzenesulfonic acid	68584-22-5	1 - 5
Citric acid	77-92-9	1 - 5
L(+)-lactic Acid	79-33-4	1 - 5
Octan-1-ol, ethoxylated	27252-75-1	1 - 5
1,3-dibutyl-2-thiourea	109-46-6	0.1 - 1
Other components below reportable levels		62.31

4. First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing immediately and wash skin with soap and water. In case of Skin contact

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

Symptoms caused by exposure

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eve damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.

Medical attention and special treatment

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Material name: Sani-Cide EX3 Concentrate SDS AUSTRALIA 2 / 10 3111

2 X Hazchem code

General fire hazards No unusual fire or explosion hazards noted.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Avoid breathing

mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing.

Keep unnecessary personnel away. Avoid breathing mist/vapours. Ensure adequate ventilation. For emergency responders

Local authorities should be advised if significant spillages cannot be contained. Use personal

protection recommended in Section 8 of the SDS.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all **Environmental precautions** environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate

water. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up This product is miscible in water. Should not be released into the environment. Prevent entry into

waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13.

7. Handling and storage

Do not get this material in contact with eyes. Avoid breathing mist/vapours. Avoid contact with Precautions for safe handling

eves, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation, Wear appropriate personal protective equipment. Avoid release to the environment. Observe good

industrial hygiene practices.

Conditions for safe storage. including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures.

Occupational exposure limits

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds

in the Work Area (DFG)

Form Components Type Value TWA Citric acid (CAS 77-92-9) 2 mg/m3 Inhalable fraction.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Wear safety glasses with side shields (or goggles) and a face shield. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Material name: Sani-Cide EX3 Concentrate

3111

SDS AUSTRALIA

9. Physical and chemical properties

Appearance

Physical state Liquid. Liquid. **Form** Colour Light yellow. Odour Not established. **Odour threshold** Not available.

1.5 - 2

Melting point/freezing point 0 °C (32 °F) estimated 100 °C (212 °F) estimated Initial boiling point and boiling

range

Non-flammable. Flash point

Evaporation rate Property has not been measured.

Flammability (solid, gas) Non-flammable. Upper/lower flammability or explosive limits Explosive limit - lower (%) Non-flammable.

Explosive limit - upper (%)

Non-flammable.

Vapour pressure Property has not been measured. Vapour density Property has not been measured.

0.9 - 1.1 Relative density

Solubility(ies)

Solubility (water) Soluble.

Partition coefficient Not applicable.

(n-octanol/water)

Auto-ignition temperature Not applicable. **Decomposition temperature** Not applicable. Viscosity Not available.

Other physical and chemical parameters

Explosive properties Not explosive.

Kinematic viscosity Property has not been measured.

Oxidising properties Not oxidising.

10. Stability and reactivity

Reactivity May be corrosive to metals.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Do not mix with other chemicals. **Conditions to avoid** Incompatible materials Strong oxidising agents. Metals.

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on possible routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes mild skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Symptoms related to exposure

vision. Permanent eye damage including blindness could result. May cause an allergic skin

reaction. Dermatitis. Rash.

Not expected to be acutely toxic. Acute toxicity

Product	Species	Test Results	
Sani-Cide EX3 Concentrate			
<u>Acute</u>			
Dermal	D 4	. 5000 //	
LD50	Rat	> 5000 mg/kg	
Inhalation			
<i>Aerosol</i> LC50	Rat	> 2 mg/l, 4 Hours No mortality. No	
L030	Nat	toxicological impacts.	
Oral		-	
ATEmix		3900 mg/kg	
Components	Species	Test Results	
1 -phenoxy-2-propanol (CAS 770)-35-4)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg, 24 Hours	
Inhalation			
LC50	-	> 5400 mg/m3, 4 Hours	
Oral			
LD50	Rat	> 2000 mg/kg	
1-octylpyrrolidin-2-one (CAS 268	7-94-7)		
<u>Acute</u>			
Oral	B .	0.4. //	
LD50	Rat	2.1 g/kg	
4-dodecan-3-ylbenzenesulfonic	acid (CAS 68584-22-5)		
Acute			
Dermal LD50	Rabbit	> 2000 mg/kg, 24 Hours	
	Nabbit	~ 2000 Hig/kg, 24 Hours	
Oral LD50	Rat	> 2000 mg/kg	
Alcohols, C9-11, ethoxylated (CA		2000 mg/kg	
Acute	NO 00439-40-3)		
<u> Dermal</u>			
LD50	Rabbit	2000 mg/kg, 24 Hours	
Inhalation		3 3,	
Vapour			
LC50	Rat	> 100 mg/m3, 6 Hours	
Citric acid (CAS 77-92-9)			
<u>Acute</u>			
Dermal			
LD50	Rat	> 2000 mg/kg, 24 Hours	
Oral			
LD50	Rat	6700 mg/kg	
L(+)-lactic Acid (CAS 79-33-4)			
<u>Acute</u>			
Dermal	D 11.7		
LD50	Rabbit	> 2000 mg/kg, 24 Hours	
Oral	B 4	0500 "	
LD50	Rat	3500 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
	Primary Irritation Index (P.I.I.): 1.7 - 2.0 @ 24, 48 & 72 hours; reversible		

Corrosivity

Sani-Cide EX3 Concentrate **EPA P326**

Result: Mild skin irritation.

Species: Rabbit

Observation Period: 14 days

Serious eye damage/irritation Causes serious eye damage.

Corneal opacity ≥1, not fully reversed in 21 days in at least one animal.

Eve

Sani-Cide EX3 Concentrate **EPA P324**

Result: Irreversible effects on the eye.

Species: Rabbit

Observation Period: 21 days

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation May cause an allergic skin reaction.

Skin Sensitisation

Sani-Cide EX3 Concentrate **EPA P327**

Result: Sensitiser. Species: Mouse

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. Aspiration hazard

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Harmful to aquatic life with long lasting effects. Because of the low pH of this product, it would be **Ecotoxicity**

expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic

systems.

Test Results Components **Species**

4-dodecan-3-ylbenzenesulfonic acid (CAS 68584-22-5)

Aquatic

Acute

Crustacea EC50 Water flea (Ceriodaphnia dubia) >= 4.66 - <= 6.83 mg/l, 48 hours

Alcohols, C9-11, ethoxylated (CAS 68439-46-3)

Aquatic

Acute

EC50 Water flea (Daphnia magna) >= 2.9 - <= 8.5 mg/l, 48 hours Crustacea Fish LC50 Fathead minnow (Pimephales promelas) >= 6 - <= 12 mg/l, 96 hours

L(+)-lactic Acid (CAS 79-33-4)

Aquatic

Acute

EC50 Crustacea Water flea (Daphnia magna) >= 180 - <= 320 mg/l, 48 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient

n-octanol / water (log Kow)

Citric acid -1.64

Mobility in soil This product is miscible in water.

Other adverse effects None known.

Material name: Sani-Cide EX3 Concentrate SDS AUSTRALIA 3111

13. Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

ADG

UN number 1760

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, N.O.S. (Sodium octane-1-sulphonate monohydrate, L(+)-lactic Acid)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** Nο Hazchem code

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

UN number

UN proper shipping name

Transport hazard class(es)

CORROSIVE LIQUID, N.O.S. (Sodium octane-1-sulphonate monohydrate, L(+)-lactic Acid)

Class 8 Subsidiary risk Label(s) 8 Ш Packing group **Environmental hazards** No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number

UN proper shipping name Corrosive liquid, n.o.s. (Sodium octane-1-sulphonate monohydrate, L(+)-lactic Acid)

Transport hazard class(es) Class

Subsidiary risk Ш Packing group **Environmental hazards** No **ERG Code** 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Allowed with restrictions. Cargo aircraft only

8

IMDG

UN number 1760

UN proper shipping name CORROSIVE LIQUID, N.O.S. (Sodium octane-1-sulphonate monohydrate, L(+)-lactic Acid)

Transport hazard class(es)

8 Class Subsidiary risk Packing group Ш **Environmental hazards**

Marine pollutant No **EmS** F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

This product is not intended to be transported in bulk.

the IBC Code

Material name: Sani-Cide EX3 Concentrate

ADG



IATA; IMDG; RID



15. Regulatory information

Safety, health and environmental regulations

National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals.

Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix E

1-octylpyrrolidin-2-one (CAS 2687-94-7)

Australia Medicines & Poisons Appendix F

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated. **Australia Medicines & Poisons Appendix H**

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix I

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 10

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 2

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 4

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 5

1-octylpyrrolidin-2-one (CAS 2687-94-7)

Australia Medicines & Poisons Schedule 6

1-octylpyrrolidin-2-one (CAS 2687-94-7)

Australia Medicines & Poisons Schedule 7

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 8

Poisons schedule number not allocated.

Australia Medicines & Poisons Schedule 9

Poisons schedule number not allocated.

High Volume Industrial Chemicals (HVIC)

4-dodecan-3-vlbenzenesulfonic acid (CAS 68584-22-5)

1000 - 9999 TONNES See the regulation for additional

information.

Citric acid (CAS 77-92-9)

1000 - 9999 TONNES See the regulation for additional

information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name On inventor	ry (yes/no)*		
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes		
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	Yes		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)				

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

16-February-2023 Issue date

AICIS: Australian Inventory of Industrial Chemicals. Key abbreviations or acronyms

used

References ECHA registered substances database

SDS AUSTRALIA 3111

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Material name: Sani-Cide EX3 Concentrate