SAFETY DATA SHEET



1. Identification

Product identifier	Sani-Cide EX3 Concentrate
Other means of identification Part Number	CC-SCIDEX3/5, (Formula: LB-SCIDEX3/C1)
Product registration number	42048-3
Recommended use	Cleaner, Disinfectant.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
Supplier	
Company Name	Celeste Industries Corporation
Address	8007 Industrial Park Rd
	Easton, Maryland 21601 (USA)
Telephone	+1-410-822-5775
Email	info@celestecorp.com
In Case of Emergency	CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300 Outside USA and Canada (collect call accepted): 1-703-527-3883

2. Hazard(s) identification

Label elements

Physical hazards	Corrosive to metals	Category 1
Health hazards	Serious eye damage/eye irritation Category 1	
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	



Signal word	Danger
Hazard statement	May be corrosive to metals. May cause an allergic skin reaction. Causes serious eye damage.
Precautionary statement	
Prevention	Keep only in original container. Avoid breathing mist/vapors. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.
Storage	Store in corrosive resistant container with a resistant inner liner.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	16.2% of the mixture consists of component(s) of unknown acute dermal toxicity. 22.28% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alcohols, C9-11, Ethoxylated		68439-46-3	5 - 10
Sodium octane-1-sulphonate monohydrate		5324-84-5	5 - 10

Chemical name	Common name and synonyms	CAS number	%
1 -phenoxy-2-propanol		770-35-4	1 - 5
1-octylpyrrolidin-2-one		2687-94-7	1 - 5
4-dodecan-3-ylbenzenesulfonic acid		68584-22-5	1 - 5
Citric acid		77-92-9	1 - 5
L(+)-lactic Acid		79-33-4	1 - 5
Octan-1-ol, ethoxylated		27252-75-1	1 - 5
1,3-dibutyl-2-thiourea		109-46-6	0.1 - 1
Other components below reportabl	e levels		62.31

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
.	

Special protective equipment
and precautions for firefightersSelf-contained breathing apparatus and full protective clothing must be worn in case of fire.Fire fighting
equipment/instructionsMove containers from fire area if you can do so without risk.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not get this material in contact with eyes. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

• •	•
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to cond applicable, use process enclosures, local exhaust ventilation, or other engineering con maintain airborne levels below recommended exposure limits. If exposure limits have established, maintain airborne levels to an acceptable level. Provide eyewash station.	
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

	•
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Light yellow.
Odor	Not established.
Odor threshold	Not available.
рН	1.5 - 2
Melting point/freezing point	32 °F (0 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	Non-flammable.
Evaporation rate	Property has not been measured.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or exp	
Explosive limit - lower (%)	Non-flammable.
Explosive limit - upper (%)	Non-flammable.
Vapor pressure	Property has not been measured.
Vapor density	Property has not been measured.
Relative density	0.9 - 1.1
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.

Kinematic viscosity	Property has not been measured.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	May be corrosive to metals.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents. Metals.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	Causes mild skin irritation. May cause an allergic skin reaction.	
Eye contact	Causes serious eye damage.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.	

Information on toxicological effects

Acute toxicity	Not expected to be acutely toxic.		
Product	Species	Test Results	
Sani-Cide EX3 Concentra	te		
<u>Acute</u>			
Dermal			
LD50	Rat	> 5000 mg/kg	
Inhalation			
Aerosol			
LC50	Rat	> 2 mg/l, 4 Hours No mortality. No toxicological impacts.	
Oral			
ATEmix		3200 mg/kg	
Components	Species	Test Results	
1 -phenoxy-2-propanol (C	AS 770-35-4)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg, 24 Hours	
Inhalation			
LC50	-	> 5400 mg/m3, 4 Hours	
Oral			
LD50	Rat	> 2000 mg/kg	
1-octylpyrrolidin-2-one (CA	AS 2687-94-7)		
<u>Acute</u>			
Oral			
LD50	Rat	2.1 g/kg	
4-dodecan-3-ylbenzenesulfonic acid (CAS 68584-22-5)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg, 24 Hours	
Oral			
LD50	Rat	> 2000 mg/kg	

	Species	Test Results		
Alcohols, C9-11, Ethoxylated (CAS	S 68439-46-3)			
Acute				
Dermal				
LD50	Rabbit	2000 mg/kg, 24 Hours		
Inhalation				
Vapor				
	Rat	> 100 mg/m3, 6 Hours		
Citric acid (CAS 77-92-9)				
<u>Acute</u> Dermal				
LD50	Rat	> 2000 mg/kg, 24 Hours		
Oral				
LD50	Rat	6700 mg/kg		
L(+)-lactic Acid (CAS 79-33-4)				
Acute				
Dermal				
LD50	Rabbit	> 2000 mg/kg, 24 Hours		
Oral				
LD50	Rat	3500 mg/kg		
Skin corrosion/irritation	Prolonged skin contact may o	ause temporary irritation.		
	Primary Irritation Index (P.I.I.)	: 1.7 - 2.0 @ 24, 48 & 72 hours; reversible		
Corrosivity				
Sani-Cide EX3 Conc	centrate	EPA P326 Result: Mild skin irritation.		
		Species: Rabbit		
		Observation Period: 14 days		
Serious eye damage/eye irritation	Causes serious eye damage.			
	Corneal opacity ≥1, not fully reversed in 21 days in at least one animal.			
_		eversed in 21 days in at least one animal.		
Eye Sani-Cide EX3 Conc				
Eye Sani-Cide EX3 Conc		eversed in 21 days in at least one animal. EPA P324 Result: Irreversible effects on the eye.		
		EPA P324 Result: Irreversible effects on the eye. Species: Rabbit		
Sani-Cide EX3 Conc	centrate	EPA P324 Result: Irreversible effects on the eye.		
Sani-Cide EX3 Conc Respiratory or skin sensitization	n	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit		
Sani-Cide EX3 Cond Respiratory or skin sensitization Respiratory sensitization	n Not a respiratory sensitizer.	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization	n	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days		
Sani-Cide EX3 Cond Respiratory or skin sensitization Respiratory sensitization	n Not a respiratory sensitizer. May cause an allergic skin re	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days		
Sani-Cide EX3 Cond Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization	n Not a respiratory sensitizer. May cause an allergic skin re	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer.		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action.		
Sani-Cide EX3 Cond Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Cond Germ cell mutagenicity	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic.	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse product or any components present at greater than 0.1% are		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Conc Germ cell mutagenicity Carcinogenicity	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic. Not classifiable as to carcinos	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse product or any components present at greater than 0.1% are genicity to humans.		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Conc Germ cell mutagenicity Carcinogenicity	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic.	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse product or any components present at greater than 0.1% are genicity to humans.		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Conc Germ cell mutagenicity Carcinogenicity IARC Monographs. Overall I Not listed.	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic. Not classifiable as to carcinos	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse product or any components present at greater than 0.1% are genicity to humans.		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Conc Germ cell mutagenicity Carcinogenicity IARC Monographs. Overall I Not listed. OSHA Specifically Regulate Not listed.	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic. Not classifiable as to carcinog Evaluation of Carcinogenicity od Substances (29 CFR 1910.1	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse product or any components present at greater than 0.1% are genicity to humans.		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Conc Germ cell mutagenicity Garcinogenicity IARC Monographs. Overall I Not listed. OSHA Specifically Regulate Not listed. US. National Toxicology Pro-	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic. Not classifiable as to carcinog Evaluation of Carcinogenicity	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse product or any components present at greater than 0.1% are genicity to humans.		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Conc Germ cell mutagenicity Garcinogenicity IARC Monographs. Overall I Not listed. OSHA Specifically Regulate Not listed. US. National Toxicology Pro- Not listed.	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic. Not classifiable as to carcinog Evaluation of Carcinogenicity of Substances (29 CFR 1910.1 ogram (NTP) Report on Carcin	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse product or any components present at greater than 0.1% are genicity to humans. 001-1053) nogens		
Sani-Cide EX3 Cond Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Cond Germ cell mutagenicity Carcinogenicity IARC Monographs. Overall I Not listed. OSHA Specifically Regulate Not listed. US. National Toxicology Pro- Not listed. Reproductive toxicity	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic. Not classifiable as to carcinog Evaluation of Carcinogenicity of Substances (29 CFR 1910.1 ogram (NTP) Report on Carcin This product is not expected	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse product or any components present at greater than 0.1% are genicity to humans.		
Sani-Cide EX3 Conc Respiratory or skin sensitization Respiratory sensitization Skin sensitization Skin sensitization Sani-Cide EX3 Conc Germ cell mutagenicity Garcinogenicity IARC Monographs. Overall I Not listed. OSHA Specifically Regulate Not listed. US. National Toxicology Pro- Not listed.	n Not a respiratory sensitizer. May cause an allergic skin re centrate No data available to indicate mutagenic or genotoxic. Not classifiable as to carcinog Evaluation of Carcinogenicity of Substances (29 CFR 1910.1 ogram (NTP) Report on Carcin	EPA P324 Result: Irreversible effects on the eye. Species: Rabbit Observation Period: 21 days action. EPA P327 Result: Sensitizer. Species: Mouse oroduct or any components present at greater than 0.1% are genicity to humans.		

Aspiration hazard

Not an aspiration hazard.

12. Ecological information

Ecotoxicity	Harmful to aquatic life with long lasting effects. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.			
Components		Species	Test Results	
4-dodecan-3-ylbenzenesulfor	nic acid (CAS 68	584-22-5)		
Aquatic				
Acute				
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	>= 4.66 - <= 6.83 mg/l, 48 hours	
Alcohols, C9-11, Ethoxylated	(CAS 68439-46-	-3)		
Aquatic				
Acute	5050			
Crustacea	EC50	Water flea (Daphnia magna)	>= 2.9 - <= 8.5 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	>= 6 - <= 12 mg/l, 96 hours	
L(+)-lactic Acid (CAS 79-33-4	.)			
Aquatic				
<i>Acute</i> Crustacea	EC50	Water flea (Daphnia magna)	>= 180 - <= 320 mg/l, 48 hours	
		ilable on the degradability of any ingredien	0 /	
Persistence and degradability Bioaccumulative potential	NU UALA IS AVA			
Partition coefficient n-octar	ol / water (log	Kow)		
Citric acid		-1.64		
Mobility in soil	Not establishe	Not established.		
Other adverse effects	None known.			
13. Disposal consideration	ns			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in ac	cordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			
14. Transport information				

DOT

DOT	
UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s. (Sodium octane-1-sulphonate monohydrate, L(+)-lactic Acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241
ΙΑΤΑ	
UN number	UN1760

UN proper shipping name	Corrosive liquid, n.o.s. (Sodium octane-1-sulphonate monohydrate, L(+)-lactic Acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	No
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Sodium octane-1-sulphonate monohydrate, L(+)-lactic Acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	No
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	This product is not intended to be transported in bulk.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	

DOT



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated "active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulate	ed Substances (29 CFR 1910).1001-1053)	
Not listed.			
Superfund Amendments and R	eauthorization Act of 1986 (S	SARA)	
SARA 302 Extremely hazar			
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Corrosive to metal Serious eye damage or eye Respiratory or skin sensitiz		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutai	nts (HAPs) List	
Not regulated. Clean Air Act (CAA) Sectio Not regulated.	n 112(r) Accidental Release I	Prevention (40 CFR 68.130)	
Safe Drinking Water Act (SDWA)	Contains component(s) reg	ulated under the Safe Drinking Water Ac	xt.
US state regulations			
California Proposition 65			
c 🔨		chemicals including Ethylene oxide, which of the second structure of the secon	
	65 - CRT: Listed date/Carcin	ogenic substance	
Acetaldehyde (CAS Ethylene oxide (CAS	75-07-0) S 75-21-8)	Listed: April 1, 1988 Listed: July 1, 1987	
-	65 - CRT: Listed date/Develo		
Ethylene glycol (CA Ethylene oxide (CA California Proposition		Listed: June 19, 2015 Listed: August 7, 2009 e reproductive toxin	
Ethylene oxide (CA		Listed: February 27, 1987	
Ethylene oxide (CA		Listed: August 7, 2009	
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Indu	strial Chemicals (AICIS)	Yes
Canada	Domestic Substances List ((DSL)	Yes
Canada			No
China	Inventory of Existing Chemical Substances in China (IECSC) Yes		
Europe	European Inventory of Existing Commercial Chemical Yes Substances (EINECS)		
Europe	•	hemical Substances (ELINCS)	No
Japan	Inventory of Existing and N	ew Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (EC	CL)	Yes
New Zealand	New Zealand Inventory		Yes
Philippines	(PICCS)	micals and Chemical Substances	Yes
Taiwan	Taiwan Chemical Substanc		Yes
United States & Puerto Rico	Toxic Substances Control A	Act (TSCA) Inventory the inventory requirements administered by th	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	02-16-2023
Version #	01

References Disclaimer

ECHA registered substances database

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.