SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Sani-Com Towelette (EU)

Registration number

Synonyms

None.

Part Number

of the mixture

EUSC-3205 series, (Formula: LB-2031F/2)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Wynn's Belgium BV Company name **Address** Industriepark-West 46

B-9100 Sint-Niklaas, Belgium

+1-410-822-5775 **Telephone**

Manufacturer

Company name Celeste Industries Corporation

8007 Industrial Park Rd **Address**

Easton, Maryland 21601 (USA)

+1-410-822-5775 **Telephone Email** info@celestecorp.com

1.4. Emergency telephone

number

CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300

Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Flammable liquids Category 3 H226 - Flammable liquid and

vapour.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms

Signal word Warning

Hazard statements

Flammable liquid and vapour. H226

Precautionary statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

Ground and bond container and receiving equipment. P240

Use explosion-proof electrical/ventilating/lighting equipment. P241

Use non-sparking tools. P242

Take action to prevent static discharges. P243

Wash thoroughly after handling. P264

Do not eat, drink or smoke when using this product. P270

Response

In case of fire: Use appropriate media to extinguish. P370 + P378

Storage

Store in a well-ventilated place. Keep cool. P403 + P235

Disposal Not assigned.

Supplemental label information

% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 21,42 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

(EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Ethanol	10 - 30	64-17-5 200-578-6	01-2119457610-43-0569	603-002-00-5	
Classification:	Flam. Liq.	2;H225, Eye Irrit. 2;H	1319		
1-Propanaminium, 3,3',3"-[phosphinylidynetris(oxy)]tris[N -(3-aminopropyl)-2-hydroxy-N,N-dimet hyl-, N,N',N"-tri-C6-18 acyl derivs. trichlorides	0,78	83682-78-4 280-518-3	-	-	
Classification:	Eye Dam.	1;H318, Aquatic Acu	te 1;H400, Aquatic Chronic	2;H411	
Other components below reportable levels	77 - < 80				

List of abbreviations and symbols that may be used above

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

SECTION 5: Firefighting measures

Flammable liquid and vapour. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

Material name: Sani-Com Towelette (EU)

SDS EU 2 / 11

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area), Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 4.1B (Flammable solids)

7.3. Specific end use(s)

Cleaning agent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordir	ance (GwV), BGBI.	II, no. 184/2001
------------------------------	-------------------	------------------

Components	Туре	Value
Ethanol (CAS 64-17-5)	Ceiling	3800 mg/m3
		2000 ppm
	MAK	1900 mg/m3
		1000 ppm
Belgium. Exposure Limit Values Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1907 mg/m3
		1000 ppm
Bulgaria. OELs. Regulation No 13 Components	on protection of workers aga Type	inst risks of exposure to chemical agents at work Value

Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
FINANOI (CAS 04-17-5)	IVVA	1000 1110/1113

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Components **Type** Value

Ethanol (CAS 64-17-5) MAC 1900 mg/m3 1000 ppm

Czech Republic. OELs. Governme Components	Туре	Value
Ethanol (CAS 64-17-5)	Ceiling	3000 mg/m3
	TWA	1000 mg/m3
Denmark. Exposure Limit Values		
Components	Туре	Value
Ethanol (CAS 64-17-5)	TLV	1900 mg/m3
		1000 ppm
Estonia. OELs. Occupational Exp Components	oosure Limits of Hazardous Subst Type	tances (Regulation No. 105/2001, Annex), as amende Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
		1000 ppm
	TWA	1000 mg/m3
		500 ppm
inland. Workplace Exposure Lin	nits	
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	2500 mg/m3
		1300 ppm
	TWA	1900 mg/m3
		1000 ppm
France. Threshold Limit Values (\ Components	VLEP) for Occupational Exposure Type	e to Chemicals in France, INRS ED 984 Value
Ethanol (CAS 64-17-5)	VLE	9500 mg/m3
Regulatory status: Indicativ	ve limit (VL)	
		5000 ppm
Regulatory status: Indicativ	ve limit (VL)	
Daniel dans at atom a la disetti	VME	1900 mg/m3
Regulatory status: Indicativ	ve limit (VL)	1000 ppm
Regulatory status: Indicativ	ve limit (VL)	1000 pp
0 ,	` '	estigation of Health Hazards of Chemical Compound
n the Work Area (DFG)		ooligation of floatin flazardo of Cholinical Compound
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	380 mg/m3
		200 ppm
Germany. TRGS 900, Limit Values Components	s in the Ambient Air at the Workpl Type	lace Value
Ethanal (CAS 64 17 E)	AGW	380 mg/m3
zuiaii0i (CAS 04-17-5)		200 ppm
Ethanol (CAS 64-17-5)		
	9, as amended)	
Greece. OELs (Decree No. 90/199	99, as amended) Type	Value
Greece. OELs (Decree No. 90/199 Components	-	Value 1900 mg/m3
Greece. OELs (Decree No. 90/199 Components	Туре	
Greece. OELs (Decree No. 90/199 Components Ethanol (CAS 64-17-5)	TWA	1900 mg/m3
Greece. OELs (Decree No. 90/199 Components Ethanol (CAS 64-17-5) Hungary. OELs. Joint Decree on Components	Type TWA Chemical Safety of Workplaces Type	1900 mg/m3 1000 ppm Value
Greece. OELs (Decree No. 90/199 Components Ethanol (CAS 64-17-5) Hungary. OELs. Joint Decree on Components	Type TWA Chemical Safety of Workplaces Type STEL	1900 mg/m3 1000 ppm Value 3800 mg/m3
Greece. OELs (Decree No. 90/199 Components Ethanol (CAS 64-17-5) Hungary. OELs. Joint Decree on Components Ethanol (CAS 64-17-5)	Type TWA Chemical Safety of Workplaces Type STEL TWA	1900 mg/m3 1000 ppm Value 3800 mg/m3 1900 mg/m3
Greece. OELs (Decree No. 90/199 Components Ethanol (CAS 64-17-5) Hungary. OELs. Joint Decree on Components Ethanol (CAS 64-17-5) celand. OELs. Regulation 154/19	Type TWA Chemical Safety of Workplaces Type STEL TWA 199 on occupational exposure limit	1900 mg/m3 1000 ppm Value 3800 mg/m3 1900 mg/m3
Greece. OELs (Decree No. 90/199 Components Ethanol (CAS 64-17-5) Hungary. OELs. Joint Decree on Components Ethanol (CAS 64-17-5)	Type TWA Chemical Safety of Workplaces Type STEL TWA	1900 mg/m3 1000 ppm Value 3800 mg/m3 1900 mg/m3

Ireland. Occupational Exposure Limits	Time	Value
Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Italy. Occupational Exposure Limits Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Latvia. OELs. Occupational exposure lin Components	nit values of chemical substances Type	n work environment Value
Ethanol (CAS 64-17-5)	TWA	1000 mg/m3
Lithuania. OELs. Limit Values for Chem Components	ical Substances, General Requiren Type	nents Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
Linarior (CAS 04-17-3)	SILL	1000 ppm
	TWA	1000 mg/m3
		500 ppm
Netherlands. OELs (binding)		
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1900 mg/m3
,	TWA	260 mg/m3
Norway. Administrative Norms for Conta	aminants in the Workplace	G
Components	Type	Value
Ethanol (CAS 64-17-5)	TLV	950 mg/m3
		500 ppm
Poland. Ordinance of the Minister of Lak concentrations and intensities of harmfo Components Ethanol (CAS 64-17-5)		014 on the maximum permissible
concentrations and intensities of harmform Components Ethanol (CAS 64-17-5)	ul health factors in the work enviro Type TWA	014 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm
concentrations and intensities of harmform Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational e	ul health factors in the work enviro Type TWA	014 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm
concentrations and intensities of harmfo Components	ul health factors in the work enviro Type TWA exposure to chemical agents (NP 17	114 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers f	Type TWA exposure to chemical agents (NP 17 Type) TWA	1014 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers formponents	Type TWA exposure to chemical agents (NP 17 Type TWA TWA Type TWA Tom exposure to chemical agents agent a	1914 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm at the workplace
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers formponents	Type TWA exposure to chemical agents (NP 17 Type TWA TWA Type TWA rom exposure to chemical agents agents a	1914 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm 1t the workplace Value
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components	Type TWA exposure to chemical agents (NP 17 Type TWA TWA Type TWA rom exposure to chemical agents agents a	114 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 796) Value 1000 ppm 1t the workplace Value 9500 mg/m3
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components	Type TWA Exposure to chemical agents (NP 17 Type) TWA TWA Tom exposure to chemical agents agents a Type STEL	1900 mg/m3 0 ppm 1000 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007	Type TWA Exposure to chemical agents (NP 17 Type) TWA TWA Tom exposure to chemical agents a Type STEL TWA	114 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007	TWA Exposure to chemical agents (NP 17 Type) TWA TWA TWA TOM exposure to chemical agents agents a Type STEL TWA TWA Toncerning protection of health in	114 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007	Type TWA Exposure to chemical agents (NP 17 Type TWA Type TWA Tom exposure to chemical agents a Type STEL TWA Toncerning protection of health in Type	114 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007	Type TWA Exposure to chemical agents (NP 17 Type TWA Type TWA Tom exposure to chemical agents a Type STEL TWA Toncerning protection of health in Type	1914 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 796) Value 1000 ppm at the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm a work with chemical agents Value 1920 mg/m3
concentrations and intensities of harmfo Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational e Components	TWA Exposure to chemical agents (NP 17 Type TWA TWA TWA TWA TOM exposure to chemical agents a Type STEL TWA Toncerning protection of health in Type STEL	114 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 796) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm 1 work with chemical agents Value 1920 mg/m3 1000 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007 Components Ethanol (CAS 64-17-5)	TWA Exposure to chemical agents (NP 17 Type TWA TWA TWA TOM exposure to chemical agents agents a Type STEL TWA Toncerning protection of health in Type STEL TWA Type STEL TWA Type STEL TWA	1914 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm 1 work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007 Components Ethanol (CAS 64-17-5)	TWA Exposure to chemical agents (NP 17 Type TWA TWA TWA TOM exposure to chemical agents agents a Type STEL TWA Toncerning protection of health in Type STEL TWA Type STEL TWA Type STEL TWA	1914 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 96) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm 1 work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3 500 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational expension of Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007 Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulations concerning (Official Gazette of the Republic of Slove Components	TWA Exposure to chemical agents (NP 17 Type TWA TWA TWA TOM exposure to chemical agents a Type STEL TWA Toncerning protection of health in Type STEL TWA TWA TWA Toncerning protection of health in Type STEL TWA TWA	194 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 96) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm 1 work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3 500 ppm 960 mg/m3 500 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2003 Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulations concerning (Official Gazette of the Republic of Slovakia)	TWA Exposure to chemical agents (NP 17 Type TWA TWA TWA TOM exposure to chemical agents a Type STEL TWA Toncerning protection of health in Type STEL TWA	14 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 796) Value 1000 ppm 1000 ppm 11 the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm 1 work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3 500 ppm 960 mg/m3 500 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational ecomponents Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007 Components Ethanol (CAS 64-17-5) Slovenia. OELs. Regulations concerning (Official Gazette of the Republic of Slove Components Ethanol (CAS 64-17-5)	TWA Exposure to chemical agents (NP 17 Type TWA TWA TWA TOM exposure to chemical agents a Type STEL TWA Toncerning protection of health in Type STEL TWA	114 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm 1 work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3 500 ppm 960 mg/m3 500 ppm
concentrations and intensities of harmford Components Ethanol (CAS 64-17-5) Portugal. VLEs. Norm on occupational expension of Components Ethanol (CAS 64-17-5) Romania. OELs. Protection of workers for Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulation No. 300/2007 Components Ethanol (CAS 64-17-5) Slovakia. OELs. Regulations concerning (Official Gazette of the Republic of Slove Components	TWA Exposure to chemical agents (NP 17 Type TWA TWA TWA TOM exposure to chemical agents a Type STEL TWA Toncerning protection of health in Type STEL TWA	114 on the maximum permissible nment, Journal of Laws 2014, item 817 Value 1900 mg/m3 0 ppm 196) Value 1000 ppm 1t the workplace Value 9500 mg/m3 5000 ppm 1900 mg/m3 1000 ppm 1 work with chemical agents Value 1920 mg/m3 1000 ppm 960 mg/m3 500 ppm 960 mg/m3 500 ppm

Components Type Value

1000 ppm

500 ppm

Sweden, OELs, Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)

Components Value Type Ethanol (CAS 64-17-5) STEL 1900 mg/m3 1000 ppm TWA 1000 mg/m3

Switzerland, SUVA Grenzwerte am Arbeitsplatz

Components Type Value Ethanol (CAS 64-17-5) STEL 1920 mg/m3 1000 ppm 960 mg/m3 **TWA** 500 ppm

UK. EH40 Workplace Exposure Limits (WELs)

Components Value Type TWA Ethanol (CAS 64-17-5) 1920 mg/m3 1000 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General Population

Value Components Assessment factor Notes

Ethanol (CAS 64-17-5)

Long-term. Systemic. Inhalation 114 ma/m3 Carcinogenicity

Workers

Components Assessment factor Value **Notes**

Ethanol (CAS 64-17-5)

Long-term, Systemic, Dermal 8238 mg/kg bw/day

380 mg/m3 Long-term, Systemic, Inhalation Carcinogenicity

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Netherlands OELs (binding): Skin designation

Ethanol (CAS 64-17-5) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166. Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374.

- Other Wear suitable protective clothing.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

> limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Follow guidance on selection, use, care

and maintenance in accordance with EN 529.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Material name: Sani-Com Towelette (EU) EUSC-3205 series, (Formula: LB-2031F/2) Version #: 01 Issue date: 25-January-2023

When using do not smoke. Always observe good personal hygiene measures, such as washing Hygiene measures

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Form Liquid saturated on wipe.

Colour Clear.Colorless Odour Pleasant. Melting point/freezing point Not available.

Boiling point or initial boiling

point and boiling range

82,2 °C (179,96 °F)

Flammable liquid and vapour. Flammability (solid, gas)

36.1 °C (97.0 °F) Flash point Not available. Auto-ignition temperature **Decomposition temperature** Not available. Not available.

Solubility(ies)

Solubility (water) Not available. Not available. **Partition coefficient**

(n-octanol/water)

Vapour pressure Not available. Vapour density 2,07 @ 20°C 0,96 g/cm³ Relative density Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Not explosive. **Explosive properties** Not oxidising. **Oxidising properties**

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the 10.4. Conditions to avoid

flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

Carbon oxides. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eve contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Product Species Test Results

Sani-Com Towelette (EU)

Acute Oral

ATEmix 1900 mg/kg

Components Species Test Results

Ethanol (CAS 64-17-5)

Acute Inhalation

Vapour

LC50 Rat 53 mg/l, 6 Hours

Oral

LD50 Rat > 7700 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity

icity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Mixture versus substance

Not an aspiration hazard.

information

illolliation

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components Species Test Results

Ethanol (CAS 64-17-5)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 7,7 - <= 11,2 mg/l, 48 hours

Fish LC50 Rainbow trout,donaldson trout 42 mg/l, 4 days

(Oncorhynchus mykiss)

degradability

12.2. Persistence andNo data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

Ethanol -0,31

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not established.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

. Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not available Not available. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not available. Class

Subsidiary risk

Hazard No. (ADR) Not available. **Tunnel restriction code** Not available. Not available. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

RID

Not available. 14.1. UN number Not available. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

ADN

Not available. 14.1. UN number 14.2. UN proper shipping Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IATA

14.1. UN number Not available. 14.2. UN proper shipping Not available.

name

14.3. Transport hazard class(es)

Not available. **Class**

Subsidiary risk

Not available. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IMDG

14.1. UN number Not available.14.2. UN proper shipping Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards Marine pollutantNo.

EmS Not available.

14.6. Special precautions Not available.

for user

14.7. Maritime transport in bulk This product is not intended to be transported in bulk.

according to IMO instruments

General information This product is exempt from transport classification due to special provisions. There is <10 mL

and no free liquid in the packages.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

EU Regulation 648/2004. Annex VII. Content Labeling for Detergents

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Directive 2012/18/EU on major accident hazards involving dangerous substances: PART 1 (Categories of dangerous substances) - P5a, b or c FLAMMABLE LIQUIDS

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

ECHA registered substances database

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

Follow training instructions when handling this material.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

EUSC-3205 series, (Formula: LB-2031F/2) Version #: 01 Issue date: 25-January-2023