

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| | ······································ |
|--|---|
| 1.1. Product identifier | |
| Trade name or designation of the mixture | Sani-Com Towelette (EU) |
| Registration number | - |
| Synonyms | None. |
| Part Number | EUSC-3205 series, (Formula: LB-2031F/2) |
| Issue date | 25-January-2023 |
| Version number | 01 |
| 1.2. Relevant identified uses of the | he substance or mixture and uses advised against |
| Identified uses | Cleaning agent. |
| Uses advised against | None known. |
| 1.3. Details of the supplier of the | safety data sheet |
| Supplier | |
| Company name | Celeste Industries |
| Address | 400 Thames Valley Park Drive |
| | Reading |
| | Berkshire, RG6 1PT, England |
| Telephone | +44 (0) 1189 637930 |
| Manufacturer | |
| Company name | Celeste Industries Corporation |
| Address | 8007 Industrial Park Rd |
| | Easton, Maryland 21601 (USA) |
| Telephone | +1-410-822-5775 |
| Email | info@celestecorp.com |
| In Case of Emergency | CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300 |
| | Outside USA and Canada (collect call accepted) 1-703-527-3883 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

| Physical hazards | |
|-------------------|------------|
| Flammable liquids | Category 3 |

H226 - Flammable liquid and vapour.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms



Signal word

Hazard statements H226

Flammable liquid and vapour.

Precautionary statements

| Prevention | |
|------------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P240 | Ground and bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting equipment. |
| P242 | Use non-sparking tools. |
| P243 | Take action to prevent static discharges. |
| Response | |

| P370 + P378 | In case of fire: Use appropriate media to extinguish. | | |
|--------------------------------|---|--|--|
| Storage | | | |
| P403 + P235 | Store in a well-ventilated place. Keep cool. | | |
| Disposal | Not assigned. | | |
| Supplemental label information | None. | | |
| 2.3. Other hazards | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. | | |

SECTION 3: Composition/information on ingredients

Mixture

General information

| General mormation | | | | | | |
|---------------------------------|--------------------|-----------|-----------------------|-------------------------------|--------------------|-------------|
| Chemical name | % | 6 C | AS-No. / EC No. | REACH Registration No. | Index No. | Notes |
| Ethanol | 10 - | 30 | 64-17-5 | 01-2119457610-43-0569 | 603-002-00-5 | # |
| | | | 200-578-6 | | | |
| Clas | sification: Flam. | Liq. 2;ł | H225, Eye Irrit. 2;H | 319 | | |
| 1-Propanaminium, | 0.7 | 78 | 83682-78-4 | - | - | |
| 3,3',3"-[phosphinylidynetris | (oxy)]tris[N | | 280-518-3 | | | |
| -(3-aminopropyl)-2-hydroxy | | | | | | |
| hyl-, N,N',N''-tri-C6-18 acyl | derivs. | | | | | |
| trichlorides | | | | | | |
| Clas | sification: Eve D | am 1. | H318 Aquatic Acu | te 1;H400, Aquatic Chronic | 2·H411 | |
| | | , | , | ,, - | , | |
| List of abbreviations and sym | bols that may be | used | above | | | |
| #: This substance has work | kplace exposure li | mit(s). | | | | |
| | | | ngredient is a gas. | Gas concentrations are in p | ercent by volume. | |
| Composition comments | | | ° | blayed in section 16. | , | |
| somposition comments | | | | hayed in section 10. | | |
| SECTION 4: First aid me | asures | | | | | |
| General information | Take off all c | ontamir | nated clothing imm | ediately. Ensure that medic | al personnel are a | ware of the |
| | | | U U | ons to protect themselves. \ | | |
| | before reuse. | | l I | · | | 5 |
| 4.1. Description of first aid m | easures | | | | | |
| Inhalation | Move to fresh | n air. Ca | all a physician if sy | mptoms develop or persist. | | |
| - · · · | | | | | | |

| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. | | |
|---|---|--|--|
| Skin contact | Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists. | | |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. | | |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. | | |
| 4.2. Most important symptoms and effects, both acute and delayed | Direct contact with eyes may cause temporary irritation. | | |
| 4.3. Indication of any immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. | | |

SECTION 5: Firefighting measures

| General fire hazards | Flammable liquid and vapour. |
|--|--|
| 5.1. Extinguishing media | |
| Suitable extinguishing media | Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| 5.2. Special hazards arising from the substance or mixture | Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. |
| 5.3. Advice for firefighters | |
| Special protective equipment for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Special fire fighting procedures | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| For non-emergency | Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged |
|-------------------|--|
| personnel | containers or spilled material unless wearing appropriate protective clothing. |

| For emergency responders | Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. |
|---|---|
| 6.2. Environmental precautions | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |
| 6.3. Methods and material for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. |
| | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. |
| | Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination. |
| | Never return spills to original containers for re-use. |
| 6.4. Reference to other sections | For personal protection, see section 8 of the SDS. For waste disposal, see section 13. |
| SECTION 7: Handling and | storage |

| 7.1. Precautions for safe handling | Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
|---|--|
| 7.2. Conditions for safe storage, including any incompatibilities | Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Keep container tightly closed. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). |
| 7.3. Specific end use(s) | Storage class (TRGS 510): 4.1B (Flammable solids) Cleaning agent. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| • | | | | |
|--|------------------------------------|--|---|---|
| Occupational exposure limits | | | | |
| UK. EH40 Workplace Expo | sure Limits (WE | Ls) | | |
| Components | | Туре | Value | |
| Ethanol (CAS 64-17-5) | | TWA | 1920 mg/m3 | |
| | | | 1000 ppm | |
| Biological limit values | No biological e | exposure limits noted for th | ne ingredient(s). | |
| Recommended monitoring procedures | Not available. | | | |
| Derived no effect levels (DNEL | s) | | | |
| General Population | | | | |
| Components | | Value | Assessment factor | Notes |
| Ethanol (CAS 64-17-5) | | | | |
| Long-term, Systemic, In | halation | 114 mg/m3 | | Carcinogenicity |
| <u>Workers</u> | | | | |
| Components | | Value | Assessment factor | Notes |
| Ethanol (CAS 64-17-5) | | | | |
| Long-term, Systemic, De Long-term, Systemic, In | | 8238 mg/kg bw/day 380 mg/m3 | | Carcinogenicity |
| Predicted no effect concentrations (PNECs) | Not available. | J. J | | 0 |
| 8.2. Exposure controls | | | | |
| Appropriate engineering controls | Ventilation rate exhaust ventil | es should be matched to c ation, or other engineering s. If exposure limits have r | conditions. If applicable, us controls to maintain airbo | ral ventilation should be used. se process enclosures, local orne levels below recommended ntain airborne levels to an |

Individual protection measures, such as personal protective equipment

| General information | Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. | | |
|---------------------------------|--|--|--|
| Eye/face protection | Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166. | | |
| Skin protection | | | |
| - Hand protection | Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374. | | |
| - Other | Wear suitable protective clothing. | | |
| Respiratory protection | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Follow guidance on selection, use, care and maintenance in accordance with EN 529. | | |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | | |
| Hygiene measures | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. | | |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. | | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | | |
|--|---|--|
| Physical state | Liquid. | |
| Form | Liquid saturated on wipe. | |
| Colour | Clear,Colorless | |
| Odour | Pleasant. | |
| Odour threshold | Not available. | |
| рН | Not available. | |
| Melting point/freezing point | Not available. | |
| Initial boiling point and boiling range | 82.2 °C (179.96 °F) | |
| Flash point | 36.1 °C (97.0 °F) | |
| Evaporation rate | Not available. | |
| Flammability (solid, gas) | Flammable liquid and vapour. | |
| Upper/lower flammability or exp | losive limits | |
| Explosive limit - lower (%) | Not available. | |
| Explosive limit – upper (%) | Not available. | |
| Vapour pressure | Not available. | |
| Vapour density | 2.07 @ 20°C | |
| Relative density | 0.96 g/cm ³ | |
| Solubility(ies) | | |
| Solubility (water) | Not available. | |
| Partition coefficient (n-octanol/water) | Not available. | |
| Auto-ignition temperature | Not available. | |
| Decomposition temperature | Not available. | |
| Viscosity | Not available. | |
| Explosive properties | Not explosive. | |
| Oxidising properties | Not oxidising. | |
| 9.2. Other information | No relevant additional information available. | |
| SECTION 10: Stability and | - | |
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage ar | |
| 10.2. Chemical stability | Material is stable under normal conditions. | |

| 10.5. Incompatible materials | Strong oxidising agents. | | | |
|---|--|---|--|--|
| 10.6. Hazardous decomposition products | No nazardous | No hazardous decomposition products are known. | | |
| SECTION 11: Toxicologica | al informatio | n | | |
| General information | Occupational | exposure to the substance or mixture | may cause adverse effects. | |
| Information on likely routes of e | xposure | | | |
| Inhalation | Prolonged inh | Prolonged inhalation may be harmful. | | |
| Eye contact | Direct contact with eyes may cause temporary irritation. | | | |
| Skin contact | No adverse e | No adverse effects due to skin contact are expected. | | |
| Ingestion | | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. | | |
| Symptoms | Exposure may cause temporary irritation, redness, or discomfort. | | | |
| 11.1. Information on toxicologic | al effects | | | |
| Acute toxicity | Not expected | to be acutely toxic. | | |
| Components | Species | | Test Results | |
| Ethanol (CAS 64-17-5) | | | | |
| <u>Acute</u> | | | | |
| Inhalation | | | | |
| <i>Vapour</i> LC50 | Rat | | 53 mg/l, 6 Hours | |
| Oral | i lat | | | |
| LD50 | Rat | | > 7700 mg/kg | |
| Skin corrosion/irritation | Prolonged ski | n contact may cause temporary irritati | on. | |
| Serious eye damage/eye irritation | Direct contact | t with eyes may cause temporary irritat | ion. | |
| Respiratory sensitisation | Not a respira | Not a respiratory sensitiser. | | |
| Skin sensitisation | • | s not expected to cause skin sensitisa | | |
| Germ cell mutagenicity | | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | |
| Carcinogenicity | Not classifiab | Not classifiable as to carcinogenicity to humans. | | |
| Reproductive toxicity | • | s not expected to cause reproductive of | or developmental effects. | |
| Specific target organ toxicity - single exposure | Not classified | Not classified. | | |
| Specific target organ toxicity - repeated exposure | Not classified. | | | |
| Aspiration hazard | Not an aspira | Not an aspiration hazard. | | |
| Mixture versus substance information | No informatio | No information available. | | |
| SECTION 12: Ecological in | nformation | | | |
| 12.1. Toxicity | | | ardous. However, this does not exclude the rmful or damaging effect on the environment. | |
| Components | | Species | Test Results | |
| Ethanol (CAS 64-17-5) | | | | |
| Aquatic | | | | |
| Acute | F.C.F.0 | Water flee (Dephaie meane) | > -77 < -110 mg// 19 hours | |
| Crustacea Fish | EC50 LC50 | Water flea (Daphnia magna) Rainbow trout,donaldson trout | >= 7.7 - <= 11.2 mg/l, 48 hours | |
| FISH | LC30 | (Oncorhynchus mykiss) | 42 mg/l, 4 days | |
| 12.2. Persistence and degradability | No data is ava | ailable on the degradability of any ingre | dients in the mixture. | |
| 12.3. Bioaccumulative potential | | | | |
| Partition coefficient n-octanol/water (log Kow) Ethanol | | -0.31 | | |
| Bioconcentration factor (BCF) | Not available. | | | |
| 12.4 Mobility in soil | No data avail: | able | | |

No data available.

12.4. Mobility in soil

| 12.5. Results of PBT and vPvB assessment | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. |
|--|---|
| 12.6. Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|-------------------------------|--|
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

This product is not intended to be transported in bulk.

```
14.7. Transport in bulk
according to Annex II of
MARPOL 73/78 and the IBC
Code
```

General information

This product is exempt from transport classification due to special provisions. There is <10 mL and no free liquid in the packages.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

- Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Ethanol (CAS 64-17-5)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. Directive 2012/18/EU on major accident hazards involving dangerous substances:

PART 1 (Categories of dangerous substances) - P5a, b or c FLAMMABLE LIQUIDS

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

| List of abbreviations | |
|---|---|
| List of addreviations | ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TWA: Time Weighted Average. vPvB: Very persistent and very bioaccumulative. |
| References | ECHA registered substances database |
| Information on evaluation method leading to the classification of mixture | The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. |
| Full text of any H-statements not written out in full under | |
| Sections 2 to 15 | H225 Highly flammable liquid and vapour. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. |
| Revision information | None. |
| Training information | Follow training instructions when handling this material. |
| Disclaimer | The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other |

materials or in any process, unless specified in the text.