

Sani-Pak[®] Clear Liquid

Safety Data Sheet

According to Regulation (EC) No. 1907/2006, Anex II (REACH), as amended by (EU) No. 453/2010 MS Code : MSTR199 Revision :3 Rev Date: 16/12/2019 Supersedes: 02/23/2017

SECTION 1. Identitication of the s	
	ubstance/mixture and of the company/undertaking
1.1. Product identifier	· Mindows Barriel
Product form	: Mixture, liqud
Product name. Product group	: Sani-Pak Clear Liquid : Trade product
Product gloup	: LB-97000M/C
Part number	: SP-97000/6Z/C, SP-97000C/QT, SP-97000C/55
	ubstance or mixture and uses advised against
	Abstance of mixture and uses advised against
1.2.1. Relevant identified uses	: Toilet deodorant concentrate
Use of the substance/preparation	
1.2.2. Uses advised against	
No data available	
1.3. Details of the supplier of the safe	ty data sheet
Celeste Industries Corporation	
8221 Teal Drive, suite 405	
Easton, Maryland 21601 (USA)	
Within USA: (410) 822-5775	
International: 00 (1) 410-822-5775	
e-mail: info@celestecorp.com	
1.4. Emergency telephone number	
Emergency contact number	: For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours)
	within USA and CANADA: 1-800-424-9300
	Outside USA and Canada (collect call accepted): 1-703-527-3883
SECTION 2: Hazards identification	
2.1. Classification of the substance o	
Classification according to Regulation (EC	;) No. 1272/2008 [CLP]
Eye Dam. 1 H318 Skin Irrit. 2 H315	
Aquatic Acute 1 H400	
Full text of H-phrases: see section 16.	
Adverse physicochemical, human health a	ind environmental effects
Adverse physicochemical, human health a No additional information available	Ind environmental effects
Adverse physicochemical, human health aNo additional information available2.2.Label elements	
Adverse physicochemical, human health a No additional information available	
Adverse physicochemical, human health a No additional information available2.2.Label elementsClassification according to CLP Regulation	
Adverse physicochemical, human health aNo additional information available2.2.Label elements	
Adverse physicochemical, human health a No additional information available2.2.Label elementsClassification according to CLP Regulation	
Adverse physicochemical, human health a No additional information available2.2.Label elementsClassification according to CLP Regulation	
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger	n (EC) No 1272/2008 :
Adverse physicochemical, human health a No additional information available2.2.Label elementsClassification according to CLP Regulation	
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word	n (EC) No 1272/2008 : : Danger
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger	n (EC) No 1272/2008 : Danger : H318 – Causes serious eye damage.
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word	n (EC) No 1272/2008 : : Danger : H318 – Causes serious eye damage. : H315 – Causes skin irritation.
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word	n (EC) No 1272/2008 : Danger : H318 – Causes serious eye damage.
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word Hazard Statement	n (EC) No 1272/2008 : : Danger : H318 – Causes serious eye damage. : H315 – Causes skin irritation. : H400 – Very toxic to aquatic life.
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word	 n (EC) No 1272/2008 : in the second seco
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word Hazard Statement	 n (EC) No 1272/2008 : interference in the interference interferen
Adverse physicochemical, human health a No additional information available 2.2. Label elements Classification according to CLP Regulation Symbol and Nature of Warning / Danger Signal Word Hazard Statement	n (EC) No 1272/2008 : Danger : H318 – Causes serious eye damage. : H315 – Causes skin irritation. : H400 – Very toxic to aquatic life. : P280 – Wear protective gloves/protective clothing/eye protection/face protection. : P302 + P350 – IF ON SKIN: Gently wash with plenty of soap and water

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Not applicable

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Bromo-2-nitropropane-1,3-diol	(CAS No.) 52-51-7 (EC no) 200-143-0 (EC index no) 603-085-00-8	6	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air. If necessary seek medical advice.
First-aid measures after skin contact	 Remove all contaminated clothing and footwear. Rinse and then wash skin with water and soap. If skin irritation persists, take medical advice.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical attention if irritation persists.
First-aid measures after ingestion	: Seek medical attention immediately. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries after eye contact	: May cause damage to eyes.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media:	: Carbon dioxide (CO2), dry chemical powder, foam, water fog.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: Non combustible.
5.3. Advice for firefighters	
Protective equipment for firefighters	: Extra personal protection: complete protective clothing including self-contained breathing apparatus.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Gloves. Use splash goggles when eye contact due to splashing is possible.
Emergency procedures	: Avoid contact with skin and eyes. Do not allow the product to be released into the environment.
6.1.2. For emergency responders	
Protective equipment	: Gloves. Use splash goggles when eye contact due to splashing is possible.
Emergency procedures	: Avoid contact with skin and eyes. Do not allow uncontrolled leakage of product into the environment.
6.2. Environmental precautions	
Do not discharge into drains or the environment.	Do not allow uncontrolled leakage of product into the environment.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Clean spills promptly. contain the discharged material.
Methods for cleaning up	: Collect in closed containers for disposal. Flush residue with large amounts of water. Consult the local waste disposal expert about waste disposal.

according to Regulation (EC) No. 453/2010

6.4. Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Avoid contact with skin and eyes.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.	
7.2. Conditions for safe storage, includ	ing any incompatibilities	
Technical measures:	: Provide adequate ventilation.	
Storage condition(s)	: Store in dry, cool, well-ventilated area.	
Incompatible materials : Strong oxidizing compounds		
7.3. Specific end use(s)		

No data available

8.2.

Melting point

Solidification point

SECTION 8: Exposure controls/personal protection
--

8.1. Control parameters

Exposure controls

Appropriate engineering controls	: Ensure adequate ventilation.
Personal protective equipment	: Chemical resistant gloves. Protective eye goggles.
Hand protection	: In case of repeated or prolonged contact wear gloves.
Eye protection	: Wear chemical splash goggles when mixing.
Skin and body protection	: Protective apron. protective clothing. Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
SECTION 9: Physical and cher	mical properties
9.1. Information on basic physic	al and chemical properties
Physical state	: Liquid
Appearance	: Liquid
Colour	: Clear concentrate
Odour	: Pleasant
Odour threshold	: No data available
рН	: 4 - 6

: ~ 0 °C (Will freeze just below 0°C)

: No data available

Boiling point	: No data available
Flash point	: >93 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ~ 1 g/cm ³ Slightly greater than 1

- Solubility: Soluble in waterLog Pow: No data availableLog Kow: No data availableSelf ignition temperature: Not applicable
- Decomposition temperature: No data availableViscosity, kinematic: No data availableViscosity, dynamic: No data availableExplosive properties: Not explosiveOxidising properties: Not oxidizing

Safety Data Sheet according to Regulation (EC) No. 453/2010

9.2.	Other information
No data a	available
SECTIO	ON 10: Stability and reactivity
10.1.	Reactivity
Stable ur	nder normal conditions of use.
10.2.	Chemical stability
Stable ur	nder normal conditions of use.
10.3.	Possibility of hazardous reactions
None kno	own.
10.4.	Conditions to avoid
No data a	available
10.5.	Incompatible materials
Strong or	xidizing agents.
10.6.	Hazardous decomposition products
None kno	own.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Bronopol (INN) (52-51-7)	
LD50 oral rat	180 - 400 mg/kg
LD50 dermal rat	1600 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/l/4h
Irritation	: Irritating to eyes.
	pH: 4 - 6
Corrosivity	: Not classified
	pH: 4 - 6
Sensitisation	: Not classified
Repeated dose toxicity	: Not classified
Carcinogenicity	: Not classified
Mutagenicity	: Not classified
Reproductive toxicity	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Bronopol (INN) (52-51-7)		
LC50 fishes	410 mg/l	
EC50 Daphnia	1.6 mg/l 48 hours	
EC50 other aquatic organisms	0.4 - 0.9 mg/l 5, 15, 30 minutes	
ErC50 (algae)	0.65 mg/l 96 hours	
12.2. Persistence and degradability		
12.2. Persistence and degradability No additional information available		

12.3. Bioaccumulative potential

No additional information available

Mobility in soil 12.4.

No additional information available

12.5.	12.5. Results of PBT and vPvB assessment	
Sani-F	Sani-Pak Liquid	
This s	This substance/mixture does not meet the PBT criteria of REACH, annex XIII.	
This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.		

12.6. Other adverse effects

No additional information available

according to Regulation (EC) No. 453/2010

SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	i
Regional legislation (waste)	 Dispose of contents/container to comply with applicable local, national and international regulations.
Waste disposal recommendations	: Comply with local regulations for disposal.
SECTION 14: Transport info	rmation
Not a dangerous good in sense of tra	nsport regulations
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and environ	nmental regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
Contains no REACH candidate subst	ance
Other regulations, restrictions and pro regulations	hibition : Conforms to Regulation (EC) No. 1907/2006, Anex II (REACH), as amended by (EU) No. 453/2010.
15.1.2. National regulations	
No data available	
15.2. Chemical safety assessm	ent
CSA has not been established	
SECTION 16: Other information	tion
Sources of Key data	: SDS, ECHA.
Abbreviations and acronyms	 ACGIH (American Conference of Governement Industrial Hygienists). ASTM - American Soci- for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling Packaging. CSR - Chemical Safety Report. EEC - European Economic Community. EC -

European Economic Community. GHS - Globally Harmonised System. HMIS - Hazardous Materials Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational Safety and Health Administration. Overland transport (ADR). PEL- Permissible Exposure Level. REACH -Registration, Evaluation, Authorisation and Restriction of Chemicals. Relat - Relative. SDS -Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time

Full text of R-, H- and EUH-phrases::

, , , , , , , , , , , , , , , , , , , ,	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	flammable liquids Category 3
Skin Corr. 1B	skin corrosion/irritation Category 1B
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitisation Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Weighted Average.

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.