SAFETY DATA SHEET



1. Identification			
Product identifier	Sani-Pak Toilet Deodorant Concentra	ite	
Other means of identification			
Part Number	SP-97000 series, (Formula: LB-97000N	1/4)	
Recommended use	Industrial Use.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	r/Distributor information		
Supplier			
Company name	ITW Permatex Canada		
Address	2360 Bristol Circle, Ste 101 Oakville, ON Canada L6H 6M5		
	Canada		
Telephone	1-800-241-8334		
Manufacturer	1 000 211 0001		
Company name	Celeste Industries Corporation		
Address	8007 Industrial Park Rd		
	Easton, Maryland 21601 (USA)		
Telephone	+1-410-822-5775		
Email	info@celestecorp.com		
In Case of Emergency	CHEMTREC (24 hours) within USA and	I CANADA 1-800-424-9300	
	Outside USA and Canada (collect call a	iccepted) 1-703-527-3883	
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 1	
	Sensitization, skin	Category 1	
Environmental hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Causes skin irritation. May cause an all	ergic skin reaction. Causes serious eye damage.	
Precautionary statement			
Prevention	Avoid breathing mist/vapors. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials		
Disposal	Dispose of contents/container in accord	ance with local/regional/national/international regulations.	
Supplemental information	None.		
Other hazards	None known.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-bromo-2-nitro-1,3-propanediol		52-51-7	1 - 5
Octylphenoxy polyethoxy ethanol		9036-19-5	1 - 5
Hexylcinnamaldehyde		101-86-0	0.5 - 1.5
2-methyl-2h-isothiazol-3-one		2682-20-4	0.1 - 1
4-tert-butylcyclohexanol acetate		32210-23-4	0.1 - 1
5-chloro-2-methyl-2h-isothiazol-3-o ne		26172-55-4	0.1 - 1
C8-10 Alkyl alcohol ethoxylate (4EO), phosphate ester		68130-47-2	0.1 - 1
Citral		5392-40-5	0.1 - 1
Orange Terpenes		68647-72-3	0.1 - 1
Tetramethyl Acetyloctahydronaphthalenes		54464-57-2	0.1 - 1
Other components below reportable	levels		88.78

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Fire fighting

equipment/instructions

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	This product is miscible in water. Preve areas.	ent entry into waterways, se	wer, basements or confined
	Large Spills: Stop the flow of material, possible. Absorb in vermiculite, dry sar recovery, flush area with water.		
	Small Spills: Wipe up with absorbent n remove residual contamination.	naterial (e.g. cloth, fleece). (Clean surface thoroughly to
Environmental precautions	Never return spills to original container Avoid discharge into drains, water cou	-	osal, see section 13 of the SDS.
7. Handling and storage			
Precautions for safe handling	Do not get this material in contact with skin, and clothing. Avoid prolonged ex personal protective equipment. Observ	posure. Provide adequate v	entilation. Wear appropriate
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store SDS).	away from incompatible ma	terials (see Section 10 of the
8. Exposure controls/pers	onal protection		
Occupational exposure limits			
US. ACGIH Threshold Limit	US. ACGIH Threshold Limit Values		
Components	Туре	Value	Earma
components	Type	value	Form
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and vapor.
Citral (CAS 5392-40-5)	-	5 ppm	Inhalable fraction and
Citral (CAS 5392-40-5)	TWA	5 ppm	Inhalable fraction and
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re	TWA eg. 217/2006, The Workplace Safety Ar	5 ppm	Inhalable fraction and vapor.
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re Components Citral (CAS 5392-40-5)	TWA eg. 217/2006, The Workplace Safety Ar Type	5 ppm nd Health Act) Value 5 ppm	Inhalable fraction and vapor. Form Inhalable fraction and
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re Components Citral (CAS 5392-40-5)	TWA eg. 217/2006, The Workplace Safety Ar Type TWA	5 ppm nd Health Act) Value 5 ppm	Inhalable fraction and vapor. Form Inhalable fraction and
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re Components Citral (CAS 5392-40-5) Canada. Ontario OELs. (Co	TWA eg. 217/2006, The Workplace Safety Ar Type TWA ntrol of Exposure to Biological or Che	5 ppm ad Health Act) Value 5 ppm mical Agents)	Inhalable fraction and vapor. Form Inhalable fraction and vapor.
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re Components Citral (CAS 5392-40-5) Canada. Ontario OELs. (Co Components	TWA eg. 217/2006, The Workplace Safety Ar Type TWA ntrol of Exposure to Biological or Che Type	5 ppm ad Health Act) Value 5 ppm mical Agents) Value 5 ppm	Inhalable fraction and vapor. Form Inhalable fraction and vapor. Form Inhalable fraction and
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re Components Citral (CAS 5392-40-5) Canada. Ontario OELs. (Co Components Citral (CAS 5392-40-5)	TWA eg. 217/2006, The Workplace Safety Ar Type TWA ntrol of Exposure to Biological or Che Type TWA	5 ppm ad Health Act) Value 5 ppm mical Agents) Value 5 ppm	Inhalable fraction and vapor. Form Inhalable fraction and vapor. Form Inhalable fraction and
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re Components Citral (CAS 5392-40-5) Canada. Ontario OELs. (Co Components Citral (CAS 5392-40-5) Biological limit values	TWA eg. 217/2006, The Workplace Safety Ar Type TWA ntrol of Exposure to Biological or Cher Type TWA No biological exposure limits noted for	5 ppm ad Health Act) Value 5 ppm mical Agents) Value 5 ppm	Inhalable fraction and vapor. Form Inhalable fraction and vapor. Form Inhalable fraction and
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re Components Citral (CAS 5392-40-5) Canada. Ontario OELs. (Co Components Citral (CAS 5392-40-5) Biological limit values Exposure guidelines	TWA eg. 217/2006, The Workplace Safety Ar Type TWA ntrol of Exposure to Biological or Che Type TWA No biological exposure limits noted for OELs: Skin designation Can be	5 ppm ad Health Act) Value 5 ppm mical Agents) Value 5 ppm	Inhalable fraction and vapor. Form Inhalable fraction and vapor. Form Inhalable fraction and vapor.
Citral (CAS 5392-40-5) Canada. Manitoba OELs (Re Components Citral (CAS 5392-40-5) Canada. Ontario OELs. (Co Components Citral (CAS 5392-40-5) Biological limit values Exposure guidelines Canada - British Columbia Citral (CAS 5392-40-5)	TWA eg. 217/2006, The Workplace Safety Ar Type TWA ntrol of Exposure to Biological or Che Type TWA No biological exposure limits noted for OELs: Skin designation Can be skin designation	5 ppm ad Health Act) Value 5 ppm mical Agents) Value 5 ppm the ingredient(s).	Inhalable fraction and vapor. Form Inhalable fraction and vapor. Form Inhalable fraction and vapor.

US ACGIH Threshold Limit Values: Skin designation

Citral (CAS 5392-40-5)

Danger of cutaneous absorption Appropriate engineering Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to controls maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

er i nyelear ana enemiear	
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Blue
Odor	Pleasant.
Odor threshold	Not available.
рН	4 - 6
Melting point/freezing point	<= 32 °F (<= 0 °C)
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	> 199.4 °F (> 93.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Non-flammable.
Explosive limit - upper (%)	Non-flammable.
Vapor pressure	Property has not been measured.
Vapor density	Property has not been measured.
Relative density	>= 1 g/cm ³
Solubility(ies)	
Solubility (water)	Soluble in water.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Kinematic viscosity	Property has not been measured.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.
44 Table all and all informed	

11. Toxicological information

Information on likely routes of e	exposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity

Not expected to be acutely toxic.


Product	Species	Test Results
Sani-Pak Toilet Deodorant Conce	entrate	
Acute		
Dermal		
ATEmix		25000 mg/kg
Oral ATEmix		6300 mg/kg
	Spacios	Test Results
Components 2-bromo-2-nitro-1,3-propanediol (Species	Test Results
Acute	(CAS 52-51-7)	
Dermal		
LD50	Rat	1600 mg/kg
Inhalation		
LC50	-	> 5 mg/l, 6 Hours
Oral		
LD50	Rat	310 mg/kg
4-tert-butylcyclohexanol acetate (CAS 32210-23-4)	
<u>Acute</u>		
Oral		
LD50	Rat	3400 mg/kg
Citral (CAS 5392-40-5)		
<u>Acute</u>		
Dermal LD50	Rabbit	2300 mg/kg
Oral	Nabbit	2300 mg/kg
LD50	Rat	5000 mg/kg
Hexylcinnamaldehyde (CAS 101-		
Acute	00-0)	
Oral		
LD50	Rat	3100 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitizatio ACGIH sensitization	n	
	and vapor (CAS 5392-40-5) azard: Dermal sensitization	Dermal sensitization
Citral (CAS 5392-40-5)		Dermal sensitization
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	May cause an allergic skin re	action.
Germ cell mutagenicity	No data available to indicate mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcino	genicity to humans.
ACGIH Carcinogens		
Citral (CAS 5392-40-5) Canada - Manitoba OELs: c	carcinogenicity	A4 Not classifiable as a human carcinogen.
Citral (CAS 5392-40-5)		Not classifiable as a human carcinogen.
Reproductive toxicity		to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	

Chronic effects	Prolonged	inhalation may be harmful.		
12. Ecological information	า			
Ecotoxicity Very toxic to aquatic life with long lasting effects.				
Components		Species	Test Results	
Octylphenoxy polyethoxy etha	anol (CAS 90	36-19-5)		
Aquatic				
Acute				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	7.2 mg/l, 96 hours	
Persistence and degradability	No data is a	available on the degradability of any ingred	dients in the mixture.	
Bioaccumulative potential				
Partition coefficient n-octar Citral	nol / water (lo	og Kow) 3.45		
Mobility in soil	Not establis	Not established.		
Other adverse effects	None known.			
13. Disposal considerations				
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			
14. Transport information				
TDG				
UN number	UN3082			
UN proper shipping name	ENVIRON	MENTALLY HAZARDOUS SUBSTANCE,	LIQUID, N.O.S.	

	UN number	UN3082
	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-BROMO-2-NITRO-1,3-PROPANEDIOL, Octylphenoxy polyethoxy ethanol)
	Transport hazard class(es)	
	Class	9
	Subsidiary risk	-
	Packing group	
	Environmental hazards	E3
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
IAT	Α	
	UN number	UN3082
	UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (2-BROMO-2-NITRO-1,3-PROPANEDIOL, Octylphenoxy polyethoxy ethanol)
	Transport hazard class(es)	
	Class	9
	Subsidiary risk	-
	Packing group	
	Environmental hazards	Yes.
	ERG Code	9L
	Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
	Passenger and cargo aircraft	Allowed with restrictions.
	Cargo aircraft only	Allowed with restrictions.
IME)G	
	UN number	UN3082
	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-BROMO-2-NITRO-1,3-PROPANEDIOL, Octylphenoxy polyethoxy ethanol), MARINE POLLUTANT

Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and	This product is a liquid and when transported in bulk is covered under MARPOL 73/78 Annex II. This product is listed in the IBC Code.
the IBC Code	Bulk Cargo Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-BROMO-2-NITRO-1,3-PROPANEDIOL, Octylphenol polyethoxyethanol) Ship type: 1 Pollution category: X IMSBC Class: 9

IATA; IMDG; TDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention Not applicable. Rotterdam Convention Not applicable. Kyoto protocol Not applicable. Montreal Protocol Not applicable. Basel Convention

Not applicable.

International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	05-10-2022
Revision date	12-16-2022
Version #	02
References	ECHA registered substances database
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.