

SAFETY DATA SHEET

1. Identification

Product identifier	Sani-Tank 8000N
Other means of identification	
Part Number	SP-8000N series, (Formula: LB-GLYVAK/TS)
Recommended use of the chemi	cal and restrictions on use
Recommended use	Cleaning agent. Industrial Use.
Restrictions on use	None known.
Details of manufacturer or impo	rter
Supplier	
Company name	Boeing Distribution Australia Pty Ltd
Address	20-22 Lindaway Place
	Tullamarine, Vic 3043
	Australia
Telephone	61-3-9339-3000
Fax	61-3-9338-9773
Email	prc@boeing.com
Manufacturer	
Company	Celeste Industries Corporation
Address	8007 Industrial Park Rd
	Easton, Maryland 21601 (USA)
Telephone	+1-410-822-5775
Email	info@celestecorp.com
In Case of Emergency	CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300
	Outside USA and Canada (collect call accepted) 1-703-527-3883

2. Hazard(s) identification

Classification	of the	hazardous	chemical
olassification	or the	nuzuruous	chenneur

Physical hazards	Corrosive to metals	Category 1
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	

Label elements, including precautionary statements

Hazard symbol(s)



	Corrosion
Signal word	Danger
Hazard statement(s)	May be corrosive to metals. Causes skin irritation. Causes serious eye damage.
Precautionary statement(s)	
Prevention	Keep only in original container. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Absorb spillage to prevent material damage.
Storage	Store in corrosive resistant container with a resistant inner liner.
Disposal	Dispose of waste and residues in accordance with local authority requirements.

Supplemental information

5 % of the mixture consists of component(s) of unknown acute oral toxicity. 5 % of the mixture consists of component(s) of unknown acute dermal toxicity. 10.16 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 5 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 5 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

Other hazards which do not result in classification

3. Composition/information on ingredients

None known.

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
L(+)-lactic Acid	79-33-4	3 - 7
Sodium xylenesulphonate	1300-72-7	1 - 5
C8-10 Alkyl alcohol ethoxylate (4EO), -phosphate ester	68130-47-2	0.5 - 1.5
Sodium octane-1-sulphonate monohydrate	5324-84-5	0.5 - 1.5
Sodium hydroxide	1310-73-2	0.1 - 1
Other components below reportable levels		< 96

4. First-aid measures

Description of necessary first aid measures

Description of necessary mist an	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Symptoms caused by exposure	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Medical attention and special treatment	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for fire fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Hazchem code	2X
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
6. Accidental release meas	sures

Personal precautions, protective equipment and emergency procedures

ereenar presauterie, preseetire	s equipment and emergency presedures
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions	Avoid discharge into drains, water courses or or	to the ground.	
Methods and materials for containment and cleaning up	This product is miscible in water. Prevent entry i areas.	nto waterways, sewer, basements or confined	
	Large Spills: Stop the flow of material, if this is w possible. Absorb spillage to prevent material dat vermiculite, sand or earth to soak up the produc Following product recovery, flush area with wate	t and place into a container for later disposal.	
	Small Spills: Wipe up with absorbent material (e remove residual contamination.	.g. cloth, fleece). Clean surface thoroughly to	
	Never return spills to original containers for re-us	se. For waste disposal, see section 13.	
7. Handling and storage			
Precautions for safe handling	Do not get this material in contact with eyes. Ave prolonged exposure. Provide adequate ventilation equipment. Observe good industrial hygiene pra	on. Wear appropriate personal protective	
Conditions for safe storage, including any incompatibilities	Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).		
8. Exposure controls and	personal protection		
Control parameters	Follow standard monitoring procedures.		
Occupational exposure limits			
	ce OELs (Workplace Exposure Standards for A Type	irborne Contaminants, Appendix A) Value	
Sodium hydroxide (CAS	Ceiling	2 mg/m3	
1310-73-2)			
1310-73-2) US. ACGIH Threshold Limit	Values		
	Values Type	Value	
US. ACGIH Threshold Limit		Value 2 mg/m3	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS	Type Ceiling		
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos	Type Ceiling ure Limits (WELs)	2 mg/m3	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2)	Type Ceiling ure Limits (WELs) Type	2 mg/m3 Value 2 mg/m3	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended ex	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended exercise established, maintain airborne levels to an accert	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE)	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended exects established, maintain airborne levels to an accel shower. for example personal protective equipment (Personal protective equipment)	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE)	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended exects established, maintain airborne levels to an accel shower. for example personal protective equipment (Personal protective equipment)	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE)	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls Individual protection measures, Eye/face protection Skin protection	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended exects established, maintain airborne levels to an accel shower. for example personal protective equipment (P Wear safety glasses with side shields (or goggle	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE)	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls Individual protection measures, Eye/face protection Skin protection Hand protection	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended ex- established, maintain airborne levels to an accel shower. for example personal protective equipment (P Wear safety glasses with side shields (or goggle Wear appropriate chemical resistant gloves.	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE) es) and a face shield.	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls Individual protection measures, Eye/face protection Skin protection Hand protection Other	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended ex- established, maintain airborne levels to an accept shower. for example personal protective equipment (P Wear safety glasses with side shields (or goggle Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing.	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE) es) and a face shield.	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls Individual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended ex- established, maintain airborne levels to an accel shower. for example personal protective equipment (P Wear safety glasses with side shields (or goggle Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. In case of insufficient ventilation, wear suitable r	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE) es) and a face shield. espiratory equipment. hen necessary. es, such as washing after handling the material	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expos Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls Individual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended ex- established, maintain airborne levels to an accer shower. for example personal protective equipment (P Wear safety glasses with side shields (or goggle Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. In case of insufficient ventilation, wear suitable r Wear appropriate thermal protective clothing, with Always observe good personal hygiene measure and before eating, drinking, and/or smoking. Ro	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE) es) and a face shield. espiratory equipment. hen necessary. es, such as washing after handling the material	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expose Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls Individual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended ex- established, maintain airborne levels to an accer shower. for example personal protective equipment (P Wear safety glasses with side shields (or goggle Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. In case of insufficient ventilation, wear suitable r Wear appropriate thermal protective clothing, with Always observe good personal hygiene measure and before eating, drinking, and/or smoking. Ro	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE) es) and a face shield. espiratory equipment. hen necessary. es, such as washing after handling the material	
US. ACGIH Threshold Limit Components Sodium hydroxide (CAS 1310-73-2) UK. EH40 Workplace Expose Components Sodium hydroxide (CAS 1310-73-2) Biological limit values Appropriate engineering controls Individual protection measures, Eye/face protection Skin protection Hand protection Other Respiratory protection Thermal hazards Hygiene measures 9. Physical and chemical	Type Ceiling ure Limits (WELs) Type STEL No biological exposure limits noted for the ingree Good general ventilation should be used. Ventila applicable, use process enclosures, local exhau maintain airborne levels below recommended ex- established, maintain airborne levels to an accer shower. for example personal protective equipment (P Wear safety glasses with side shields (or goggle Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing. In case of insufficient ventilation, wear suitable r Wear appropriate thermal protective clothing, with Always observe good personal hygiene measure and before eating, drinking, and/or smoking. Ro	2 mg/m3 Value 2 mg/m3 dient(s). ation rates should be matched to conditions. If st ventilation, or other engineering controls to kposure limits. If exposure limits have not been ptable level. Provide eyewash station and safety PE) es) and a face shield. espiratory equipment. hen necessary. es, such as washing after handling the material	

Physical state	Liquid.	
Form	Liquid.	
Colour	Amber, Light tan.	
Odour	None.	
Material name: Sani-Tank 8000N		SDS AUSTRALIA

Odour threshold	Not available.
рН	2.5 - 3.5
Melting point/freezing point	0 °C (32 °F)
Initial boiling point and boiling	100 °C (212 °F) estimated
range	
Flash point	Non-flammable.
Evaporation rate	Not available.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Non-flammable.
Explosive limit – upper (%)	Non-flammable.
Vapour pressure	Property has not been measured.
Vapour density	Property has not been measured.
Relative density	0.95 - 1.05
Solubility(ies)	
Solubility (water)	Soluble in water.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not available.
Other physical and chemical par	ameters
Explosive properties	Not explosive.
Kinematic viscosity	Property has not been measured.
Oxidising properties	Not oxidising.
10. Stability and reactivity	
Reactivity	May be corrosive to metals.

Reactivity	May be corrosive to metals.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Contact with incompatible materials.	
Incompatible materials	Strong oxidising agents. Metals.	
Hazardous decomposition products	Carbon oxides.	

11. Toxicological information

Information on possible routes of exposure

Inhalation	Prolonged inhalation may be harr	nful.
Skin contact	Causes skin irritation.	
Eye contact	Causes serious eye damage.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to exposure	, , , , , , , , , , , , , , , , , , , ,	nay include stinging, tearing, redness, swelling, and blurred cluding blindness could result. Skin irritation. May cause
Acute toxicity	Not expected to be acutely toxic.	
2		
Product	Species	Test Results
-	Species	Test Results
Product	Species	Test Results
Product Sani-Tank 8000N	Species	Test Results

Components	Species		Test Results
L(+)-lactic Acid (CAS 79-33-4)			
<u>Acute</u>			
Dermal LD50	Rabbit		> 2000 mg/kg 24 Hours
	Rappil		> 2000 mg/kg, 24 Hours
Oral LD50	Rat		3500 mg/kg
	Causes skir	n irritation	
Skin corrosion/irritation Serious eye damage/irritation		ious eye damage.	
Respiratory or skin sensitisation		ious eye damage.	
Respiratory sensitisation	Not a respiratory sensitiser.		
Skin sensitisation	This product is not expected to cause skin sensitisation.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classifie	ed.	
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological informatio	n		
Ecotoxicity			ardous. However, this does not exclude the rmful or damaging effect on the environment.
Components		Species	Test Results
L(+)-lactic Acid (CAS 79-33-4)			
Aquatic			
<i>Acute</i> Crustacea	EC50	Water flea (Daphnia magna)	>= 180 - <= 320 mg/l, 48 hours
Sodium hydroxide (CAS 1310-73			2 - 100 - <- 320 mg/l, 40 hours
Aquatic Acute	-2)		
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	>= 34.59 - <= 47.13 mg/l, 48 hours
Fish	LC50	(i)	
Persistence and degradability	LC50 Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	This produc	t is missible in water	
Mobility in soil Other adverse effects	•	This product is miscible in water. None known.	
		11.	
13. Disposal consideration	ons		
Disposal methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
14. Transport information	ı		
ADG			
UN number	1760		

Transport hazard class(es)			
Class	8		
Subsidiary risk	-		
Packing group			
Environmental hazards	Not available.		
Hazchem code	2X		
	Read safety instructions, SDS and emergency procedures before handling.		
RID			
UN number	1760		
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (L(+)-lactic Acid)		
Transport hazard class(es)			
Class	8		
Subsidiary risk	-		
Label(s)	8		
Packing group			
Environmental hazards	No.		
	Read safety instructions, SDS and emergency procedures before handling.		
IATA	riced salety instructions, obo and emergency procedures before nandining.		
UN number	1760		
UN proper shipping name	Corrosive liquid, n.o.s. (L(+)-lactic Acid)		
Transport hazard class(es)			
	0		
Class Subsidiant risk	8		
Subsidiary risk	-		
Packing group			
Environmental hazards	No.		
ERG Code	8L		
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.		
Passenger and cargo	Allowed with restrictions.		
aircraft			
Cargo aircraft only	Allowed with restrictions.		
IMDG			
UN number	1760		
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (L(+)-lactic Acid)		
Transport hazard class(es)			
Class	8		
Subsidiary risk	-		
Packing group			
Environmental hazards			
Marine pollutant	No.		
EmS	F-A, S-B		
Special precautions for user			
Transport in bulk according to	This product is a liquid and when transported in bulk is covered under MARPOL 73/78 Annex II.		
Annex II of MARPOL 73/78 and	This product is listed in the IBC Code.		
the IBC Code	Bulk Cargo Shipping Name: CORROSIVE LIQUID, N.O.S. (L(+)-lactic Acid)		
	Ship type: 3		
	Pollution category: y		
	IMSBC Class: 8		

ADG



IATA; IMDG; RID



15. Regulatory information

National regulations

Safety, health and environmental regulations

This Safetv Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals.

Australia Medicines & Poisons Appendix A Poisons schedule number not allocated. Australia Medicines & Poisons Appendix B Poisons schedule number not allocated. Australia Medicines & Poisons Appendix D Poisons schedule number not allocated. Australia Medicines & Poisons Appendix E Sodium hydroxide (CAS 1310-73-2) Australia Medicines & Poisons Appendix F Sodium hydroxide (CAS 1310-73-2) Australia Medicines & Poisons Appendix G Poisons schedule number not allocated. Australia Medicines & Poisons Appendix H Poisons schedule number not allocated. Australia Medicines & Poisons Appendix I Poisons schedule number not allocated. Australia Medicines & Poisons Appendix J Poisons schedule number not allocated. Australia Medicines & Poisons Appendix K Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 10 Sodium hydroxide (CAS 1310-73-2) Australia Medicines & Poisons Schedule 2 Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 3 Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 4 Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 5 Sodium hydroxide (CAS 1310-73-2) Australia Medicines & Poisons Schedule 6 Sodium hydroxide (CAS 1310-73-2) Australia Medicines & Poisons Schedule 7 Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 8 Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 9 Poisons schedule number not allocated. High Volume Industrial Chemicals (HVIC) Sodium hydroxide (CAS 1310-73-2) Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10) Not listed. National Pollutant Inventory (NPI) substance reporting list Not listed.

> 1000000 TONNES See the regulation for additional information.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9) Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

- Rotterdam Convention
- Not applicable.
- Kyoto Protocol
- Not applicable. Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name On inventory	(yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the governing country(s)	

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	12-January-2023	
Key abbreviations or acronyms used	AICIS: Australian Inventory of Industrial Chemicals.	
References	ECHA registered substances database	
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.	