# **SAFETY DATA SHEET**



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Sani-Tank 8000N

Registration number

Synonyms None.

SP-8000N series, (Formula: LB-GLYVAK/TS) **Part Number** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaning agent. Industrial Use. Identified uses

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Wynn's Belgium BV Company name **Address** Industriepark-West 46

B-9100 Sint-Niklaas, Belgium

+1-410-822-5775 **Telephone** 

Manufacturer

Company name Celeste Industries Corporation

8007 Industrial Park Rd **Address** 

Easton, Maryland 21601 (USA)

+1-410-822-5775 **Telephone** info@celestecorp.com **Email** 

1.4. Emergency telephone

number

CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300

Outside USA and Canada (collect call accepted): 1-703-527-3883

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards

Corrosive to metals Category 1 H290 - May be corrosive to metals.

**Health hazards** 

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Serious eye damage/eye irritation H318 - Causes serious eve Category 1

damage.

## 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

C8-10 Alkyl alcohol ethoxylate (4EO), -phosphate ester, L-(+)-lactic acid, Sodium hydroxide, Contains:

Sodium octane-1-sulphonate monohydrate

Hazard pictograms



Signal word Danger

**Hazard statements** 

May be corrosive to metals. H290 Causes skin irritation. H315 Causes serious eye damage. H318

**Precautionary statements** 

Prevention

Keep only in original packaging. P234 Wash thoroughly after handling. P264

Material name: Sani-Tank 8000N SDS EU

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

Immediately call a POISON CENTRE/doctor. P310

Take off contaminated clothing and wash it before reuse. P362 + P364

Absorb spillage to prevent material-damage. P390

Storage Not assigned. Not assigned. Disposal

Supplemental label information 5 % of the mixture consists of component(s) of unknown acute oral toxicity. 5 % of the mixture

consists of component(s) of unknown acute dermal toxicity. 10,16 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 5 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 5 % of the mixture consists of component(s)

of unknown long-term hazards to the aquatic environment.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation 2.3. Other hazards

> (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or

> > / EQ No. DEAQUED - 1: ( - d) - No.

Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

levels

### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
L-(+)-lactic acid	3 - 7	79-33-4 201-196-2	-	607-743-00-5	
Classification:	Met. Corr.	1;H290, Skin Corr. 10	C;H314, Eye Dam. 1;H318		
Sodium xylenesulphonate	1 - 5	1300-72-7 215-090-9	-	-	
Classification:	Eye Irrit. 2	;H319			
C8-10 Alkyl alcohol ethoxylate (4EO), -phosphate ester	0,5 - 1,5	68130-47-2 -	-	-	
Classification:	Skin Corr.	1B;H314, Eye Dam.	1;H318		
Sodium octane-1-sulphonate monohydrate	0,5 - 1,5	5324-84-5 226-195-4	-	-	
Classification:	Skin Corr.	1B;H314, Eye Dam.	1;H318		
Sodium hydroxide	0,1 - 1	1310-73-2 215-185-5	-	011-002-00-6	
Classification:	Met. Corr.	1;H290, Skin Corr. 1	A;H314, Eye Dam. 1;H318		
Specific Concentration Limits:	Irrit. 2;H31		Skin Corr. 1B;H314: 2 % <= Eye Dam. 1;H314: C >= 2 °		
Other components below reportable	< 96				

# List of abbreviations and symbols that may be used above

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. Composition comments

### **SECTION 4: First aid measures**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Material name: Sani-Tank 8000N SDS EU SP-8000N series, (Formula: LB-GLYVAK/TS) Version #: 01 Issue date: 12-January-2023

# **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. Store

away from incompatible materials (see Section 10 of the SDS).

Storage class (TRGS 510): 8B (Non-combustible corrosive substances)

7.3. Specific end use(s) Cleaning agent. Industrial Use.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Occupational exposure limits

Austria. MAK List, OEL Ordinance	(GwV), BGBI. II, no. 184/2001
----------------------------------	-------------------------------

Components	Туре	Value	Form
Sodium hydroxide (CAS 1310-73-2)	Ceiling	4 mg/m3	Inhalable fraction.
	MAK	2 mg/m3	Inhalable fraction.
Bulgaria. OELs. Regulation No 1	3 on protection of workers aga	inst risks of exposure to che	emical agents at work
Components	Туре	Value	Form
Sodium hydroxide (CAS 1310-73-2)	TWA	2 mg/m3	Aerosol

Material name: Sani-Tank 8000N SDS EU

Components	Type	orkplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09 Value
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3
Cyprus. OELs. Control of factory atmo Components	osphere and dangerous su Type	ubstances in factories regulation, PI 311/73, as amended Value
Sodium hydroxide (CAS 1310-73-2)	TWA	2 mg/m3
Czech Republic. OELs. Government D Components	Pecree 361 Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
	TWA	1 mg/m3
Denmark. Exposure Limit Values Components	Typo	Value
Sodium hydroxide (CAS	Type Ceiling	2 mg/m3
1310-73-2)	Clining	2 mg/mo
Estonia. OELs. Occupational Exposur Components	e Limits of Hazardous Sul Type	ostances (Regulation No. 105/2001, Annex), as amended Value
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3
1310-73-2)	TWA	1 mg/m3
Finland. Workplace Exposure Limits		
Components	Туре	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
France. Threshold Limit Values (VLEP Components	r) for Occupational Exposi Type	ure to Chemicals in France, INRS ED 984 Value
Sodium hydroxide (CAS 1310-73-2) Regulatory status: Indicative lim	VME it (VL)	2 mg/m3
Greece. OELs (Decree No. 90/1999, as		
Components	Туре	Value
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3
1010-70-2)	TWA	2 mg/m3
Hungary. OELs. Joint Decree on Chen	nical Safety of Workplaces	•
Components	Туре	Value
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3
	TWA	1 mg/m3
Iceland. OELs. Regulation 154/1999 or		
Components	Туре	Value
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3
Ireland. Occupational Exposure Limits		
	Туре	Value
	OTE	7 maim's
Sodium hydroxide (CAS	STEL	2 mg/m3
Sodium hydroxide (CAS 1310-73-2) Italy. Occupational Exposure Limits	STEL <b>Type</b>	Value
Components  Sodium hydroxide (CAS 1310-73-2)  Italy. Occupational Exposure Limits Components  Sodium hydroxide (CAS 1310-73-2)		
Sodium hydroxide (CAS 1310-73-2)  Italy. Occupational Exposure Limits Components  Sodium hydroxide (CAS	<b>Type</b> Ceiling	Value 2 mg/m3

Material name: Sani-Tank 8000N SP-8000N series, (Formula: LB-GLYVAK/TS) Version #: 01 Issue date: 12-January-2023

Components	Туре	Value	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
Norway. Administrative No Components	orms for Contaminants in the Workpla Type	rce Value	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
	Minister of Labour and Social Policy o		
concentrations and intens Components	ities of harmful health factors in the v Type	vork environment, Journal o Value	f Laws 2014, item 817
<u>-</u>	STEL	1 mg/m3	
Sodium hydroxide (CAS 1310-73-2)	SIEL	0 ppm	
	TWA	0,5 mg/m3	
		0 ppm	
Portugal. VLEs. Norm on c Components	occupational exposure to chemical ag Type		
Sodium hydroxide (CAS	Ceiling	2 mg/m3	
1310-73-2)	309	2 mg/mo	
Romania. OELs. Protection Components	n of workers from exposure to chemic Type	cal agents at the workplace Value	
Sodium hydroxide (CAS	STEL	3 mg/m3	
1310-73-2)	TWA	1 mg/m3	
Slovakia. OELs. Regulatio Components	n No. 300/2007 concerning protection Type	of health in work with chem Value	iical agents
Sodium hydroxide (CAS 1310-73-2)	TWA	2 mg/m3	
Spain. Occupational Expo Components	sure Limits Type	Value	
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3	
Sweden. OELs. Work Envi Components	ronment Authority (AV), Occupationa Type	l Exposure Limit Values (AFS Value	S 2015:7) Form
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	Inhalable dust.
	TWA	1 mg/m3	Inhalable dust.
Switzerland. SUVA Grenzv Components	verte am Arbeitsplatz Type	Value	Form
Sodium hydroxide (CAS	STEL	2 mg/m3	Inhalable fraction.
1310-73-2)		•	
	TWA	2 mg/m3	Inhalable fraction.
UK. EH40 Workplace Expo Components	sure Limits (WELs) Type	Value	
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3	
ogical limit values	No biological exposure limits noted f	or the ingredient(s).	
ommended monitoring edures	Follow standard monitoring procedu	res.	
ved no effect levels ELs)	Not available.		
licted no effect	Not available.		

8.2. Exposure controls

Material name: Sani-Tank 8000N

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Wear safety glasses with side shields (or goggles) and a face shield. Eye protection should meet Eye/face protection

standard EN 166.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374.

- Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Follow guidance on Respiratory protection

selection, use, care and maintenance in accordance with EN 529.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Liauid. **Form** Liquid.

Colour Amber, Light tan.

Odour None. Melting point/freezing point 0 °C (32 °F)

Boiling point or initial boiling

point and boiling range

100 °C (212 °F) estimated

Flammability (solid, gas) Non-flammable.

Upper/lower flammability or explosive limits

Non-flammable. Explosive limit - lower (%) Explosive limit - upper

(%)

Non-flammable.

Non-flammable. Flash point Auto-ignition temperature Not applicable. **Decomposition temperature** Not applicable. рΗ 2.5 - 3.5

Kinematic viscosity Property has not been measured.

Solubility(ies)

Soluble in water. Solubility (water) Partition coefficient Not applicable.

(n-octanol/water)

Property has not been measured. Vapour pressure Vapour density Property has not been measured.

Relative density 0.95 - 1.05Particle characteristics Not available.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

**Explosive properties** Not explosive. Not oxidising Oxidising properties

**SECTION 10: Stability and reactivity** 

10.1. Reactivity May be corrosive to metals.

Material name: Sani-Tank 8000N SDS EU **10.2. Chemical stability**Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.10.5. Incompatible materials Strong oxidising agents. Metals.

10.6. Hazardous

decomposition products

Carbon oxides

## **SECTION 11: Toxicological information**

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye damage.

Ingestion May cause discomfort if swallowed. Expected to be a low ingestion hazard. However, ingestion is

not likely to be a primary route of occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain.

## 11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

 Product
 Species
 Test Results

 Sani-Tank 8000N
 Acute
 Acute

 Dermal
 37000 mg/kg

 ATEmix
 37000 mg/kg

 ATEmix
 100000 mg/kg

 Components
 Species

L-(+)-lactic acid (CAS 79-33-4)

<u>Acute</u>

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Oral

LD50 Rat 3500 mg/kg

Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes skin irritation.
Causes serious eye damage.

**Respiratory sensitisation** Not a respiratory sensitiser.

**Skin sensitisation** This product is not expected to cause skin sensitisation.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Mixture versus substance No information available.

information

11.2. Information on other hazards

**Endocrine disrupting** 

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Material name: Sani-Tank 8000N

Other information Not available.

**SECTION 12: Ecological information** 

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

Components **Species Test Results** 

L-(+)-lactic acid (CAS 79-33-4)

Aquatic Acute

EC50 Water flea (Daphnia magna) >= 180 - <= 320 mg/l, 48 hours Crustacea

Sodium hydroxide (CAS 1310-73-2)

Aquatic Acute

EC50 Crustacea Water flea (Ceriodaphnia dubia) >= 34.59 - <= 47.13 mg/l, 48 hours

Fish LC50 Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential

Not available. **Partition coefficient** 

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** Not established. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. assessment

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects None known.

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

## **SECTION 14: Transport information**

**ADR** 

14.1. UN number UN1760

14.2. UN proper shipping CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)

name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk Label(s) 8 Hazard No. (ADR) 80 **Tunnel restriction code** Ε 14.4. Packing group Ш

14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number

UN1760

14.2. UN proper shipping

CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)

name

14.3. Transport hazard class(es) Class

Material name: Sani-Tank 8000N SP-8000N series, (Formula: LB-GLYVAK/TS) Version #: 01 Issue date: 12-January-2023

SDS EU

Subsidiary risk 8 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN1760

CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid) 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk Label(s) R Ш 14.4. Packing group 14.5. Environmental hazards No.

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

IATA

UN1760 14.1. UN number

14.2. UN proper shipping Corrosive liquid, n.o.s. (L-(+)-lactic acid)

name

14.3. Transport hazard class(es)

Class Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards No. **ERG Code** 

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

**IMDG** 

14.1. UN number UN1760

14.2. UN proper shipping CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)

name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk 14.4. Packing group Ш 14.5. Environmental hazards Marine pollutant No. F-A, S-B **EmS** 

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

This product is a liquid and when transported in bulk is covered under MARPOL 73/78 Annex II. 14.7. Maritime transport in bulk This product is listed in the IBC Code. according to IMO instruments

Bulk Cargo Shipping Name: CORROSIVE LIQUID, N.O.S. (L(+)-lactic Acid)

Ship type: 3 Pollution category: y IMSBC Class: 8

ADN; ADR; IATA; IMDG; RID



## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Material name: Sani-Tank 8000N SDS EU 9 / 11

#### EU regulations

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

EU Regulation 648/2004, Annex VII, Content Labeling for Detergents

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

**Authorisations** 

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at

work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value.

TWA: Time Weighted Average. VLE: Exposure Limit Value.

VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative.

**References** ECHA registered substances database

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Material name: Sani-Tank 8000N
SP-8000N series, (Formula: LB-GLYVAK/TS) Version #: 01 Issue date: 12-January-2023

Full text of any H-statements not written out in full under Sections 2 to 15

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Revision information Training information

Disclaimer

None

Follow training instructions when handling this material.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Material name: Sani-Tank 8000N

SP-8000N series, (Formula: LB-GLYVAK/TS) Version #: 01 Issue date: 12-January-2023

11 / 11