

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Trade name or designation of the mixture Sani-Tank 8000N

Registration number -

Synonyms None.

Part Number SP-8000N series, (Formula: LB-GLYVAK/TS)

Issue date 12-January-2023

Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent. Industrial Use.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet
Supplier

Company name Celeste Industries

Address 400 Thames Valley Park Drive
Reading
Berkshire, RG6 1PT, England

Telephone +44 (0) 1189 637930

Manufacturer

Company name Celeste Industries Corporation

Address 8007 Industrial Park Rd
Easton, Maryland 21601 (USA)

Telephone +1-410-822-5775

Email info@celestecorp.com

In Case of Emergency CHEMTREC (24 hours) within USA and CANADA 1-800-424-9300
Outside USA and Canada (collect call accepted) 1-703-527-3883

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended
Physical hazards

Corrosive to metals Category 1 H290 - May be corrosive to metals.

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye damage.

2.2. Label elements
Label according to Regulation (EC) No. 1272/2008 as amended

Contains: C8-10 Alkyl alcohol ethoxylate (4EO), -phosphate ester, L-(+)-lactic acid, Sodium hydroxide, Sodium octane-1-sulphonate monohydrate

Hazard pictograms


Signal word Danger

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

Prevention

P234	Keep only in original packaging.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTRE/doctor.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P390	Absorb spillage to prevent material-damage.

Storage

Not assigned.

Disposal

Not assigned.

Supplemental label information

5 % of the mixture consists of component(s) of unknown acute oral toxicity. 5 % of the mixture consists of component(s) of unknown acute dermal toxicity. 10.16 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 5 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 5 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

Mixture

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
L-(+)-lactic acid	3 - 7	79-33-4 201-196-2	-	607-743-00-5	
Classification: Met. Corr. 1;H290, Skin Corr. 1C;H314, Eye Dam. 1;H318					
Sodium xylenesulphonate	1 - 5	1300-72-7 215-090-9	-	-	
Classification: Eye Irrit. 2;H319					
C8-10 Alkyl alcohol ethoxylate (4EO), -phosphate ester	0.5 - 1.5	68130-47-2 -	-	-	
Classification: Skin Corr. 1B;H314, Eye Dam. 1;H318					
Sodium octane-1-sulphonate monohydrate	0.5 - 1.5	5324-84-5 226-195-4	-	-	
Classification: Skin Corr. 1B;H314, Eye Dam. 1;H318					
Sodium hydroxide	0.1 - 1	1310-73-2 215-185-5	-	011-002-00-6	#
Classification: Skin Corr. 1A;H314, Eye Dam. 1;H318, Aquatic Chronic 3;H412					
< 96					

List of abbreviations and symbols that may be used above

#: This substance has workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Keep container tightly closed. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Cleaning agent. Industrial Use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m ³

Biological limit values	No biological exposure limits noted for the ingredient(s).
Recommended monitoring procedures	Follow standard monitoring procedures.
Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.

8.2. Exposure controls

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
Individual protection measures, such as personal protective equipment	
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield. Eye protection should meet standard EN 166.
Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves. Wear suitable gloves tested to EN374.
- Other	Wear appropriate chemical resistant clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Follow guidance on selection, use, care and maintenance in accordance with EN 529.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Colour	Amber, Light tan.
Odour	None.
Odour threshold	Not available.
pH	2.5 - 3.5
Melting point/freezing point	0 °C (32 °F)
Initial boiling point and boiling range	100 °C (212 °F) estimated
Flash point	Non-flammable.
Evaporation rate	Not available.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Non-flammable.
Explosive limit – upper (%)	Non-flammable.
Vapour pressure	Property has not been measured.
Vapour density	Property has not been measured.
Relative density	0.95 - 1.05
Solubility(ies)	
Solubility (water)	Soluble in water.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2. Other information

Kinematic viscosity	Property has not been measured.
----------------------------	---------------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity	May be corrosive to metals.
-------------------------	-----------------------------

10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents. Metals.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation.
Ingestion	May cause discomfort if swallowed. Expected to be a low ingestion hazard. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

11.1. Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Product	Species	Test Results
Sani-Tank 8000N		
Acute		
Oral		
ATEmix		100000 mg/kg

Components	Species	Test Results
L-(+)-lactic acid (CAS 79-33-4)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	3500 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance information No information available.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
L-(+)-lactic acid (CAS 79-33-4)		
Aquatic		
<i>Acute</i>		
Crustacea	EC50 Water flea (Daphnia magna)	>= 180 - <= 320 mg/l, 48 hours

Components	Species	Test Results
Sodium hydroxide (CAS 1310-73-2)		
Aquatic		
<i>Acute</i>		
Crustacea	EC50	Water flea (Ceriodaphnia dubia) >= 34.59 - <= 47.13 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours

12.2. Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6. Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

- 14.1. UN number UN1760
- 14.2. UN proper shipping name CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)
- 14.3. Transport hazard class(es)
 - Class 8
 - Subsidiary risk -
 - Label(s) 8
 - Hazard No. (ADR) 80
 - Tunnel restriction code E
- 14.4. Packing group III
- 14.5. Environmental hazards No.
- 14.6. Special precautions for user Not available.

RID

- 14.1. UN number UN1760
- 14.2. UN proper shipping name CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)
- 14.3. Transport hazard class(es)
 - Class 8
 - Subsidiary risk -
 - Label(s) 8
- 14.4. Packing group III
- 14.5. Environmental hazards No.
- 14.6. Special precautions for user Not available.

ADN

- 14.1. UN number UN1760
- 14.2. UN proper shipping name CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)
- 14.3. Transport hazard class(es)
 - Class 8
 - Subsidiary risk -

Label(s)	8
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not available.

IATA

14.1. UN number	UN1760
14.2. UN proper shipping name	Corrosive liquid, n.o.s. (L-(+)-lactic acid)
14.3. Transport hazard class(es)	
Class	8
Subsidiary risk	-
14.4. Packing group	III
14.5. Environmental hazards	No.
ERG Code	8L
14.6. Special precautions for user	Not available.

Other information

Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG

14.1. UN number	UN1760
14.2. UN proper shipping name	CORROSIVE LIQUID, N.O.S. (L-(+)-lactic acid)
14.3. Transport hazard class(es)	
Class	8
Subsidiary risk	-
14.4. Packing group	III
14.5. Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
14.6. Special precautions for user	Not available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This product is a liquid and when transported in bulk is covered under MARPOL 73/78 Annex II. This product is listed in the IBC Code.
 Bulk Cargo Shipping Name: CORROSIVE LIQUID, N.O.S. (L(+)-lactic Acid)
 Ship type: 3
 Pollution category: y
 IMSBC Class: 8

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Retained direct EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

ECHA registered substances database

References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Revision information

None.

Training information

Follow training instructions when handling this material.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.