

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture, liquid  
Product name. : Sani-Pak Super Concentrate Clear Liquid  
Product group : Trade product  
Product code : LB-97000M3XC  
Part number : SP-97000C3X55

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1. Relevant identified uses**

Use of the substance/preparation : Toilet deodorant concentrate

**1.2.2. Uses advised against**

No data available

**1.3. Details of the supplier of the safety data sheet**

Celeste Industries Corporation  
8221 Teal Drive, suite 405  
Easton, Maryland 21601 (USA)  
Within USA: (410) 822-5775  
International: 00 (1) 410-822-5775  
e-mail: info@celestecorp.com

**1.4. Emergency telephone number**

Emergency contact number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300  
Outside USA and Canada (collect call accepted): 1-703-527-3883

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Eye Dam. 1 H318  
Skin Irrit. 2 H315  
Aquatic Acute 1 H400

Full text of H-phrases: see section 16.

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements**

**Classification according to CLP Regulation (EC) No 1272/2008**

Symbol and Nature of Warning / Danger :



Signal Word : Danger

Hazard Statement : H318 – Causes serious eye damage.  
: H315 – Causes skin irritation.  
: H400 – Very toxic to aquatic life.

Precaution Statement : P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
: P302 + P350 – IF ON SKIN: Gently wash with plenty of soap and water  
: P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Bromo-2-nitropropane-1,3-diol	(CAS No.) 52-51-7 (EC no) 200-143-0 (EC index no) 603-085-00-8	18	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400

Full text of R-, H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove victim to fresh air. If necessary seek medical advice.
- First-aid measures after skin contact : Remove all contaminated clothing and footwear. Rinse and then wash skin with water and soap. If skin irritation persists, take medical advice.
- First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical attention if irritation persists.
- First-aid measures after ingestion : Seek medical attention immediately. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after eye contact : May cause damage to eyes.
- Symptoms/injuries after ingestion : May be harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media: : Carbon dioxide (CO<sub>2</sub>), dry chemical powder, foam, water fog.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Non combustible.

### 5.3. Advice for firefighters

- Protective equipment for firefighters : Extra personal protection: complete protective clothing including self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Use splash goggles when eye contact due to splashing is possible.
- Emergency procedures : Avoid contact with skin and eyes. Do not allow the product to be released into the environment.

#### 6.1.2. For emergency responders

- Protective equipment : Gloves. Use splash goggles when eye contact due to splashing is possible.
- Emergency procedures : Avoid contact with skin and eyes. Do not allow uncontrolled leakage of product into the environment.

### 6.2. Environmental precautions

Do not discharge into drains or the environment. Do not allow uncontrolled leakage of product into the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Clean spills promptly. contain the discharged material.
- Methods for cleaning up : Collect in closed containers for disposal. Flush residue with large amounts of water. Consult the local waste disposal expert about waste disposal.

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

## 6.4. Reference to other sections

Refer to sections 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.  
Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures: : Provide adequate ventilation.  
Storage condition(s) : Store in dry, cool, well-ventilated area.  
Incompatible materials : Strong oxidizing compounds

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation.  
Personal protective equipment : Chemical resistant gloves. Protective eye goggles.



Hand protection : In case of repeated or prolonged contact wear gloves.  
Eye protection : Wear chemical splash goggles when mixing.  
Skin and body protection : Protective apron. protective clothing. Wear suitable protective clothing.  
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Liquid  
Colour : Clear concentrate  
Odour : Pleasant  
Odour threshold : No data available  
pH : 4 - 6  
Melting point : ~ 0 °C (Will freeze just below 0°C)  
Solidification point : No data available  
Boiling point : No data available  
Flash point : > 93 °C  
Relative evaporation rate (butylacetate=1) : No data available  
Flammability (solid, gas) : No data available  
Explosive limits : Not applicable  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available  
Relative density : ~ 1 g/cm<sup>3</sup> Slightly greater than 1  
Solubility : Soluble in water  
Log Pow : No data available  
Log Kow : No data available  
Self ignition temperature : Not applicable  
Decomposition temperature : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
Explosive properties : Not explosive  
Oxidising properties : Not oxidizing

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

## 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### Bronopol (INN) (52-51-7)

LD50 oral rat	180 - 400 mg/kg
LD50 dermal rat	1600 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/l/4h

Irritation : Irritating to eyes.  
pH: 4 - 6

Corrosivity : Not classified  
pH: 4 - 6

Sensitisation : Not classified

Repeated dose toxicity : Not classified

Carcinogenicity : Not classified

Mutagenicity : Not classified

Reproductive toxicity : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Bronopol (INN) (52-51-7)

LC50 fishes	410 mg/l
EC50 Daphnia	1.6 mg/l 48 hours
EC50 other aquatic organisms	0.4 - 0.9 mg/l 5, 15, 30 minutes
ErC50 (algae)	0.65 mg/l 96 hours

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Sani-Pak Liquid

This substance/mixture does not meet the PBT criteria of REACH, annex XIII.

This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

### 12.6. Other adverse effects

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Regional legislation (waste) : Dispose of contents/container to comply with applicable local, national and international regulations.
- Waste disposal recommendations : Comply with local regulations for disposal.

## SECTION 14: Transport information

Not a dangerous good in sense of transport regulations

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH candidate substance

Other regulations, restrictions and prohibition regulations : Conforms to Regulation (EC) No. 1907/2006, Annex II (REACH), as amended by (EU) No. 453/2010.

#### 15.1.2. National regulations

No data available

### 15.2. Chemical safety assessment

CSA has not been established

## SECTION 16: Other information

Sources of Key data : SDS, ECHA.

Abbreviations and acronyms : ACGIH (American Conference of Government Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling and Packaging. CSR - Chemical Safety Report. EEC - European Economic Community. EC - European Community. GHS - Globally Harmonised System. HMIS - Hazardous Materials Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational Safety and Health Administration. Overland transport (ADR). PEL- Permissible Exposure Level. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Relat - Relative. SDS - Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time Weighted Average.

Full text of R-, H- and EUH-phrases::

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	flammable liquids Category 3
Skin Corr. 1B	skin corrosion/irritation Category 1B
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitisation Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

*This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.*